

APPS



Off-Road OEM Applications



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

AGCO, AGCO-ALLIS

BLOWER MOTOR

Air Planter, All series with OE#RD-5-6526-0	Single shaft motor, (2 reqd), 1 speed, 12V, CW, 4 3/4" length, vented	RD-5-6526-0	RD-5-6526-OP	73R0422
Gleaner F2, F3 - condenser blower	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	70257681-0, HV33208	RD-5-3690-OP	73R0502
Gleaner F2, F3 - with Kysor A/C, evaporator blower	Kysor A/C (evaporator blower), double shaft motor, 1 speed, 12V, 4 7/8" length	70257336-1	RD-5-10068-OP	73R4322
Gleaner G, GH - condenser blower	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	70257681-0, HV33208	RD-5-3690-OP	73R0502
Gleaner K2 - condenser blower	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	70257681-0, HV33208	RD-5-3690-OP	73R0502
Gleaner K2 - with Kysor A/C, evaporator blower	Kysor A/C (evaporator blower), double shaft motor, 1 speed, 12V, 4 7/8" length	70257336-1	RD-5-10068-OP	73R4322
Gleaner L, L2, L3 - condenser blower	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	70257681-0, HV33208	RD-5-3690-OP	73R0502
Gleaner M Hillside - with Kysor A/C	Kysor A/C, double shaft motor, 1 speed, 12V, 4 7/8" length	70257336-1	RD-5-10068-OP	73R4322
Gleaner MH2, N2, N3, N5, N6, N7 - condenser blower	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	70257681-0, HV33208	RD-5-3690-OP	73R0502
Gleaner R4, R5	Single shaft motor, non vented, 12V, 1 speed, CW, 4 7/8" length	70257681-0, HV33208	RD-5-3690-OP	73R0502
Tractor 2 Series 200, from Serial No. 4001	Double shaft motor, vented, 12V, 1 speed, 4 13/16" length	RD-5-5121-1	RD-5-5121-1P	73R4262
Tractor 8 Series 8030, 8050, 8070 with Kysor/Evans condenser blower	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	70257681-0, HV33208	RD-5-3690-OP	73R0502
Tractor 35, 45, 55 Challenger Standard with Red Dot unit R-9787 (Standard)	Blower Assembly, mixed flow for standard control units	RD-3-8783-0P	RD-3-8783-0P	
Tractor 35, 45, 55 Challenger Advanced with Red Dot unit R-9787 (ATC)	Blower Assembly, mixed flow for ATC applications	RD-3-8783-0P	RD-3-8783-0P	

BLOWER SWITCH

Combines F (F, F2, F3), K, L (L, L3) M (M, M2, MH2), N (N2, N3, N5, N6, N7) R (R42, R5, R52, R6, R7)	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	71195109	RD-5-10934-OP	71R1163
Combines L (L before serial no. 13000) M (series M)	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	1175262-3	RD-5-5194-OP	71R1210
Tractors 2 (200 before serial no. 4001), 6 series (6060, 6080 type 1), 7 (7020, 7040, 7045, 7060, 7080, 7580), 8 series (8550)	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	1175262-3	RD-5-5194-OP	71R1210
Tractors 2 (200, 4W), 6 (6060, 6080 Type 2), 7 (7020, 7040, 7045, 7060, 7080, 7580), 8 (8010, 8050, 8070)	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	71195109	RD-5-10934-OP	71R1163

BLOWER WHEEL

Gleaner F Model - evaporator blower	Bergstrom A/C with 4 1/2" double entry wheel, 3 3/8" width	BSM302042	RD-5-10346-OP	73R7130
Gleaner F2, K2, L2, M2, MH2 Model	Bergstrom A/C with 4 1/2" double entry wheel, 3 3/8" width	BSM302042	RD-5-10346-OP	73R7130
Gleaner N5, N6, N7 Model	Bergstrom A/C with 4 1/2" double entry wheel, 3 3/8" width	BSM302042	RD-5-10346-OP	73R7130
Gleaner N5, N6, N7 - evaporator blower	Bergstrom A/C with 4 1/2" double entry wheel, 3 3/8" width	BSM302042	RD-5-10346-OP	73R7130

CLUTCH ASSEMBLY

Combines F, K, L, L2, L3, M, N, R Series, CCI/York 2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet - R12 / 134A compressors	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	332334, MA 7A	RD-5-4994-OP	75R4502
Tractor series 4, 4W, 440, with CCI/York R12 / 134A compressors	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	332334, MA 7A	RD-5-4994-OP	75R4502
Tractor series 4, 6, 7000, 8, 8000, 9000 with Sanden SD5 (508 / 510 / 5H14) R12 / R134a compressors	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-OP	75R0202

ELECTRICAL SWITCH

All combine and tractor model series with OE#026476-9	Rotary thermostat, 36" capillary tube, 34 - 52°F	026476-9	RD-4125-36P	71R2250
All combine and tractor model series with OE#0272229-6	Rotary thermostat with 48" capillary tube, 34 - 52°F	0272229-6	RD-4125-48P	71R2300

OFF-ROAD APPLICATIONS



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

AGCO, AGCO-ALLIS

ELECTRICAL SWITCH

All combine and tractor model series with OE#1162472	Rotary thermostat with 48" capillary tube, 34 - 52°F	1162472	RD-4125-48P	71R2300
--	--	---------	-------------	----------------

EVAPORATOR

Tractor 35, 45, 55 Challenger Standard with Red Dot unit R-9787 (Standard)	Evaporator for standard control units	RD-2-3410-0P	RD-2-3410-0P	76R7720
Tractor 35, 45, 55 Challenger Advanced with Red Dot unit R-9787 (ATC)	Evaporator for ATC applications	RD-2-3410-0P	RD-2-3410-0P	76R7720

EXPANSION VALVE / BLOCK

Combines F, G, K, M, M2, M3, MH2, N, R Series	Block valve with female O-Ring fittings	71307202-3	RD-5-6868-0P	71R8301
Tractor 6 Series 6260, 6680, 6690	Block valve with female O-Ring fittings	71307202-3	RD-5-6868-0P	71R8301
Tractor 7 Series 7110, 7120	Block valve with female O-Ring fittings	4322165-4	RD-5-6868-0P	71R8301
Tractor 8 Series 8630	Block valve with female O-Ring fittings	4322165-4	RD-5-6868-0P	71R8301
Tractor 9 Series 9130, 9150, 9170, 9190, 9435, 9445, 9455, 9630, 9650, 9670, 9690	Block valve with female O-Ring fittings	4322165-4	RD-5-6868-0P	71R8301
Tractor 9 Series 9800, 9815	Block valve with female O-Ring fittings	3901517M1	RD-5-7015-0P	71R8321

EXPANSION VALVE / EXTERNAL EQUALIZER

Tractor 3 Series 305	Male O-Ring with 13" capillary length, 13" equalizer tube length	71504287-5	RD-5-3824-1P	71R8100
Tractor 7 Series 7000 - 7085	Male O-Ring with 13" capillary length, 13" equalizer tube length	0268470-2	RD-5-3824-1P	71R8100
Tractor 7 Series 7580 before serial no. 2039	Male O-Ring with 13" capillary length, 13" equalizer tube length	71504287-5	RD-5-3824-1P	71R8100
Tractor 7 Series 7580 after serial no. 2039	Male O-Ring, 1 1/2 Ton, 10" capillary length, 10" equalizer tube length	3380223M1	RD-5-5862-0P	71R8080
Tractor 8 Series 8010, 8030, 8050, 8070, 8550	Male O-Ring with 13" capillary length, 13" equalizer tube length	71504287-5	RD-5-3824-1P	71R8100

EXPANSION VALVE / ORIFICE TUBE

Tractor 35, 45, 55 Challenger Standard with Red Dot unit R-9787 (Standard)	Main unit, Red orifice tube, length 3.46", OD .425", orifice .075"	RD-5-9082-0	RD-5-9564-0P	71R8505
Tractor 35, 45, 55 Challenger Advanced with Red Dot unit R-9787 (ATC)	Main unit, Red orifice tube, length 3.46", OD .425", orifice .075"	RD-5-9082-0	RD-5-9564-0P	71R8505

HEATER CORE

Tractor 35, 45, 55 Challenger Standard with Red Dot unit R-9787 (Standard)	Heater for standard control units	RD-1-1975-0P	RD-1-1975-0P	76R4305
Tractor 35, 45, 55 Challenger Advanced with Red Dot unit R-9787 (ATC)	Heater for ATC applications	RD-1-1614-0P	RD-1-1614-0P	76R4300

PRESSURE SWITCH

All series, low pressure cut-off, drier mounting	Low pressure cut out switch, 3/8"-24, norm. open, closes 27 psig	085108-00, 72162165-4	RD-4191-0P	71R6050
--	--	--------------------------	------------	----------------

RECEIVER DRIER

Combines F, F2, F3, K, K2, L, L2, L3, M, M2, M3, MH2, N, N5, N6, N7, R5, R6, R7	with #6 Male Flare (top and side), 4" X 6 3/4"	1162927	RD-5-6077-0P	74R4016
Combines N, N5, N6, N7	with #6 Male Flare (top and side), 4" X 6 3/4"	1162927	RD-5-6077-0P	74R4016
Combines R5, R6, R9	with #6 Male Flare (top and side), 4" X 6 3/4"	71193543	RD-5-6077-0P	74R4016
Tractor AGRO-Star Series 8360, 8425	with #6 Male O-Ring, 2 3/4" X 9 5/8"	RDH RD5 5571 0	RD-5-5571-0P	74R1806
Tractor DT225	Male & Male O-Ring HPRV, MI IN CAP	A22-28796-000	RD-5-5583-0P	74R2606
Tractor 200 Series, 200, 220	with #6 Male O-Ring, pressure relief, 3" X 9"	0256818-6	RD-5-11183-0P	74R2802
Tractor 6 and 7 Series 6060, 6070, 6080, 7020, 7030, 7040, 7045, 7050, 7060, 7080, 7580	In Line drier with #6 Female to Male O-Ring, 4" x 8"	0264644-6	RD-5-8862-0P	74R0400
Tractor 8 Series 8010, 8030, 8050, 8070, 8550	In Line drier with #6 Female to Male O-Ring, 4" x 8"	70268464	RD-5-8862-0P	74R0400
Tractor 8 Series 8745, 8765, 8775, 8785	Male O-ring Type with Switch Port and HPRV	338332M2	RD-5-9789-0P	74R3106
Tractor 9 Series 9735, 9745, 9755, 9765, 9775, 9785	Male O-ring Type with Switch Port and HPRV	338332M2	RD-5-9789-0P	74R3106
Tractor 35, 45, 55 Challenger Standard with Red Dot unit R-9787 (Standard)	Drier for standard control units	RD-5-9440-0P	RD-5-9440-0P	74R3070



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

AGCO, AGCO-ALLIS

RECEIVER DRIER

Tractor 35, 45, 55 Challenger Advanced with Red Dot unit R-9787 (ATC)	Drier for ATC applications	RD-5-9440-0P	RD-5-9440-0P	74R3070
---	----------------------------	--------------	--------------	----------------

RELAY

All F (F, F2, F3), K, L (L, L2, L3) M (M, M2, M3, MH2, MH3) N (N5, N6, N7) series	Bosch style relay, 24V, SPDT, 5 terminals, 20 / 10 amp.	221711, 650690	RD-5-4417-0P	71R1704
---	---	----------------	--------------	----------------

RESISTOR, FAN

Tractor 35, 45, 55 Challenger Standard with Red Dot unit R-9787 (Standard)	Fan speed resistor for standard control units	RD-5-8923-0P	RD-5-8923-0P	71R1465
--	---	--------------	--------------	----------------

THERMOSTATIC SWITCH

All combine and tractor model series with OE#026476-9	Rotary thermostat, 36" capillary tube, 34 - 52°F	026476-9	RD-4125-36P	71R2250
---	--	----------	-------------	----------------

All combine and tractor model series with OE#0272229-6	Rotary thermostat with 48" capillary tube, 34 - 52°F	0272229-6	RD-4125-48P	71R2300
--	--	-----------	-------------	----------------

Tractor 35, 45, 55 Challenger Standard with Red Dot unit R-9787 (Standard)	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200
--	---	---------------	---------------	----------------

Tractor 35, 45, 55 Challenger Advanced with Red Dot unit R-9787 (ATC)	Thermostat sensor (evaporator) for advanced control units	RD-5-9557-0P	RD-5-9557-0P	71R3260
---	---	--------------	--------------	----------------

WATER VALVE

Tractor 35, 45, 55 Challenger Standard with Red Dot unit R-9787 (Standard)	Cable operated for standard control units	RD-1-2246-0P	RD-1-2246-0P	72R5355
--	---	--------------	--------------	----------------

Tractor 35, 45, 55 Challenger Advanced with Red Dot unit R-9787 (ATC)	Electronic water valve, 12V or 24V for advanced control units	RD-5-8806-0P	RD-5-8806-0P	72R7005
---	---	--------------	--------------	----------------

ALLIS-CHALMERS

BLOWER MOTOR

All model series with Allis Chalmers OE#0578041, 0578041-6	All with 3" diameter blower motor, 1 speed, NV, CCW, 3 5/8" length	0578041, 0578041-6	RD-5-4550-0P	73R0102
--	--	--------------------	--------------	----------------

All model series with Allis Chalmers OE#1175326	All with 3 1/4" diameter blower motor, 1 speed, 4" length, 12V, Rev. direction	1175326	RD-5-10390-0P	73R0212
---	--	---------	---------------	----------------

All model series with Allis Chalmers OE#1175327, 1175327-4	OE style blower motor (only), 1 speed, 3 3/4" length, 12V non-vented	1175327, 1175327-4	RD-5-10391-0P	73R0092
--	--	--------------------	---------------	----------------

All model series with 1 1/8" shaft, Allis Chalmers OE#1183560	Bergstrom - Kysor A/C, single shaft, 1 1/8" shaft length, NV, 12V, 1 speed, CW, 4 5/8" length	1183560	RD-5-5230-0P	73R0522
---	---	---------	--------------	----------------

All model series with Allis Chalmers OE#1192657	OE style blower motor (only), 1 speed, 3 3/4" length, 12V non-vented	1192657	RD-5-10391-0P	73R0092
---	--	---------	---------------	----------------

Combines, all series with 1 3/4" shaft, single shaft motor, OE#1183560, 275130	Bergstrom - Kysor A/C, single shaft, 1 3/4" shaft length, 12V, 1 speed, CW, 4 5/8" length	1183560, BSM205620, 275130	RD-5-10905-0P	73R0442
--	---	----------------------------	---------------	----------------

Combines, with double shaft style motor, OE#275152	Double shaft blower motor (only), 1 speed, 4 3/4" length, 12V vented	275152	RD-5-6801-0P	73R4182
--	--	--------	--------------	----------------

Tractor 8000, 8500 with 1 3/4" shaft, Allis Chalmers OE#275130	Bergstrom - Kysor A/C, single shaft, 12V, 1 speed, CW, 4 5/8" length	275130	RD-5-10905-0P	73R0442
--	--	--------	---------------	----------------

CLUTCH ASSEMBLY

CCI/York - R12 / 134A compressors OE#024-25078, MA6, MAE6AR	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	024-25078, MA6, MAE6AR	RD-5-4967-0P	75R0452
---	---	------------------------	--------------	----------------

CCI/York - R12 / 134A compressors OE#024 25190, 03-1104973, 501939	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, weatherpak plug	024 25190, 03-1104973, 501939	RD-5-4972-1P	75R1202
--	---	-------------------------------	--------------	----------------

CCI/York - R12 / 134A compressors OE#2084050-0	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	2084050-0	RD-5-4994-0P	75R4502
--	--	-----------	--------------	----------------

COMPRESSOR - CCI / YORK / TECUMSEH

CCI/York Tecumseh Rotolock ER, R210L-25149 R12 or 134a (ester oil)	Rotolock Head, LH Suction without clutch, (universal - new)	ER, R210L- 25149	RD-5-8637-1P	75R7280
--	---	------------------	--------------	----------------

CCI/York Tecumseh Rotolock 99242-5, R12 or 134a (ester oil)	Rotolock Head, LH Suction without clutch, (universal - new)	99242-5	RD-5-8637-1P	75R7280
---	---	---------	--------------	----------------

CCI/York - Tube O-Ring compressor ET210L-25150, R12 / 134A without clutch	Tube O-Ring type head, Super HD-universal, without charge ports with ester oil	ET210L-25150	RD-5-8061-1P	75R7295
---	--	--------------	--------------	----------------



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

AGCO, AGCO-ALLIS

COMPRESSOR - CCI / YORK / TECUMSEH

CCI/York - Tube O-Ring compressor ET210L-25150C, R12 / 134A without clutch	Tube O-Ring type head without clutch, (universal - new)	ET210L-25150C	RD-5-8638-1P	75R7290
CCI/York - Tube O-Ring compressor, OE#99244-5, R12 / 134A without clutch	Tube O-Ring type head without clutch, (universal - new)	99244-5	RD-5-8638-1P	75R7290

COMPRESSOR - GM

GM A6 compressor with Superheat switch port, without oil	1 groove 1/2" width, 4 7/8" diameter (124mm), generic	0259362-2, 1131243, 509170-C91	RD-5-5000-0P	75R8102
--	---	--------------------------------	--------------	----------------

COMPRESSOR - SANDEN

All series with Sanden 5H14, #6664 R134a compressors, 12V	5H14, FL head, ear mount, 2A groove, 5 1/4" (132mm) diameter	6664	RD-5-7088-0P	75R8382
Sanden 5H14, #6665 R134a compressors, 24V	5H14-HD, FL head, 2A groove, 5 1/4" (132mm) diameter	6665	RD-5-7089-0P	75R8384
Sanden 510-HD, #9103, R12 with Mineral Oil and Charging Ports	SD510HD, B head, 2A groove, 5 1/4"(132mm) diameter	9103	RD-5-6164-0P	75R8262
Sanden 508-HD, #9285, R12 with Mineral Oil and Charging Ports	SD508HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9285	RD-5-5575-0P	75R8292
Sanden 510-HD, #9674, 24V, R12 with Mineral Oil and Charging Ports	SD510HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9674	RD-5-5626-0P	75R8214
Sanden SD510-HD, #9675 R-12 compressor with charge ports, mineral oil	SD510HD, FG head, variable groove, 6 1/4"(158mm) diameter	9675	RD-5-5627-0P	75R8232

EXPANSION VALVE / BLOCK

All combine and tractor model series with OE#04322165-4	Block valve for female O-Ring fittings	04322165-4, RD 4157 0	RD-5-6868-0P	71R8301
All combine and tractor model series with OE#329-413	Block valve, Hi - capacity (2 ton)	329-413	RD-5-7015-0P	71R8321
All combine and tractor model series with OE#72162195	Block valve for female O-Ring fittings	72162195	RD-5-6868-0P	71R8301

EXPANSION VALVE / EXTERNAL EQUALIZER

All combine and tractor model series with OE#826-003	External Equalizer with O-Ring style valve	826-003	RD-5-5862-0P	71R8080
All combine and tractor model series with OE#826-062	External Equalizer with male O-Ring with 13" cap length	826-062	RD-5-3824-1P	71R8100
All combine and tractor model series with OE#31134-300	External Equalizer unit with male flare with 18" capillary length	31134-300, RD 4126 1	RD-4126-1P	71R8050

EXPANSION VALVE / INTERNAL EQUALIZER

All combine and tractor model series with OE#826-004	Internal equalizer valve with male O-Ring fittings	826-004	RD-5-11033-0P	71R8060
All combine and tractor model series with OE#1162473-1	Internal equalizer, 1 1/2 Ton, Male O-Ring	1162473-1	RD-5-10445-0P	71R8220

RECEIVER DRIER

All combine and tractor model series with OE#085098-00	Male O-Ring with fuse plug, side port, top glass	085098-00	RD-5-4950-0P	74R0906
All combine and tractor model series with OE#088423-00	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 1/4"	088423-00	RD-5-7061-1P	74R2536
All combine and tractor model series with OE#268464-02	In Line drier with #6 Female to Male O-Ring, 4" x 8"	268464-02	RD-5-8862-0P	74R0400
All combine and tractor model series with OE#72161835-3	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	72161835-3	RD-4160-1P	74R2106
All combine and tractor model series with OE#1143539, 1162927	with #6 Male Flare (top and side), 4" X 6 3/4"	1143539, 1162927	RD-5-6077-0P	74R4016

THERMOSTATIC SWITCH

All combine and tractor model series with OE#1162472	Rotary thermostat with 48" capillary tube, 34 - 52°F	1162472	RD-4125-48P	71R2300
All combine and tractor model series with OE#1162474-9	Rotary thermostat, 36" capillary tube, 34 - 52°F	1162474-9	RD-4125-36P	71R2250
All combine and tractor model series with OE#404145	Fixed Setting thermostat with 24" capillary tube, flange mt.	404145	RD-4427-24P	71R3100



Model	Description	OEM Part No.	Factory No.	Part No.
CASE				
BLOWER MOTOR				
All model series with Case OE#A42567	Kysor A/C, double shaft motor, 1 speed, 4 7/8" length	A42567	RD-5-10068-OP	73R4322
All model series with Case OE#A42599, F89388	All with 3" diameter blower motor, 1 speed, NV, CCW, 3 5/8" length	A42599, F89388	RD-5-4550-OP	73R0102
Backhoe 480F	Single speed, non vented, 12V, Reversible, 3 3/4" length	2807-508-043	RD-5-10391-OP	73R0092
Backhoe / Loader 580, 580L, 580M, 580 Super M, Turbo, 590, 590 Super M	Blower Assembly, 1 speed, 12V, 14 3/4" x 7 1/2" x 7"	RD-5-11030-0	RD-5-11030-OP	73R5602
Backhoe / Loader / Tractors 777, 963LGP, 980B	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	2G0409, 8P9982, 9G0393, 9G0397, 9G8693, 9G8697	RD-5-6071-OP	73R0364
Tractors 766, 1066, 1466, 1566 - condenser blower motor	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	539047-R2	RD-5-3690-OP	73R0502
Tractors 1468, 1568 - condenser blower motor	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	117783-C1	RD-5-3690-OP	73R0502
Tractor 4166 - condenser blower motor	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	66390-C1	RD-5-3690-OP	73R0502
Tractors 8910, 8920, 8930, 8940, 8950 - blower motor	Kysor A/C, double shaft motor, 1 speed, 4 7/8" length	80430411	RD-5-10068-OP	73R4322
Tractors 8910, 8920, 8930, 8940, 8950 - condenser blower motor	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	80417384	RD-5-3690-OP	73R0502
Tractors Hydro 100 - condenser blower motor	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	539047-R2	RD-5-3690-OP	73R0502
BLOWER SWITCH				
Combines 715, 815, 915, 1620, 1640, 1660, 1680, 1688	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	168822C1, C2	RD-5-10934-OP	71R1163
Tractors 90 series, Super D, 580, 870, 970, 1070, 1175, 1270, 1370, 1570	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	168822C1, C2	RD-5-10934-OP	71R1163
Tractors 90 series with resistor	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	RD-5-5194-OP	RD-5-5194-OP	71R1210
CLUTCH ASSEMBLY				
CCI/York - R12 / 134A compressors, OE#003-3938	2 groove 6" diameter pulley, 1/2" width, 2 1/4" ga	003-3938	RD-5-10367-OP	75R0422
CCI/York - R12 / 134A compressors, OE#003-4530	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	003-4530	RD-5-4994-OP	75R4502
Fits Sanden SD7H15HD R134a compressor, OE #6504-6310	2 groove 1/2" width, 5 1/4" diameter (132mm)	6504-6310	RD-5-10379-OP	75R1542
Fits Sanden SD508, 510, 514 R-12 compressors, OE#6514-6210	2 groove 5 1/4" (132mm) diameter pulley, 1/2" width, 1 wire	6514-6210	RD-5-5486-OP	75R0202
COMPRESSOR - CCI / YORK / TECUMSEH				
All series with CCI / York Tecumseh Rotolock, LH suction with OE#ER210L-25149	Rotolock Head, LH Suction without clutch, (universal - new)	ER210L-25149, -21237, -25062, 99239-5	RD-5-8637-1P	75R7280
All series with CCI/York - Tube O-Ring compressors, R12 / 134A without clutch	Tube O-Ring type head without clutch, (universal - new)	ET210L-25150	RD-5-8638-1P	75R7290
All series with CCI/York - Rotolock Head, R12 / 134A without clutch	Rotolock Head, LH Suction without clutch, (universal - new)	99242-5	RD-5-8637-1P	75R7280
All series with CCI/York - Tube O-Ring compressors, R12 / 134A without clutch	Tube O-Ring type head without clutch, (universal - new)	99244-5	RD-5-8638-1P	75R7290
Combines with CCI / York Tecumseh Rotolock ER210R-16792, 25200	All Models with Rotolock Type (universal) RH without clutch	ER210R-16792, 25200	RD-5-10826-OP	75R7265
Combines with CCI / York Tecumseh Tube-O ET210L-25428	Tube O-Ring type head, Super HD-universal, without charge ports with ester oil	ET210L-25428	RD-5-8061-1P	75R7295
Tractors 66, 86 series with York Rotolock ER210R-25200	Rotolock Head (universal), RH Suction, without clutch	ER210R-25200, -16792	RD-5-10826-OP	75R7265
Tractors 100 series, Hydro 100, 186 with Tecumseh Rotolock ER210L-25149	Rotolock Head, LH Suction without clutch, (universal - new)	ER210L- 25149, -21237, -25062, 99239-5	RD-5-8637-1P	75R7280
Tractors 100 series, Hydro 100, 186 with York Rotolock ER210R-25200	Rotolock Head (universal), RH Suction, without clutch	ER210R-25200, -16792	RD-5-10826-OP	75R7265
Tractors 2090, 2390, 2590 with Tecumseh Rotolock ER210L-25149	Rotolock Head, LH Suction without clutch, (universal - new)	ER210L- 25149, -21237, -25062, 99239-5	RD-5-8637-1P	75R7280

OFF-ROAD APPLICATIONS

Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

CASE

COMPRESSOR - CCI / YORK / TECUMSEH

Tractors 2090, 2390, 2590 with York Rotolock ER210R-25200	Rotolock Head (universal), RH Suction, without clutch	ER210R-25200, -16792	RD-5-10826-0P	75R7265
Tractor King 1470, 1570, 2470, 2670, 2870 with York Rotolock ER210R-25200	Rotolock Head (universal), RH Suction, without clutch	ER210R-25200, -16792	RD-5-10826-0P	75R7265

COMPRESSOR - GM

Tractors AGRI-King 770, 870, 970, 1070, 1270, 1370 with GM A6 with Superheat switch port, without oil	1 groove 1/2" width, 4 7/8" diameter (124mm), generic	1131243, 12301930, 31, 509170-C91	RD-5-5000-0P	75R8102
Tractors AGRI-King 770, 870, 970, 1070, 1270, 1370 with GM A6 with Superheat switch port, without oil	1 groove 1/2" width, 4 7/8" diameter (124mm), generic	1131243, 12301930, 31, 509170-C91	RD-5-5000-0P	75R8102
Tractors 4490, 4690, 4890 with GM A6 with Superheat switch port, without oil	1 groove 1/2" width, 4 7/8" diameter (124mm), generic	1131243, 12301930, 31, 509170-C91	RD-5-5000-0P	75R8102

COMPRESSOR - SANDEN

All series with 12V Sanden 7H15HD, OE #4609. Case OE#1999755C3, 86993462	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609, 1999755C3, 86993462	RD-5-10259-0P	75R84112
All series with 24V Sanden 7H15HD, OE #4611. Case OE#1999760C2, 86983967	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4611, 1999760C2, 86983967	RD-5-11161-0P	75R84114
All series with 12V Sanden 7H15HD, OE #4768. Case OE#317008A3, 86993463	7H15, MD head, direct mount poly 8, 6" (152mm) diameter	4768, 317008A3, 86993463	RD-5-11311-0P	75R81412
All series with 24V Sanden 7H15HD, OE #4795. Case OE#352524A2, 86983968	7H15, MD head, direct mount poly 8, 6" (152mm) diameter	4795, 352524A2, 86983968	RD-5-11234-0P	75R81104
All series with Sanden 5H14, #6664 R134a compressors, 12V	5H14, FL head, ear mount, 2A groove, 5 1/4" (132mm) diameter	6664	RD-5-7088-0P	75R8382
All series with Sanden 5H14, #6665 R134a compressors, 24V	5H14-HD, FL head, 2A groove, 5 1/4" (132mm) diameter	6665	RD-5-7089-0P	75R8384
All series with Sanden 510-HD, OE #8353, 9103	510-HD, B head, ear mount 2 groove, 5 1/4" (132mm) diameter	8353, 9103	RD-5-6164-0P	75R8262
All series with Sanden 508HD, OE #9285, 9515	SD508HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9285, 9515	RD-5-5575-0P	75R8292
All series with Sanden 510-HD, #9674, 24V, R12 with Mineral Oil and Charging Ports	SD510HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9674	RD-5-5626-0P	75R8214
All series with Sanden SD510, #9675 R-12 compressor with charge ports, mineral oil	SD510HD, FG head, variable groove, 6 1/4"(158mm) diameter	9675	RD-5-5627-0P	75R8232
Backhoe / Loader 580, 580K, L, M, 580 Super M, Turbo, 590, 590 Super M	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	75R84112
Combines 521, 525, 527 with Sanden 7H15, OE #4709, 7862, 8023	7H15, KG head, ear mount, 2A groove, 4.9"(125mm) diameter	4709, 7862, 8023	RD-5-11331-0P	75R81552
Combines 695, 795, 895, 995 with Sanden 5H14, OE#4513, 6631, 9264	5H14, M head, ear mount, 2A groove, 5 1/4" (132mm) diameter	4513, 6631, 9264	RD-5-7548-0P	75R8312
Combines 2144, 2166, 2188 with Sanden 7H15HD, OE #4609	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	75R84112
Combines 2344, 2366, 2388 with Sanden 7H15HD, OE #4609	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	75R84112
Cotton Pickers 1822, 1844, 2555 with Sanden 7H15HD, OE #4609	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	75R84112
Tractors C, CX series with Sanden 7H15HD, OE #4609	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	75R84112
Tractors JX 55-95, MXM 120-190 with Sanden 7H15, OE #4660	7H15, JDA head, ear mount, poly 8, 4 3/4" (119mm) diameter	4660	RD-5-11322-0P	75R81482
Tractors JX 55-95, MXM 120-190 with Sanden 7H15, OE #4711, 8103	7H15, JD head, ear mount, poly 8 groove, 4.7" (119 mm) diameter	4711, 8103	RD-5-9251-0P	75R8462
Tractors Magnum/MX 7100, 7200, 8900 series with Sanden 7H15HD, OE #4609	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	75R84112
Tractors Quad-Trac 9200, 9230, 9380 series with Sanden 7H15HD, OE #4609	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	75R84112
Tractors 90 series with Sanden 510-HD, OE #8353, 9103	510-HD, B head, ear mount 2 groove, 5 1/4" (132mm) diameter	8353, 9103	RD-5-6164-0P	75R8262





Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

CASE

COMPRESSOR - SANDEN

Tractors 90 series with Sanden 508HD, OE #9285, 9515	SD508HD, FG head, 2A groove, 5 ¼"(132mm) diameter	9285, 9515	RD-5-5575-0P	75R8292
Tractors 91 Steiger series - with Sanden 510HD, OE #8478, 9119	SD510HD, C head, ear mount, variable groove 6 ¼" diameter (158mm)	8478, 9119	RD-5-5200-0P	75R8222
Tractors 500, 600 Series with Sanden 5H14, OE#4513, 6631, 9264	5H14, M head, ear mount, 2A groove, 5 ¼" (132mm) diameter	4513, 6631, 9264	RD-5-7548-0P	75R8312
Tractors 8900 series with Sanden 7H15HD, OE #4609	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	75R84112
Wheel Loader 621DXT with 24V Sanden 7H15HD, OE #4611. Case OE#1999760C2, 86983967	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4611, 1999760C2, 86993967	RD-5-11161-0P	75R84114
Windrowers 6500, 8820, 8830, 8840, 8850, 8860, 8870 series with Sanden 7H15HD, OE #4609	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	75R84112

COMPRESSOR - ICE SELTEC

All series with ICE/Seltec TM21HD # 488-47244 R134a Compressor with PAG OIL	TM21HD, J head, direct mount, poly 8, 5 ½" (141mm) diameter	488-47244	RD-5-12530-0P	75R86142
---	---	-----------	---------------	-----------------

ELECTRICAL SWITCH

All series using clutch cycling switch with OE#70500C2	Rotary thermostat, 27" capillary, 34°-52°F, clutch cycle range 5°F	70500C2	RD-4172-0P	71R2310
All series using clutch cycling switch with OE#L73646	Rotary thermostat with 36" capillary tube	L73646	RD-4125-36P	71R2250
All Series using clutch cycling switch with OE#1259617-7	Rotary thermostat with 48" capillary tube, 34 - 52°F	301305-C91	RD-4125-48P	71R2300

EXPANSION VALVE / BLOCK

All Series using OE#118321C1	Block valve, 1 ½ ton with female O-Ring fittings	118321C1	RD-5-6868-0P	71R8301
All Series using OE#60-5880T1	Block valve, 1 ½ ton with female O-Ring fittings	60-5880T1	RD-5-6868-0P	71R8301
All Series using OE#1990756C1, C2	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C1, C2	RD-5-7015-0P	71R8321
Backhoe / Loader 580, 580K, L, M, 580 Super M, Turbo, 590, 590 Super M	Block valve, Hi - capacity (2 ton), O-Ring fittings	RD-5-9513-0	RD-5-9513-0P	71R8380
Combines 1620, 1640, 1644, 1660, 1666, 1680, 1688 series	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-0P	71R8321
Combines 2166, 2188, 2344 Axial, 2366 Axial, 2555 series	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-0P	71R8321
Sprayers SP2000, SP2500, SP3000 series	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-0P	71R8321
Tractors C, CX series	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-0P	71R8321
Tractors Magnum, MX series - 5100, 5200, 7100, 7200	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-0P	71R8321
Tractors Quad-Trac series - 9380	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-0P	71R8321
Tractors 3088, 3288, 3388, 3488, 3588, 3688, 3788 series	Block valve, 1 ½ ton with female O-Ring fittings	118321C1	RD-5-6868-0P	71R8301
Tractors 5088, 5288, 5488 series	Block valve, 1 ½ ton with female O-Ring fittings	118321C1	RD-5-6868-0P	71R8301
Tractors 5120, 5130, 5140, 5220, 5230, 5240 series	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-0P	71R8321
Tractors 6388, 6588, 6788 series	Block valve, 1 ½ ton with female O-Ring fittings	118321C1	RD-5-6868-0P	71R8301
Tractors 7110, 7120, 7130, 7140, 7150, 7210, 7220, 7230, 7240, 7250 series	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-0P	71R8321
Tractors 7288, 7488 Series	Block valve, 1 ½ ton with female O-Ring fittings	118321C1	RD-5-6868-0P	71R8301
Tractors 8910, 8920, 8930, 8940, 8950 series	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-0P	71R8321
Tractors 9110, 9130, 9150, 9170, 9180, 9190 Series	Block valve, 1 ½ ton with female O-Ring fittings	118321C1	RD-5-6868-0P	71R8301
Tractors 9210, 9230, 9240, 9250, 9260, 9270, 9280, 9310, 9330, 9350, 9370, 9380 series	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-0P	71R8321

EXPANSION VALVE / EXTERNAL EQUALIZER

All Series using OE#A42625, RD-5-5862-0, 469475-C1, 826-081	External equalizer with male O-Ring with 10" capillary length	A42625, RD-5-5862-0, 469475-C1, 826-081	RD-5-5862-0P	71R8080
---	---	---	--------------	----------------

OFF-ROAD APPLICATIONS



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

CASE

EXPANSION VALVE / EXTERNAL EQUALIZER

All Series using OE#1280333C1, C2	External equalizer with male O-Ring with 13" capillary length	1280333C2	RD-5-3824-1P	71R8100
Combines 1420, 1440, 1460, 1480 series	External equalizer with male O-Ring with 13" capillary length	1280333C2	RD-5-3824-1P	71R8100
Tractors 500, 600 Series	External equalizer with male O-Ring with 10" capillary length	A42625, RD-5-5862-0, 469475-C1	RD-5-5862-0P	71R8080
Tractors 695, 795, 895, 995 series	External equalizer with male O-Ring with 13" capillary length	1280333C2	RD-5-3824-1P	71R8100
Tractors 790, 1070, 1270, 1370, 1570 Series	External equalizer with male O-Ring with 10" capillary length	A42625, RD-5-5862-0, 469475-C1	RD-5-5862-0P	71R8080
Windrowers 4000, 5000, 5500 series	External equalizer with male O-Ring with 13" capillary length	1280333C2	RD-5-3824-1P	71R8100

EXPANSION VALVE / INTERNAL EQUALIZER

All Series using OE#168903C1, C91	Internal equalizer with male flare with 9" capillary length, flare fittings	168903C1, C91	RD-5-6099-0P	71R8210
All Series using OE#826-004	Internal equalizer valve with male O-Ring fittings	826-004	RD-5-10445-0P	71R8220
Combines 615, 715, 815, 915 series	Internal equalizer with male flare with 9" capillary length, flare fittings	168903C1	RD-5-6099-0P	71R8210
Tractors 766, 786, 886, 966, 986, 1066, 1086, 1466, 1486, 1566, 1586 series	Internal equalizer with male flare with 9" capillary length, flare fittings	20179C1	RD-5-6099-0P	71R8210
Tractors 4166, 4186, 4366, 4386, 4586, 4786 series	Internal equalizer with male flare with 9" capillary length, flare fittings	20179C1	RD-5-6099-0P	71R8210
Windrowers 4000, 5000, 5500 series	Internal equalizer with male flare with 9" capillary length, flare fittings	168903C1	RD-5-6099-0P	71R8210

PRESSURE SWITCH

All series using high pressure switch, OE#111266C1	High Pressure Switch, normally closed 210psi, opens 340 psi, 1/4" female flare	111266C1	RD-5-5873-0P	71R6070
All series using high pressure switch, OE#92038C1	High Pressure Switch, normally open 250psi, close 375 psi, 1/4" female flare	92038C1	RD-5-8289-0P	71R6230
All series using low pressure switch, receiver drier mounting (O-Ring seal) . OE#A47717	Low pressure cut out switch, 3/8"-24, norm. open, closes 27 psig	A47717	RD-4191-0P	71R6050

RECEIVER DRIER

All series with OE#085098-00	Male O-Ring with fuse plug, side port, top glass	A22-14425-001	RD-5-4950-0P	74R0906
All series with OE#088423-00	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 1/4"	088423-00	RD-5-7061-1P	74R2536
All series with OE#111218-C1	with #6 Male Flare (top and side), 4" X 6 3/4"	111218-C1	RD-5-6077-0P	74R4016
All Series with OE#118304-C1, 118418-C1	with #6 Male O-Ring (top and side), 4" X 6 3/4"	118304-C1, 118418-C1	RD-5-6075-0P	74R4006
All Series with OE#124552-C1	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	124552-C1	RD-4160-1P	74R2106
All series with OE#143469-C2	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	143469-C2	RD-5-11028-0P	74R4026
All series with OE#1990758-C2	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	1990758-C2	RD-5-11028-0P	74R4026
All series with OE#539049-R1, R91	with #6 Male Flare (top and side), 4" X 6 3/4"	539049-R1, R91	RD-5-6077-0P	74R4016
All series with OE#572832-R91	with #6 Male Flare (top and side), 4" X 6 3/4"	572832-R91	RD-5-6077-0P	74R4016
Backhoe / Loader 580, 580K, L, M, 580 Super M, Turbo, 590, 590 Super M	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	1990758-C2	RD-5-11028-0P	74R4026
Combines 521, 525, 527 series	with #6 Male flare, 3" X 6 1/4"	RD-5-4954-0, 088011-00, 926384-C1	RD-5-4954-0P	74R2406
Combines 1460, 1480 series	with #6 Male Flare (top and side), 4" X 6 3/4"	111218-C1, 539049-R1, R91	RD-5-6077-0P	74R4016
Combines 1620, 1640, 1644, 1660, 1666, 1680, 1688 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	1990758-C2	RD-5-11028-0P	74R4026
Combines 2166, 2188, 2344, 2366, 2388, 2555 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	1990758-C2	RD-5-11028-0P	74R4026
Cotton Pickers 1822, 1844, 2555 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	1990758-C2	RD-5-11028-0P	74R4026
Tractors AGRI-King 770, 870, 970, 1070, 1270, 1370 series	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	A61688, A76312	RD-4160-1P	74R2106



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

CASE

RECEIVER DRIER

Tractors C, CX series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	1990758-C2	RD-5-11028-OP	74R4026
Tractors Hydro 100, 186 series	with #6 Male Flare (top and side), 4" X 6 3/4"	111218-C1, 539049-R1, R91	RD-5-6077-OP	74R4016
Tractors Magnum, MX 180, 200, 220, 240, 270, 5120, 5130, 5140, 7110, 7120, 7130, 7140, 7200, 8900 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	1990758-C2	RD-5-11028-OP	74R4026
Tractors Quad-Trac 9380 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	1990758-C2	RD-5-11028-OP	74R4026
Tractors Traction King 1470, 1570, 2470, 2670, 2870 series	Male & Male O-Ring with Fuse Plug, Low Pressure Switch A76312		RD-4160-1P	74R2106
Tractors 1466, 1468, 1566, 1568 series	with #6 Male Flare (top and side), 4" X 6 3/4"	111218-C1, 539049-R1, R91	RD-5-6077-OP	74R4016
Tractors 1570, 1896 series	Male & Male O-Ring with Fuse Plug, Low Pressure Switch A76312		RD-4160-1P	74R2106
Tractors 2090, 2096, 2290, 2294, 2390, 2394, 2470, 2590, 2594, 2670, 2870 series	Male & Male O-Ring with Fuse Plug, Low Pressure Switch A76312		RD-4160-1P	74R2106
Tractors 3088, 3288, 3294, 3388, 3394, 3488, 3588, 3594, 3688, 3788 series	Male & Male O-Ring with Fuse Plug, Low Pressure Switch A76312		RD-4160-1P	74R2106
Tractors 4166, 4366, 4386, 4586, 4786 series	with #6 Male Flare (top and side), 4" X 6 3/4"	111218-C1, 539049-R1, R91	RD-5-6077-OP	74R4016
Tractors 4386, 4586, 4786 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	143464-C2, 143469-C2	RD-5-11028-OP	74R4026
Tractors 4490, 4494, 4690, 4694, 4890, 4894, 4994 series	Male & Male O-Ring with Fuse Plug, Low Pressure Switch A76312		RD-4160-1P	74R2106
Tractors 5088, 5120, 5130, 5140, 5220, 5230, 5240, 5288, 5488 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	143464-C2, 143469-C2, 1990758-C2	RD-5-11028-OP	74R4026
Tractors 6388, 6588, 6788 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	1990758-C2	RD-5-11028-OP	74R4026
Tractors 7110, 7120, 7130, 7140, 7150, 7288, 7488 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	1990758-C2	RD-5-11028-OP	74R4026
Tractors 8910, 8920, 8930, 8940, 8950 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	1990758-C2	RD-5-11028-OP	74R4026
Tractors 9110, 9130, 9150, 9170, 9180 series	Male O-ring Type with Switch Port and HPRV	088214-00, 088214-03	RD-5-9789-OP	74R3106
Tractors 9210, 9230, 9240, 9250, 9260, 9270 series before serial no. JEE0031849	Male O-ring Type with Switch Port and HPRV	088214-00, 088214-03	RD-5-9789-OP	74R3106
Tractors 9210, 9230, 9240, 9250, 9260, 9270 series after no. serial JEE0031850	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	1990758-C2	RD-5-11028-OP	74R4026
Tractors 9310, 9330, 9350, 9370, 9380 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	1990758-C2	RD-5-11028-OP	74R4026
Windrowers 4000, 5000, 8820, 8830, 8840, 8850 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	1990758-C2	RD-5-11028-OP	74R4026

THERMOSTATIC SWITCH

All Series with OE#A42623	Rotary thermostat with 18" capillary tube, 28 - 62°F	A42623	RD-5-4909-OP	71R2100
All Series with OE#109268-C2	Rotary thermostat with 48" capillary tube, 34 - 52°F	109268-C1, C2	RD-4125-48P	71R2300
All Series with OE#1162474-9	Rotary thermostat with 36" capillary tube, 34 - 52°F	1162474-9	RD-4125-36P	71R2250
All Series using clutch cycling switch with OE#1259617-7	Rotary thermostat with 48" capillary tube, 34 - 52°F	1259617-7	RD-4125-48P	71R2300
All Series with OE#175575C-1	Rotary thermostat with 48" capillary tube, 34 - 52°F	175575C-1	RD-4125-48P	71R2300
All Series with OE#301395-C91	Rotary thermostat with 48" capillary tube, 34 - 52°F	301395-C91	RD-4125-48P	71R2300
All Series with OE#404145	Fixed Setting thermostat with 24" capillary tube, flange mt.	404145	RD-4427-24P	71R3100
All Series with OE#70500-C2	Rotary thermostat with 18" capillary tube, 28 - 62°F	70500-C2	RD-5-4909-OP	71R2100
Backhoe / Loader 580, 580K, L, M, 580 Super M, Turbo, 590, 590 Super M	Rotary thermostat with 18" capillary tube, 35 - 44°F	RD-5-11029-0	RD-5-11029-OP	71R2305

CATERPILLAR

BLOWER - FAN

Telehandler TH26, 63, 82, 83, 103 Series with Red Dot model R-10170-0, puller fan OE#RD-5-8641-0	Pancake fan assembly, (puller) 12V	RD-5-8641-0	RD-5-8641-OP	-
--	------------------------------------	-------------	--------------	---



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

CATERPILLAR

BLOWER - FAN

Telehandler TH26, 63, 82, 83, 103 Series with Red Dot model R-10170-1, puller fan OE#RD-5-8641-1	Pancake fan assembly, (puller) 24V	RD-5-8641-1	RD-5-8641-1P	-
--	------------------------------------	-------------	--------------	---

BLOWER - FAN RESISTOR

Skid Steer, A series Tier I & II, with Red Dot model R-6500, R-6500-1	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	71R1450
Skid Steer, B series Tier II, with Red Dot model R-295-0, R-9750	Blower Resistor, Red Dot A/C units. Used on RD-5-8837-0P Blower Assembly	RD-5-9447-0	RD-5-9447-0P	71R1403
Large Haul Truck 793, 797 series for Red Dot models	Ceramic tube style resistor, 4 terminal, 12V, 6 1/2" length x 1 3/8" diam	RD-5-8665-0	RD-5-8665-0P	71R1485
Small Tract Type Tractor D3, D4, D5 with Red Dot unit R-9789-0, -1	Ceramic style resistor	RD-5-10028-0	RD-5-10028-0P	-

BLOWER MOTOR

D series models with 24V evaporator motor	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	2G0409, 8P9982, 9G0397, RD-5-6071-0	RD-5-6071-0P	73R0364
Large Haul Truck 777 series with Red Dot model R-3800-5 with 24V evaporator motor	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	2G0409, 8P9982, 9G0397, RD-5-6071-0	RD-5-6071-0P	73R0364
Large Haul Truck 793, 797 series with Red Dot model R-9785-0 with 24V evaporator motor	Double shaft motor, 24V, NV, 1 speed, 5 3/4" length	RD-5-10054-0P	RD-5-10054-0P	73R4274
Loader 963LGP, 980B with 24V evaporator motor	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	2G0409, 8P9982, 9G0397, RD-5-6071-0	RD-5-6071-0P	73R0364
Motor Grader 24H with Red Dot model R-9790-0, OE#3E-6392	Double shaft motor, 24V, NV, 1 speed, slinger, 5" length, 3 1/4" shafts	3E-6392	RD-5-8375-0P	-
Skid Steer with Red Dot R-10500, R-10500-1 model evaporator	Blower assembly with resistor, 12V, 13 3/4" x 5 3/8" x 5 1/8"	RD-5-8583-0	RD-5-8583-0P	73R5552
Skid Steer, A series Tier 1 & 2, with Red Dot model R-6500, R-6500-1	Blower assembly, 12V, 12 1/4" x 3 1/8" x 4 1/2"	RD-5-8837-1	RD-5-8837-1P	73R5642
Skid Steer, B series Tier 2, with Red Dot model R-6501	2RD570M Unit with Heater A/C, 12V blower motor assy	RD 5 8837 0	RD-5-8837-0P	73R5532
Small Tract Type Tractor D3, D4, D5 with Red Dot unit R-9789-0, -1	Blower Assembly, mixed flow for standard control units	RD-3-8783-0P	RD-3-8783-0P	-
Telehandler TH26, 63, 82, 83, 103 Series with Red Dot model R-10170-0, evaporator motor OE#2809-541-001	Double shaft motor, 1 speed, 4 3/4" length	RD-5-10068-0, 2809-541-001	RD-5-10068-0P	73R4322
Track Type Tractor D6H, D6HLP, D7H, D7HLP, D8N, D9L (early & late), D9N, D10, D11N	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	2G0409, 8P9982, 9G0393, RD-5-6071-0	RD-5-6071-0P	73R0364
Wheel Tractor-Scraper 673E	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	2G0409, 8P9982, 9G0393, RD-5-6071-0	RD-5-6071-0P	73R0364
14G, 16G series models with 24V evaporator motor	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	2G0409, 8P9982, 9G0397, RD-5-6071-0	RD-5-6071-0P	73R0364
637E, 777, 963LGP series models with 24V evaporator motor	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	2G0409, 8P9982, 9G0393, RD-5-6071-0	RD-5-6071-0P	73R0364
906 series models with Red Dot model R-10160-0 evaporator motor	Double shaft motor, 12V, 3 speed, 4" length	RD-5-3780-0	RD-5-3780-0P	73R4102
980B series models with 24V evaporator motor	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	8P9982, 9G0393, 9G8693, 9G8697, RD-5-6071-0	RD-5-6071-0P	73R0364

BLOWER SWITCH

325 Series using Red Dot A/C unit R-10004-0, OE#RD-5-3748-0	Toggle switch, SPST, 2 terminal	RD-5-3748-0	RD-5-3748-0P	71R0010
906 series models with Red Dot model R-10160-0 evaporator motor	Sleeper A/C Htr. toggle switch, DPDT, ON-ON-ON	RD-5-0071-0	RD-5-0071-0P	71R0400

CLUTCH ASSEMBLY

CCI/York - R12 / 134A compressors, Caterpillar OE#003-3938	1 groove 1/2" width, 6" diameter pulley, 2 3/4" ga., IHC plug	003-3938	RD-5-9665-0P	75R0402
CCI/York - R12 / 134A compressors, Caterpillar OE#8517-6010	2 groove 5 1/4" (132mm) diameter pulley, 1/2" width, 1 wire	8517-6010	RD-5-5486-0P	75R0202



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

CATERPILLAR

CLUTCH ASSEMBLY

CCI/York - R12 / 134A compressors, OE#024-21590	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, weatherpak plug	024 21590, 03-1104973, 501939	RD-5-4972-1P	75R1202
CCI/York - R12 / 134A compressors, OE#MA6, MAE6AR	2 groove 6" diameter pulley, 1/2" width, 2 1/4" ga	MA6, MAE6AR	RD-5-10367-0P	75R0422
CCI/York - R12 / 134A compressors, OE#MA7A	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	MA7A	RD-5-4994-0P	75R4502

COMPRESSOR - CCI / YORK / TECUMSEH

All series with CCI/York - Rotolock Head without clutch, OE#ER-210L-25149	Rotolock Head, LH Suction without clutch, (universal - new)	ER210L-25149	RD-5-8637-1P	75R7280
All series with CCI/York - Tube O-Ring compressors without clutch, OE#ET210L-25150	Tube O-Ring type head without clutch, (universal - new)	ET210L-25150	RD-5-8638-1P	75R7290
All series with CCI/York - Rotolock Head without clutch, OE#99242-5	Rotolock Head, LH Suction without clutch, (universal - new)	99242-5	RD-5-8637-1P	75R7280
All series with CCI/York - Tube O-Ring compressors without clutch, OE#99244-5	Tube O-Ring type head without clutch, (universal - new)	99244-5	RD-5-8638-1P	75R7290

COMPRESSOR - GM

All series with GM A6 with Superheat switch port, without oil	1 groove 1/2" width, 4 7/8" diameter (124mm), generic	1131243, 12301930, 31, 509170-C91	RD-5-5000-0P	75R8102
---	---	-----------------------------------	--------------	----------------

COMPRESSOR - SANDEN

Backhoe Loader 416D, 420D, 420D IT, 430D with Sanden 7H15SHD, Sanden OE #4608	7H15SHD, GK head, ear mount, 1A groove, 6" (152mm) diameter	4608	RD-5-11311-0P	75R1432
All series with Sanden 508HD 12V, R-12, Sanden OE #9285	SD508HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9285	RD-5-5575-0P	75R8292
All series with Sanden 508HD 12V, R-12, Sanden OE #9103	SD510HD, B head, ear mt., 2A groove, 5 1/4" (132mm) diameter	5742, 9103	RD-5-6164-0P	75R8262
All series with Sanden 510-HD, 24V, R-12, Sanden OE #9674	SD510HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9674	RD-5-5626-0P	75R8214
All series with Sanden 510-HD, 12V, R-12, Sanden OE #9675	SD510HD, FG head, variable groove, 6 1/4"(158mm) diameter	206RD49AM, 9675	RD-5-5627-0P	75R8232
All series with Sanden SD5H14, Sanden OE #6664	SD5H14, FL head, ear mount, 2 groove 5 1/4" Diameter with verticle O-Ring fitting	8177090, 6664	RD-5-7088-0P	75R8382
All series with Sanden SD5H14, Caterpillar OE#72239450	SD5H14, FL head, ear mount, 2 groove 5 1/4" Diameter with verticle O-Ring fitting	72239450, 6664	RD-5-7088-0P	75R8382
All series with Sanden 5H14, 24V, R134a compressor, Sanden OE #6665	5H14-HD, FL head, 2A groove, 5 1/4" (132mm) diameter	6665	RD-5-7089-0P	75R8384
All series with Sanden 7H15SHD, 12V, R-12, Sanden OE #4661, Cat OE#114-9484	7H15SHD, KC head, ear mount, 2A groove, 5 1/2" (138mm) diameter	4661, 114-9484	RD-5-11324-0P	75R81492
All series with Sanden 7H15SHD, 24V, Sanden OE#4726, Cat OE#114-9676, 218-0234	7H15SHD, GK head, ear mount, poly 8, 5 1/4"(132mm) diameter	4726, Cat OE#114-9676, 218-0234	RD-5-10260-0P	75R84594
All series with Sanden 7H15, 24V, Sanden OE#4769, Cat OE#163-0872	7H15, MD head, ear mount, poly 8, 5 1/4"(132mm) diameter	4769, Cat OE#163-0872	RD-5-11161-0P	75R81114
All series with Sanden 7H15, 12V, Sanden OE#4813, Cat OE#178-9570	7H15SHD, KCA head, direct mount, poly 8, 5 1/4"(132mm) diameter	4813, Cat OE#178-9570	RD-5-11260-0P	75R81402
All series with Sanden 7H15, 24V, Sanden OE#4840, Cat OE#183-5106	7H15SHD, GK head, direct mount, poly 8, 6" (152mm) diameter	4840, Cat OE#183-5106	RD-5-11236-0P	75R81134
All series with Sanden 7H15, 24V, Sanden OE#4604, 8107, Cat OE#3E-1906	7H15SHD, GK head, ear, 1A groove, 5 1/2" (138mm) diameter	4604, 8107, Cat OE#3E-1906, 101-1795, 134-3997	RD-5-11240-0P	75R81184
All series with Sanden 7H15, 12V, Sanden OE#4608, 8108, Cat OE#3E-1908	7H15SHD, GK head, ear mount, 1A groove, 6" (152mm) diameter	4608, 8108, Cat OE#3E-1907, 1908	RD-5-11311-0P	75R81432
All series with Sanden 7H15, 24V, Sanden OE#4640, 8109, Cat OE#106-5122	7H15SHD, GK head, ear mount, 1A groove, 6" (152mm) diameter	4640, 8109, Cat OE#106-5122	RD-5-11248-0P	75R81274

COMPRESSOR - ICE SELTEC

All series with ICE/Seltec TM21HD 12V, OE#488-47244 - R134a	TM21HD, J head, direct mount, poly 8, 5 1/2" (141mm) diameter	488-47244, 435-67256	RD-5-12530-0P	75R86142
All series with ICE/Seltec TM21HD 24V, OE#488-47246 - R134a	TM21HD, J head, direct mount, poly 8, 5 1/2" (141mm) diameter	488-47246	RD-5-11866-0P	75R86144



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

CATERPILLAR

CONDENSER

IT14G, IT28G models with Red Dot A/C unit R-10046-0, R-10047-0	Radiator Mount, Tube & Fin type, 23" fin width x 12 1/4" x 1 3/4"	RDH RD4 3724 0	RD-4-3724-0P	77R0650
Large Haul Trucks with Red Dot A/C unit R-10235	Grillcondenser type, 37" fin width x 32" x 3/4"	RD-4-3683-2	RD-4-3683-2P	77R7900
Skid Steer A and B series with Red Dot R-10500, R-10500-1 model evaporator	Multi Flow type, 18 13/16" fin width x 14" x 3/4"	RD-4-5378-0	RD-4-5378-0P	77R1290
TH26, TH63, TH82, TH83, TH103 with Red Dot R-10170 model evaporator	Tube & Fin type, 26 7/16" fin width x 23 1/4" x 9 1/8"	RD-4-4069-0	RD-4-4069-0P	77R0100
325 models with Red Dot A/C unit R-10004-0	Radiator Mount, Tube & Fin type, 21 1/2" fin width x 26 1/2" x 1 1/4"	RD-4-4968-0	RD-4-4968-0P	77R7100
906 models with Red Dot A/C unit R-10160-0	Tube & Fin type, 20 7/16" fin width x 12" x 3 1/8"	RD-4-4738-0	RD-4-4738-0P	77R0620
914G, 928G models with Red Dot A/C unit R-10046-0, R-10047-0	Tube & Fin type, Red Dot unit, 23" fin width x 12 1/4" x 1 3/4"	RDH RD4 3724 0	RD-4-3724-0P	77R0650
950B - E, 966, 980A - C models with Red Dot A/C unit R-10044-3, R-10045-0	Tube & Fin type, 23" fin width x 9 1/8" x 3"	RD-4-4069-1	RD-4-4069-1P	77R0110

EXPANSION VALVE / BLOCK

All Series using OE#3V0251, 3V0258, RD-5-6868-0	Main Unit, 1 1/2 ton Hi - cap, Female O-Ring, 5°F, 80psi@40°F	3V0251, 3V0258, RD-5-6868-0	RD-5-6868-0P	71R8301
All Series using OE#98370C3, RD-5-7015-0	Block valve, Hi - capacity (2 ton), O-Ring fittings	98370C3, RD-5-7015-0	RD-5-7015-0P	71R8321
All Series using Red Dot A/C unit R-10004-0, OE#RD-5-10447-0	Red Dot A/C unit R-10004-0, with female O-Ring	RD-5-10447-0	RD-5-10447-0P	71R8405
Challenger 1 35, 45, 55 Series with OE#362.761.0	Block valve, Hi - capacity (2 ton), O-Ring fittings	362.761.0, RD-5-7015-0	RD-5-7015-0P	71R8321
IT14G, IT28G Series using Red Dot A/C unit R-10046-0, R-10047-0, OE#RD-5-6868-0	Block valve with 1 1/2 ton Hi - cap, Female O-Ring, 5°F, 80psi@40°F	RD 4157 0, RD-5-6868-0	RD-5-6868-0P	71R8301
Large Haul Trucks with Red Dot A/C unit R-10235-3, -4	Block valve, Hi - capacity (2 ton), O-Ring fittings	RD-5-7015-0	RD-5-7015-0P	71R8321
Skid Steer A and B series with Red Dot R-10050, R-10050-1 model evaporator	Block valve, Hi - capacity (2 ton), O-Ring fittings	RD-5-7015-0	RD-5-7015-0P	71R8321
TH26, 63, 82, 83, 103 Series using Red Dot A/C unit R-10170-0, OE#RD-5-6868-0	Block valve with 1 1/2 ton Hi - cap, Female O-Ring, 5°F, 80psi@40°F	RD 4157 0, RD-5-6868-0	RD-5-6868-0P	71R8301
325 Series using Red Dot A/C unit R-10004-0, OE#RD-5-10447-0	Red Dot A/C unit R-10004-0, with female O-Ring	RD-5-10447-0	RD-5-10447-0P	71R8405
906 Series using Red Dot A/C unit R-10160-0, OE#RD-5-6868-0	Block valve with 1 1/2 ton Hi - cap, Female O-Ring, 5°F, 80psi@40°F	RD 4157 0, RD-5-6868-0	RD-5-6868-0P	71R8301
914G, 928G Series using Red Dot A/C unit R-10046-0, R-10047-0, OE#RD-5-6868-0	Block valve with 1 1/2 ton Hi - cap, Female O-Ring, 5°F, 80psi@40°F	RD 4157 0, RD-5-6868-0	RD-5-6868-0P	71R8301
950B - E, 966, 980A - C Series using Red Dot A/C unit R-10044-3, OE#RD-5-6868-0	Block valve with 1 1/2 ton Hi - cap, Female O-Ring, 5°F, 80psi@40°F	RD 4157 0, RD-5-6868-0	RD-5-6868-0P	71R8301
950F, 966F Series using Red Dot A/C unit R-10045-0, OE#RD-5-6868-0	Red Dot A/C unit R-10045-0, 1 1/2 ton Hi - cap, Female O-Ring, 5°F, 80psi@40°F	RD 4157 0, RD-5-6868-0	RD-5-6868-0P	71R8301

EXPANSION VALVE / EXTERNAL EQUALIZER

All Series with OE#1P6526	Main Unit, all models with #6, #8 male flare fitting, 18" tubes	1P6526	RD-4126-1P	71R8050
All Series with OE#2G0401	Male O-Ring with 13" capillary length, 13" equalizer tube length	2G0401	RD-5-3824-1P	71R8100
All Series with OE#2G0401, 3E9343, RD-5-5862-0	Male O-Ring, 1 1/2 Ton, 10" capillary length, 10" equalizer tube length	2G0401, 3E9343, RD-5-5862-0	RD-5-5862-0P	71R8080
Compactor 825B	All models with #6, #8 male flare fitting, 18" tubes	1P6526	RD-4126-1P	71R8050
Loader 955L, 963LGP, 977L, 983B, 988 (late),	Male O-Ring with 13" capillary length, 13" equalizer tube length	2G0401	RD-5-3824-1P	71R8100
Loader 980B, 988B (early), 992C	All models with #6, #8 male flare fitting, 18" tubes	1P6526	RD-4126-1P	71R8050
Motor Grader 14G, 16G	Male O-Ring with 13" capillary length, 13" equalizer tube length	2G0401	RD-5-3824-1P	71R8100



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

CATERPILLAR

EXPANSION VALVE / EXTERNAL EQUALIZER

Skid Steer 225 (early) series	All models with #6, #8 male flare fitting, 18" tubes	1P6526	RD-4126-1P	71R8050
Skid Steer 225 (late) series	Male O-Ring with 13" capillary length, 13" equalizer tube length	2G0401	RD-5-3824-1P	71R8100
Track Type Tractor D6H, D6HLGP, D7G, D7H, D7HLGP, D8K (late), D8N, D9N, D10, D11N	Male O-Ring with 13" capillary length, 13" equalizer tube length	2G0401	RD-5-3824-1P	71R8100
Track Type Tractor D8K (early), D9H	All models with #6, #8 male flare fitting, 18" tubes	1P6526	RD-4126-1P	71R8050
Wheel Dozer 824B	All models with #6, #8 male flare fitting, 18" tubes	1P6526	RD-4126-1P	71R8050
Wheel Tractor Scraper 627B	Male O-Ring with 13" capillary length, 13" equalizer tube length	2G0401	RD-5-3824-1P	71R8100

EXPANSION VALVE / INTERNAL EQUALIZER

All Series with OE#RD-5-11033-0	Internal equalizer, 1 ½ Ton, Male O-Ring	RD-5-11033-0	RD-5-11033-0P	71R8060
All Series with OE#RD-5-10445-0	Internal equalizer, 1 ½ Ton, Male O-Ring	RD-5-10445-0	RD-5-10445-0P	71R8220
777 Series Large Haul Trucks, internal equalizer	Internal equalizer with male flare with 9" capillary length, flare fittings	168903C1, C91	RD-5-6099-0P	71R8210

EXPANSION VALVE / ORIFICE TUBE

Backhoe Loader 416D, 420D, 420 ID, 430D	Aux. unit, Brown orifice tube	RD-5-10013-0	RD-5-10013-0P	71R8506
Skid Steer A & B series Tier 2 using Red Dot A/C unit R-6500-1	Aux. unit, Brown orifice tube	RD-5-10013-0	RD-5-10013-0P	71R8506
Skid Steer A series Tier 2 using Red Dot A/C unit R-6500-1	Aux. unit, Brown orifice tube with Assembly Housing RD-2-3856-0P	RD-2-3901-0P	RD-2-3901-0P	71R8600

FILTER

Backhoe Loader 416D, 420D, 420D IT, 430D with OE #1707272	Fresh air filter for Red Dot Unit R-3800-5, 15 5/8" x 9 3/4" x 1 1/2"	1707272	RD-3-9805-0P	78R5243
Large Haul Truck 793, 797	Fresh air filter for Red Dot Unit R-9785-0, 15 3/4" x 7 7/8" x 2 1/4"		RD-5-8668-0P	78R5318
Skid Steer, A Series Tier 1	Fresh air filter for Red Dot Unit R-6500-0, 13 1/2" x 4 9/16" x 3/8"		RD-5-10416-0P	78R5250
Skid Steer, A Series Tier 2	Fresh air filter for Red Dot Unit R-6500-1, 13 1/2" x 4 9/16" x 3/8"		RD-5-10416-0P	78R5250
Skid Steer, B Series Tier II	Fresh air filter for Red Dot Unit R-6501-0, 10 3/8" x 3 3/4" x 1"		RD-3-10847-0P	78R5367
Skid Steer, B Series Tier II	Recirculating air filter, (filter foam) for Red Dot Unit R-6501-0, 10 3/8" x 3 3/4" x 3/8"		RD-5-10687-0P	78R5313
613C, 615C with panel filter, Cat OE#8P5142	Fresh air panel filter, 16 7/8" x 10" x 2 1/4"	8P5142	RD-5-6124-0P	78R5320
5130, 5230 with panel filter, Cat OE#8C4120	Fresh air panel filter for Red Dot Unit R-9785-0, 15 3/4" x 7 7/8" x 2 1/4"	8C4120	RD-5-8668-0P	78R5318

PRESSURE SWITCH

Large Haul Trucks with Red Dot A/C unit R-10235-3, -4	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	71R7050
Skid Steer A and B series with Red Dot R-10050, R-10050-1 model evaporator	Dual function switch (GM), Open: low 20-33 psi, high 315-355 psi, Closed: low 23-37 psi, high 215-275 psi	RD-5-9577-0	RD-5-9577-0P	71R6150
TH26, 63, 82, 83, 103 Series using Red Dot A/C unit R-10170-0, OE#RD-5-8433-0P	Dual function switch (Fujikoki) with 7/16"-20, 4 terminal	RD-5-8433-0, A22-36474-000	RD-5-8433-0P	71R7075
325 Series, Binary switch for models with Red Dot A/C unit R-10004-0	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	71R7050
914G, 928G Series using Red Dot A/C unit R-10046-0, R-10047-0, OE#RD 5 4640 0	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	71R7050
950B - E, 966, 980A - C Series using Red Dot A/C unit R-10044-3, OE#RD-5-8433-0P	Dual function switch (Fujikoki) with 7/16"-20, 4 terminal	RD-5-8433-0, A22-36474-000	RD-5-8433-0P	71R7075
950F, 966F Series using Red Dot A/C unit R-10045-0, OE#RD-5-8433-0	Dual function switch (Fujikoki) with 7/16"-20, 4 terminal	RD-5-8433-0, A22-36474-000	RD-5-8433-0P	71R7075

RECEIVER DRIER

All Series with in-line drier with quick disconnect, Cat OE#3E3535	In-line, quick disconnect, 2 1/2" x 13 7/8"	3E3535	RD-5-8605-0P	74R0470
--	---	--------	--------------	----------------

Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

CATERPILLAR

RECEIVER DRIER

All Series with drier, Cat OE#088209-02, 106-5534, 5V5698	#6 Male O-Ring, 4" x 7 3/4", side port, low pressure switch, moisture indicator	088209-02, 106-5534, 5V5698	RD-5-5955-0P	74R3516
All Series with drier, Cat OE#106-5532, 106-5533, 8T8642, 9W0549	#6 Male O-Ring, 4" x 7 3/4", low pressure switch, moisture indicator	106-5532, 106-5533, 8T8642, 9W0549	RD-5-7564-0P	74R3526
All Series with 4" drier, Cat OE#6P1309	#6 Male Flare, 4" x 7 3/4", fuse	6P1309	RD-5-5954-0P	74R3506
Challenger 1 35, 45, 55 Series with OE#362.761.0	#6 Male O-Ring in, #6 Female O-Ring out, pressure relief, metric ports	362.761.0	RD-5-10586-0P	74R3330
D10N, D16H Series with in-line drier with quick disconnect, Cat OE#3E3535	In-line, quick disconnect, 2 1/2" x 13 7/8"	3E3535	RD-5-8605-0P	74R0470
IT14G, IT28G Series using Red Dot A/C unit R-10046-0, R-10047-0, OE#088273-00	#6 Male O-Ring, 2 1/2" x 7 1/8", 1/4" male side port	088273-00	RD-5-7559-0P	74R1106
TH26, 63, 82, 83, 103 Series using Red Dot A/C unit R-10170-0, OE#088411-01	In-line, #6 Male O-Ring, 2 1/2" x 9 5/8"	088411-01	RD-5-7064-0P	74R0460
Large Haul Trucks with Red Dot A/C unit R-10235-3, -4	#6 Male O-Ring, 2 3/4" x 9 5/8", hi capacity, pressure relief	RD-5-7062-1	RD-5-7062-1P	74R1826
Large Haul Trucks 77 Series with Red Dot A/C	#6 Male O-Ring, 3" x 6 1/4", hi capacity, pressure relief	RD-5-3843-0	RD-5-3843-0P	74R2556
Loader 955L, 977L, 983B, 988B (early) series with 4" drier, Cat OE#6P1309	#6 Male Flare, 4" x 7 3/4", fuse	6P1309	RD-5-5954-0P	74R3506
Loader 963LGP Series with Red Dot A/C	#6 Male O-Ring, 3" x 6 1/4", hi capacity, pressure relief	RD-5-3843-0	RD-5-3843-0P	74R2556
Loader 988B (late), 992C series with 4" drier, Cat OE#088209-02, 106-5534, 5V5698	#6 Male O-Ring, 4" x 7 3/4", side port, low pressure switch, moisture indicator	088209-02, 106-5534, 5V5698	RD-5-5955-0P	74R3516
Motor Grader 14G, 16G Series with Red Dot A/C	#6 Male O-Ring, 3" x 6 1/4", hi capacity, pressure relief	RD-5-3843-0	RD-5-3843-0P	74R2556
Skid Steer A and B series with Red Dot R-10050, R-10050-1 model evaporator	O-Ring Type with Fuse Plug & Charge Port	088193-03	RD-5-9515-0P	74R2676
Skid Steer 235 (early), 255 (early) series with 4" drier, Cat OE#6P1309	#6 Male Flare, 4" x 7 3/4", fuse	6P1309	RD-5-5954-0P	74R3506
Skid Steer 235 (late), 255 (late) series with drier, Cat OE#088209-02, 106-5534, 5V5698	#6 Male O-Ring, 4" x 7 3/4", side port, low pressure switch, moisture indicator	088209-02, 106-5534, 5V5698	RD-5-5955-0P	74R3516
Track Type Tractor D7G, D8N, D9L, D9L (early), D9N, D11, D11N Series with drier, Cat OE#088209-02, 106-5534, 406217, 5V5698	#6 Male O-Ring, 4" x 7 3/4", side port, low pressure switch, moisture indicator	088209-02, 106-5534, 406217, 5V5698	RD-5-5955-0P	74R3516
Tract Type Tractor D8K, D9H Series with 4" drier, Cat OE#6P1309	#6 Male Flare, 4" x 7 3/4", fuse	6P1309	RD-5-5954-0P	74R3506
Track Type Tractor D9N Series, Cat OE#106-5532, 106-5533, 8T8642, 9W0549	#6 Male O-Ring, 4" x 7 3/4", low pressure switch, moisture indicator	106-5532, 106-5533, 8T8642, 9W0549	RD-5-7564-0P	74R3526
Track Type Tractor D9N Series with Red Dot A/C	#6 Male O-Ring, 4" x 7 1/2", fuse, side port, moisture indicator	RD-5-7565-0	RD-5-7565-0P	74R3536
Track Type Tractor D10 Series with Red Dot A/C	#6 Male O-Ring, 3" x 6 1/4", hi capacity, pressure relief	RD-5-3843-0	RD-5-3843-0P	74R2556
Track Type Tractor 235, 255, 637D, 988B, 992, 994 Series with drier, Cat OE#088209-02, 106-5534, 406217, 5V5698	#6 Male O-Ring, 4" x 7 3/4", side port, low pressure switch, moisture indicator	088209-02, 106-5534, 406217, 5V5698	RD-5-5955-0P	74R3516
Wheel Tractor Scraper 627B series with 4" drier, Cat OE#6P1309	#6 Male Flare, 4" x 7 3/4", fuse	6P1309	RD-5-5954-0P	74R3506
Wheel Tractor Scraper 637D series with drier, Cat OE#088209-02, 106-5534, 5V5698	#6 Male O-Ring, 4" x 7 3/4", side port, low pressure switch, moisture indicator	088209-02, 106-5534, 5V5698	RD-5-5955-0P	74R3516
Wheel Tractor Scraper 637E series with drier, OE#RD-5-3843-0	#6 Male O-Ring, 3" x 6 1/4", hi capacity, pressure relief	RD-5-3843-0	RD-5-3843-0P	74R2556
235, 255, 627D, 955L Series with 4" drier, Cat OE#6P1309	#6 Male Flare, 4" x 7 3/4", fuse	6P1309	RD-5-5954-0P	74R3506
235, 255, 637D, 988B, 992, 994 Series with drier, Cat OE#088209-02, 106-5534, 406217, 5V5698	#6 Male O-Ring, 4" x 7 3/4", side port, low pressure switch, moisture indicator	088209-02, 106-5534, 406217, 5V5698	RD-5-5955-0P	74R3516
325 Series using Red Dot A/C unit R-10004-0, Cat OE#712-225	#6 Male O-Ring, 2 3/4" x 10", without binary switch	712-225, RD-5-5572-0	RD-5-5572-0P	74R1856
906 Series using Red Dot A/C unit R-10160-0, Cat OE#088423-00	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 1/4"	088423-00, RD-5-7061-1	RD-5-7061-1P	74R2536



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

CATERPILLAR

RECEIVER DRIER

914G, 924G, 950F, 950G, 980F, 980G Series with in-line drier with quick disconnect, Cat OE#3E3535	In-line, quick disconnect, 2 ½" x 13 ⅞"	3E3535	RD-5-8605-0P	74R0470
914G, 928G Series using Red Dot A/C unit R-10046-0, R-10047-0, OE#088273-00	#6 Male O-Ring, 2 ½" x 7 ⅞", ¼" male side port	088273-00	RD-5-7559-0P	74R1106
950B - F, 966, 966F, 980A - C Series using Red Dot A/C unit R-10044-3, OE#088411-01	In-line, #6 Male O-Ring, 2 ½" x 9 ⅞"	088411-01	RD-5-7064-0P	74R0460
992, 994 Series, Cat OE#106-5532, 106-5533, 8T8642, 9W0549	#6 Male O-Ring, 4" x 7 ¾", low pressure switch, moisture indicator	106-5532, 106-5533, 8T8642, 9W0549	RD-5-7564-0P	74R3526

RECEIVER DRIER / ACCUMULATOR

All Series with accumulator, Caterpillar OE#101-8789	Main Unit with Accumulator, female O-Ring, 3 ½" x 9 ½"	3E0443, 106-1018, 101-8789, 151-5261	RD-5-10927-0P	74R5061
Challenger 1 35, 45, 55 Series with OE#RD-5-4961-0P	Universal Accumulator (GM Style) 3 ½" x 8"	15-1274, 849748, 3012944	RD-5-4961-0P	74R5050
D10N, D16H Series with accumulator, Cat OE#3E0443, 106-1018, 101-8789, 151-5261	Main Unit with Accumulator, female O-Ring, 3 ½" x 9 ½"	3E0443, 106-1018, 101-8789, 151-5261	RD-5-10927-0P	74R5061
914G, 924G, 950F, 950G, 980F, 980G Series accumulator, Cat OE#3E0443, 106-1018, 101-8789, 151-5261	Main Unit with Accumulator, female O-Ring, 3 ½" x 9 ½"	3E0443, 106-1018, 101-8789, 151-5261	RD-5-10927-0P	74R5061

RESISTOR

Skid Steer, A series Tier I & II, with Red Dot model R-6500, R-6500-1	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	71R1450
Skid Steer, B series Tier II, with Red Dot model R-295-0, R-9750	Blower Resistor, Red Dot A/C units. Used on RD-5-8837-0P Blower Assembly	RD-5-9447-0	RD-5-9447-0P	71R1403
Large Haul Truck 793, 797 series for Red Dot models	Ceramic tube style resistor, 4 terminal, 12V, 6 ½" length x 1 ⅞" diam	RD-5-8665-0	RD-5-8665-0P	71R1485
Small Tract Type Tractor D3, D4, D5 with Red Dot unit R-9789-0, -1	Ceramic style resistor	RD-5-10028-0	RD-5-10028-0P	-

THERMOSTATIC SWITCH

All series with OE#2G0398	Rotary thermostat with 48" capillary tube, 34 - 52°F	2G398	RD-4125-48P	71R2300
All series with OE#2P4338, 6K9614, 6T9395, 8P5346, 8P5349, 8P5350, 9P3498	Rotary thermostat, 36" capillary tube, 34 - 52°F	2P4338, 6K9614, 6T9395, 8P5346, 8P5349, 8P5350, 9P3498	RD-4125-36P	71R2250
Backhoe Loader 416D, 420D, 420D IT, 430D with OE#RD-5-4531-24	Fixed Setting thermostat with 24" capillary tube, flange/side mt.	RD-5-4531-24	RD-5-4531-24P	71R3200
Compactor 825B with Red Dot A/C, OE#RD-4125-36P	Rotary thermostat with 36" capillary tube, 34 - 52°F, clutch cycle range 5°	RD-4125-36P	RD-4125-36P	71R2250
IT14G, IT28G Series using Red Dot A/C unit R-10046-0, R-10047-0, OE#RD-5-6429-0P	Fixed Setting thermostat with 16" capillary tube, flange mt.	RD-5-6429-0P	RD-5-6429-0P	71R3150
Large Haul Trucks with Red Dot A/C unit R-10235-3, -4, OE#RD-5-6429-0	Fixed Setting thermostat with 16" capillary tube, flange mt.	RD-5-6429-0P	RD-5-6429-0P	71R3150
Large Haul Trucks 777 Series with Red Dot A/C, OE#RD-4226-0P	Cable controlled thermostat, 30" capillary tube, 34 - 54°F	RD-4226-0P	RD-4226-0P	71R2700
Large Haul Trucks 793, 797 with OE#RD-5-8377-0	Fixed Setting thermostat with 33" capillary tube, flange mt., 40 - 85°F	RD-5-8377-0	RD-5-8377-0P	71R3125
Loader 955L, 977L, 983B, 988B (early-late), 992C with Red Dot A/C, OE#RD-4125-36P	Rotary thermostat with 36" capillary tube, 34 - 52°F, clutch cycle range 5°	RD-4125-36P	RD-4125-36P	71R2250
Motor Grader 14G, 16G Series with Red Dot A/C, OE#RD-4226-0P	Cable controlled thermostat, 30" capillary tube, 34 - 54°F	RD-4226-0P	RD-4226-0P	71R2700
Motor Grader 24H, OE#RD-5-8377-0	Fixed Setting thermostat with 33" capillary tube, flange mt., 40 - 85°F	RD-5-8377-0	RD-5-8377-0P	71R3125
Skid Steer A series Tier II with Red Dot A/C unit R-6500, OE#RD-5-10239-0	Thermistor, 12V fits Red Dot A/C unit R-6500	RD-5-10239-0	RD-5-10239-0P	71R3540
Skid Steer A and B, B series II with Red Dot R-10050, R-10050-1 model evaporator, OE#RD-5-4531-24	Fixed Setting thermostat with 24" capillary tube, flange/side mt.	RD-5-4531-24	RD-5-4531-24P	71R3200



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

CATERPILLAR

THERMOSTATIC SWITCH

Small Track Type Tractor D3, D4, D5 with OE#RD-5-8377-0	Fixed Setting thermostat with 33" capillary tube, flange mt., 40 - 85°F	RD-5-8377-0	RD-5-8377-0P	71R3125
TH26, 63, 82, 83, 103 Series using Red Dot A/C unit R-10170-0, OE#RD-4427-24	Fixed Setting thermostat with 24" capillary tube, flange mt.	RD-4427-24	RD-4427-24P	71R3100
Tract Loader 963LGP with Red Dot A/C, OE#RD-4125-36P	Rotary thermostat with 36" capillary tube, 34 - 52°F, clutch cycle range 5°	RD-4125-36P	RD-4125-36P	71R2250
Tract Type Tractor D6H, D6HLGP, D7G, D7H, D7HLGP, D8K, D8N, D9H, D9L (early) with Red Dot A/C, OE#RD-4125-36P	Rotary thermostat with 36" capillary tube, 34 - 52°F, clutch cycle range 5°	RD-4125-36P	RD-4125-36P	71R2250
Wheel Tractor Scraper 627B, 637D with Red Dot A/C, OE#RD-4125-36P	Rotary thermostat with 36" capillary tube, 34 - 52°F, clutch cycle range 5°	RD-4125-36P	RD-4125-36P	71R2250
325 Series with Red Dot A/C unit R-10004-0, OE#RD-5-4531-24	Fixed Setting thermostat with 24" capillary tube, flange/ side mt.	RD-5-4531-24	RD-5-4531-24P	71R3200
906 Series with Red Dot A/C unit R-10160-0, OE#RD-5-4531-24	Fixed Setting thermostat with 24" capillary tube, flange/ side mt.	RD-5-4531-24	RD-5-4531-24P	71R3200
914G, 928G Series using Red Dot A/C unit R-10046-0, R-10047-0, OE#RD-5-6429-0P	Fixed Setting thermostat with 16" capillary tube, flange mt.	RD-5-6429-0P	RD-5-6429-0P	71R3150
950B - F, 966, 966F, 980A - C Series using Red Dot A/C unit R-10044-3, OE#RD-4172-0	Rotary thermostat, 27" capillary, 34°-52°F, clutch cycle range 5°F	RD-4172-0	RD-4172-0P	71R2310
950F, 966F Series using Red Dot A/C unit R-10045-0, OE#RD-5-4531-24P	Fixed setting thermostat with 24" capillary tube, flange/ side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200

WATER VALVE

All Series with OE#3P7994, 7G-8699	Cable operated valve, straight (pull to open), 5/8" to 5/8" hose	3P7994, 7G-8699	RD-5-4257-0P	72R5050
D4E, D5B, D5H, D6D, D7G, D8K, D9H	Cable operated valve, straight (pull to open), 5/8" to 5/8" hose	7G-8699	RD-5-4257-0P	72R5050
Large Haul Trucks 793, 797 with OE#RD-5-8894-0	Cable operated valve, (pull to open), 5/8" to 5/8" hose	RD-5-8894-0	RD-5-8894-0P	72R6535
Motor Grader 24H Series with OE#RD-5-8390-0	Cable operated valve	RD-5-8390-0	RD-5-8390-0P	72R6525
Skid Steer A series Tier I, II with Red Dot A/C unit, OE#RD-5-10635-0	Cable operated with stem water control valve, (pull to close), 5/8" to 3/4" hose	RD-5-10635-0P	RD-5-10635-0P	72R5204
Skid Steer B series Tier II with Red Dot A/C unit, OE#RD-3-11046-0	Cable operated with stem water control valve, (pull to close), 5/8" to 3/4" hose	RD-3-11046-0	RD-3-11046-0P	72R5203
Small Track Type Tractor D3, D4, D5 with OE#RD-5-10055-0	Cable operated valve, straight (pull to open), 5/8" to 5/8" hose	RD-5-10055-0	RD-5-10055-0P	72R6547
215, 225, 235, 245, 615, 613B, 613C, 621, 621B, 623B, 627B, 631D, 633D, 637D, 639D, 943, 953, 955L, 963, 977L, 983B973,	Cable operated valve, straight (pull to open), 5/8" to 5/8" hose	7G-8699	RD-5-4257-0P	72R5050

CRENLO/NEW HOLLAND

BLOWER MOTOR

Genesis Tractor 8670, 8770, 8870, 8970 Series with Red Dot A/C units, OE#RD-3-6770-0P	Blower assembly, single speed, 800 CFM, 12V, 18 7/16" x 3" x 6 21/32"	RD-3-6770-0	RD-3-6770-0P	73R5502
---	---	-------------	--------------	----------------

COMPRESSOR - SANDEN

Genesis Tractor 8670, 8770, 8870, 8970 Series 24V Sanden 7H15FLX, OE #4874.	7H15FLX, GV head, ear mount, poly 8, 5 1/4"(133mm) diameter	4874	RD-5-11005-0P	75R89434
---	---	------	---------------	-----------------

EVAPORATOR

Genesis Tractor 8670, 8770, 8870, 8970 Series with Red Dot A/C R-3960-2 unit	Dimensions: 6 7/64" height x 23 1/2" length x 3 13/32" width	RD-2-3629-0	RD-2-3629-0P	76R7725
--	--	-------------	--------------	----------------

HEATER CORE

Genesis Tractor 8670, 8770, 8870, 8970 Series with Red Dot A/C R-3960-2 unit	Dimensions: 6 7/64" height x 23 13/64" length x 1 1/2" width	RD-1-1485-0	RD-1-1485-0P	76R1710
--	--	-------------	--------------	----------------

PRESSURE SWITCH

Genesis Tractor 8670, 8770, 8870, 8970 Series with Red Dot A/C	Low pressure switch, normally opens 15 psi, closes 35 psi	RD-5-7038-0	RD-5-7038-0P	71R6135
--	---	-------------	--------------	----------------



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

CRENLO/NEW HOLLAND

RECEIVER DRIER

Genesis Tractor 8670, 8770, 8870, 8970 Series with Binary switch for Red Dot A/C	Binary 7/8"-20 UNF female, Schrader type valve	RD 5 4640 0, 61522-006	RD-5-4640-0P	71R7050
--	--	------------------------	--------------	----------------

RECEIVER DRIER

Genesis Tractor 8670, 8770, 8870, 8970 Series with Red Dot A/C	O-Ring Type with side port, top glass, moisture indicator	221RD32	RD-5-7272-0P	74R2546
--	---	---------	--------------	----------------

THERMOSTATIC SWITCH

Genesis Tractor 8670, 8770, 8870, 8970 Series with Red Dot A/C R-3960-2 unit	Red Dot Models, fixed setting thermostat, 24" cap tube	RD-5-4531-24	RD-5-4531-24P	71R3200
--	--	--------------	---------------	----------------

DEUTZ-ALLIS

BLOWER MOTOR

All series with Kysor A/C, OE#003-3938	Bergstrom - Kysor A/C, single shaft, 1 speed, CW, 4 5/8" length	275130, HA1520, BSM205620	RD-5-10905-0P	73R0442
--	---	---------------------------	---------------	----------------

Air Planter 385 Series with Red Dot A/C, OE#431-7737	Main unit (Red Dot) with single shaft, 4 3/4" length	431-7737	RD-5-6526-0P	73R0422
--	--	----------	--------------	----------------

Tractor D Series 5600, 6600 condenser blower, OE#70257681-0, HV33208	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	70257681-0, HV33208	RD-5-3690-0P	73R0502
--	---	---------------------	--------------	----------------

Tractor D Series 6200 evaporator blower, OE#70257681-0, HV33209	Kysor A/C, double shaft motor, 1 speed, 4 7/8" length	205840, BSM203085, 2809-551-007	RD-5-10068-0P	73R4322
---	---	---------------------------------	---------------	----------------

BLOWER SWITCH

All series with tandem blower switch, Kysor A/C	Bergstrom - Kysor A/C, tandem blower switch, DP3T, 4 position, 5 terminal, 15 amps		RD-5-4908-0P	71R1200
---	--	--	--------------	----------------

All series with rotary blower switch with resistor, OE#586082	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	586082, 1175262-3	RD-5-5194-0P	71R1210
---	--	-------------------	--------------	----------------

All series with rotary blower switch without resistor	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	71195109	RD-5-10934-0P	71R1163
---	--	----------	---------------	----------------

CLUTCH ASSEMBLY

All series with CCI/York - R12 / 134A compressors, OE#003-3938	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	003-3938	RD-5-4967-0P	75R0452
--	---	----------	--------------	----------------

All series with CCI/York - R12 / 134A compressors, OE#003-4530	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	003-4530	RD-5-4994-0P	75R4502
--	--	----------	--------------	----------------

All series with Sanden SD5 (5H14) R12/R134a compressors, OE#6585-6010	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6585-6010	RD-5-10379-0P	75R1542
---	--	-----------	---------------	----------------

All series with Sanden SD5 (508) R12/R134a compressors, OE#8517-6010	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	8517-6010	RD-5-5486-0P	75R0202
--	--	-----------	--------------	----------------

COMPRESSOR - CCI / YORK / TECUMSEH

All series with CCI/York Tecumseh Rotolock ER, R210L-25149, OE#79007020-5, 79007021-3	Rotolock Head, LH Suction without clutch, (universal - new)	79007020-5, 79007021-3, ER, R210L-25149	RD-5-8637-1P	75R7280
---	---	---	--------------	----------------

All series with CCI/York - Tube O-Ring compressor ET210L-25150	Tube O-Ring type head without clutch, (universal - new)	ET210L-25150	RD-5-8638-1P	75R7290
--	---	--------------	--------------	----------------

COMPRESSOR - GM

All series with GM A6 with Superheat switch port, without oil, replaces OE#s shown	1 groove 1/2" width, 4 7/8" diameter (124mm), generic	0256782, 70264637, 70272975-6, 70272976-5, 70272981, 79008037-8	RD-5-5000-0P	75R8102
--	---	---	--------------	----------------

COMPRESSOR - SANDEN

All series with Sanden 7H15, #4644 R134a compressor with PAG oil, OE#72239750	7H15, JD head, ear mount 2 groove, 5 1/4"(132mm) diameter	72239750, 4644	RD-5-10297-0P	75R84612
---	---	----------------	---------------	-----------------

All series with Sanden 5H14, #6665 R134a compressors, 24V	5H14-HD, FL head, 2A groove, 5 1/4" (132mm) diameter	6665	RD-5-7089-0P	75R8384
---	--	------	--------------	----------------

All series with Sanden SD508 #8390 with flare fittings	SD508, B head, Ear mount, flare fittings, 2A groove, 5 1/4"(132mm) diameter	8390	RD-5-5199-0P	75R8282
--	---	------	--------------	----------------

All series with Sanden 510-HD, #9103, R12 with Mineral Oil and Charging Ports	SD510HD, B head, 2A groove, 5 1/4"(132mm) diameter	9103	RD-5-6164-0P	75R8262
---	--	------	--------------	----------------

All series with Sanden 508, OE#9285	SD508HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9285, LE1015, LE1050	RD-5-5575-0P	75R8292
-------------------------------------	---	----------------------	--------------	----------------



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

DEUTZ-ALLIS

COMPRESSOR - SANDEN

All series with Sanden 510-HD, #9674, 24V, R12 with Mineral Oil and Charging Ports	SD510HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9674	RD-5-5626-0P	75R8214
All series with Sanden SD510, #9675 R-12 compressor with charge ports, mineral oil	SD510HD, FG head, variable groove, 6 1/4"(158mm) diameter	9675	RD-5-5627-0P	75R8232
AGRO Star series 8360 with Sanden 508, OE##9285	SD508HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9285, LE1015, LE1050	RD-5-5575-0P	75R8292
D Series 5600, 8500 with Sanden 508, OE##9285	SD508HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9285, LE1015, LE1050	RD-5-5575-0P	75R8292
8600, 9800 series with Sanden 508, OE##9285	SD508HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9285, LE1015, LE1050	RD-5-5575-0P	75R8292

EXPANSION VALVE / BLOCK

All combine and tractor model series with block valve, 2 Ton, OE#329-413	Block valve with female O-Ring fittings	329-413	RD-5-7015-0P	71R8321
All combine and tractor model series with block valve, OE#72162195	Block valve with female O-Ring fittings	72162195	RD-5-6868-0P	71R8301
All combine and tractor model series with Kysor A/C block valve, OE#71307202	Block valve with female O-Ring fittings	71307202	RD-5-6868-0P	71R8301
Tractors 7085, 7110, 7120, 7145 Series with OE#04322165	Block valve with female O-Ring fittings	04322165	RD-5-6868-0P	71R8301
Tractors 8600 Series with OE#04322165	Block valve with female O-Ring fittings	04322165	RD-5-6868-0P	71R8301
Tractors 9150, 9170, 9190, 9800 Series with OE#04322165	Block valve with female O-Ring fittings	04322165	RD-5-6868-0P	71R8301

EXPANSION VALVE / EXTERNAL EQUALIZER

All combine and tractor model series with external equalizer, OE#003-4238	Male flare with 18" capillary length, 18" equalizer tube length	003-4238, RD 4126 1	RD-4126-1P	71R8050
All combine and tractor model series with external equalizer, OE#003-4586	Male O-Ring with 13" capillary length, 13" equalizer tube length	003-4586	RD-5-3824-1P	71R8100
All combine and tractor model series with external equalizer, OE#70259978	Male O-Ring with 13" capillary length, 13" equalizer tube length	70259978	RD-5-3824-1P	71R8100
All combine and tractor model series with external equalizer, OE#826-003	Male O-Ring, 1 1/2 Ton, 10" capillary length, 10" equalizer tube length	826-003	RD-5-5862-0P	71R8080
Tractors DX Series DX90, DX160 with male O-Ring fittings	Male O-Ring with 13" capillary length, 13" equalizer tube length	RD-5-3824-1	RD-5-3824-1P	71R8100
Tractors 6240, 6250, 6260, 6265, 6275 Series with male O-Ring fittings	Male O-Ring with 13" capillary length, 13" equalizer tube length	RD-5-3824-1	RD-5-3824-1P	71R8100
Tractors 8560 Series with male O-Ring fittings	Male O-Ring with 13" capillary length, 13" equalizer tube length	RD-5-3824-1	RD-5-3824-1P	71R8100

EXPANSION VALVE / INTERNAL EQUALIZER

All combine and tractor model series with OE#1162473-1	Internal equalizer with male flare with 9" capillary length, flare fittings	1162473-1	RD-5-6099-0P	71R8210
All combine and tractor model series with OE#826-004	Internal equalizer, 1 1/2 Ton, Male O-Ring	826-004	RD-5-10445-0P	71R8220

PRESSURE SWITCH

All series using high pressure switch, OE#432-2167, 111266C1	High Pressure Switch, normally closed 210psi, opens 340 psi, 1/4" female flare	432-2167, 111266C1	RD-5-5873-0P	71R6070
All series, low pressure cut-off, drier mounting	Low pressure cut out switch, 3/8"-24, norm. open, closes 27 psig	085108-00, 72162165-4	RD-4191-0P	71R6050

RECEIVER DRIER

All combine and tractor model series with OE#003-4228, 088423-00	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 1/4"	003-4228, 088423-00	RD-5-7061-1P	74R2536
All combine and tractor model series with in line drier, OE#70268464, 70264644-6, 70275847	In Line drier with #6 Female to Male O-Ring, 4" x 8"	70268464, 70264644-6, 70275847	RD-5-8862-0P	74R0400
All combine and tractor model series with OE#70272317	with #6 Male flare, 3" X 6 1/4"	70272317	RD-5-4954-0P	74R2406
All combine and tractor model series with OE#70276903	Male & Male O-Ring HPRV, MI IN CAP	70276903	RD-5-5583-0P	74R2606



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

DEUTZ-ALLIS

RECEIVER DRIER

All combine and tractor model series with OE#71355100	with #6 Male O-Ring, 3" X 8 1/4", top port, schrader ports	71355100	RD-5-10777-0P	74R2616
All combine and tractor model series with OE#72161835-3	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	72161835-3	RD-4160-1P	74R2106
All combine and tractor model series with OE#72275275	Male inlet, Female outlet with 2 M10 Ports	72275275	RD-5-10735-0P	74R3156
All combine and tractor model series with OE#72502208	Male O-Ring with fuse plug, side port, top glass	72502208	RD-5-4950-0P	74R0906
Tractor AGRO-Star Series 8360, 8425	with #6 Male O-Ring, 2 3/4" X 9 5/8"	RDH RD5 5571 0	RD-5-5571-0P	74R1806
Tractor D series with in line drier, OE#70268464, 70264644-6, 70275847	In Line drier with #6 Female to Male O-Ring, 4" x 8"	70268464, 70264644-6, 70275847	RD-5-8862-0P	74R0400
Tractor 8600, 9400, 9600, 9800 Series	with #6 Male O-Ring, 2 3/4" X 9 5/8"	RDH RD5 5571 0	RD-5-5571-0P	74R1806
Tractor 9700 Series	with #6 Male O-Ring, 3" x 6 1/4"	RD-5-7061-2	RD-5-7061-2P	74R2526

THERMOSTATIC SWITCH

All combine and tractor model series with OE#003-4221	Rotary thermostat, 36" capillary tube, 34 - 52°F	003-4221	RD-4125-36P	71R2250
All combine and tractor model series with OE#404145	Fixed Setting thermostat with 24" capillary tube, flange mt.	404145	RD-4427-24P	71R3100
All combine and tractor model series with OE#70268476-9	Rotary thermostat with 48" capillary tube, 34 - 52°F	70268476-9	RD-4125-48P	71R2300

EUCLID

BLOWER MOTOR

Haul Truck series with Bergstrom A/C, Euclid OE#20333P	Bergstrom A/C, 24V single shaft motor, 1 speed, CCW, 5" length	20333P	RD-5-4827-24P	73R0404
--	--	--------	---------------	----------------

ELECTRICAL SWITCH

All combine and tractor model series with OE#026476-9	Rotary thermostat, 36" capillary tube, 34 - 52°F	026476-9	RD-4125-36P	71R2250
---	--	----------	-------------	----------------

EXPANSION VALVE / BLOCK

Haul Truck series with block valve	Block valve with female O-Ring fittings		RD-5-6868-0P	71R8301
------------------------------------	---	--	--------------	----------------

RECEIVER DRIER

Haul Truck series with receiver drier	with #6 Male O-Ring, 3" X 9 1/4", side port, pressure relief		RD-5-5588-0P	74R3056
---------------------------------------	--	--	--------------	----------------

FORD - NEW HOLLAND (FNH)

BLOWER MOTOR

All model series with FNH OE#271438	All with 3" diameter blower motor, 1 speed, NV, CCW, 3 5/8" length	271438	RD-5-4550-0P	73R0102
-------------------------------------	--	--------	--------------	----------------

CLUTCH ASSEMBLY

All series with CCI/York - R12 / 134A compressors, FNH OE#D5NN19D649A	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	D5NN19D649A	RD-5-4967-0P	75R0452
All series with CCI/York - R12 / 134A compressors, FNH OE#D2NN19D649AA	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	D2NN19D649AA	RD-5-4994-0P	75R4502
All series with Sanden SD508 R12/R134a compressor, Sanden OE#6514-6210	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6514-6210, 6574-6210	RD-5-5486-0P	75R0202
All series with Sanden SD7H15HD R134a compressor, OE #6504-6310	2 groove 1/2" width, 5 1/4" diameter (132mm)	6504-6310	RD-5-10379-0P	75R1542
Combines TR70, TR75, TR76 with R210 series CCI/York compressors	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, weatherpak plug	024 25190, 03-1104973, 501939	RD-5-4972-1P	75R1202
Combines TR85, TR86, 87, 96, 97 with Sanden SD5 (508 / 510 / 5H14) compressors	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202
FW Series (except FW20) with Sanden SD510 compressor	1 groove 6 1/4" diameter pulley, 1/2-3/4" width, bullet plug	6521-6010	RD-5-5489-0P	75R1402
FW Series including FW20 with Sanden SD508 compressor	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202
Harvester / Balewagon 1038, 1078, 1079, 1085 with R210 series CCI/York compressor	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	024-25078, MA6, MAE6AR	RD-5-4967-0P	75R0452

OFF-ROAD APPLICATIONS



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

FORD - NEW HOLLAND (FNH)

CLUTCH ASSEMBLY

Harvester / Balewagon 1038, 1078, 1079, 1085 with R210 series CCI/York compressor	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, weathepak plug	024 25190, 03-1104973, 501939	RD-5-4972-1P	75R1202
Harvester / Balewagon 1915, 2115 with Sanden SD5 (508 / 510 / 5H14) compressors	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202
Harvester / Balewagon 1915, 2115 with CCI/York compressors	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, weathepak plug	024 25190, 03-1104973, 501939	RD-5-4972-1P	75R1202
Power Shift 8630, 8730, 8830 with R210L series CCI/York compressors	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, weathepak plug	024 25190, 03-1104973, 501939	RD-5-4972-1P	75R1202
Swathers / Windrowers 1118, 2450, 2550 with Sanden SD5 (508 / 510 / 5H14) compressors	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202
Swathers / Windrowers 1118, 2450, 2550 with CCI/York compressors	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, weathepak plug	024 25190, 03-1104973, 501939	RD-5-4972-1P	75R1202
Swathers / Windrowers 4750, 4850 with Sanden SD5 510 compressor, OE#9125	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202
Tractor 230A, 233, 234, 333, 334, 355 with Sanden SD5 510 compressor	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202
Tractor 1150, 1151, 1156 Versatile with Sanden SD5 510 compressor, OE#5733	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202
Tractor 530A, 555A, 655A with T210 series CCI/York compressors	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, weathepak plug	024 25190, 03-1104973, 501939	RD-5-4972-1P	75R1202
Tractor 800-900 Series Versatile with Sanden SD5 510 compressor, OE#5733	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202
Tractor 800-900 Series Versatile with T210 series CCI/York compressors	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, weathepak plug	024 25190, 03-1104973, 501939	RD-5-4972-1P	75R1202
Tractor 5000-8000 series with Sanden SD5 508 compressor	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202
Tractor 5000-8000 series with R210 series CCI/York compressor	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	024-25078, MA6, MAE6AR	RD-5-4967-0P	75R0452
Tractor 5610, 6610, 7610, 8210 series with Sanden SD5 510 compressor	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202
Tractor 9000 series (except 9030) with R210 series CCI/York compressor	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	024-25078, MA6, MAE6AR	RD-5-4967-0P	75R0452
Tractor 9030 series with Sanden SD7H15 compressor	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202
TW series with R210 series CCI/York compressor	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	D5NN19D649A	RD-5-4967-0P	75R0452
TW series with Sanden 5H14 compressor, OE#4536, 5708	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202

COMPRESSOR - CCI / YORK / TECUMSEH

All series with CCI/York Tecumseh Rotolock ER, R210L-25149, OE#EJPN19D623AA	Rotolock Head, LH Suction without clutch, (universal - new)	EJPN19D623AA, ER, R210L- 25149	RD-5-8637-1P	75R7280
All series with CCI/York - Tube O-Ring compressor ET210L-25150	Tube O-Ring type head without clutch, (universal - new)	ET210L-25150	RD-5-8638-1P	75R7290
All series with CCI/York Tecumseh Rotolock OE#99242-5, R12 or 134a (ester oil)	Rotolock Head, LH Suction without clutch, (universal - new)	99242-5	RD-5-8637-1P	75R7280
All series with CCI/York - Tube O-Ring compressor, OE#99244-5, R12 / 134A	Tube O-Ring type head without clutch, (universal - new)	99244-5	RD-5-8638-1P	75R7290
Combines TR70, TR75, TR76 with CCI/York Tecumseh Rotolock ER, R210L-25149, OE#EJPN19D623AA	Rotolock Head, LH Suction without clutch, (universal - new)	ER, R210L- 25149, EJPN19D623AA,	RD-5-8637-1P	75R7280
Power Shift 8630, 8730, 8830 with CCI/York Tecumseh Rotolock ER, R210L-25149, OE#EJPN19D623A	Rotolock Head, LH Suction without clutch, (universal - new)	EJPN19D623AA, ER, R210L- 25149	RD-5-8637-1P	75R7280
Tractors TW series with CCI/York Tecumseh Rotolock ER, R210L-25149	Rotolock Head, LH Suction without clutch, (universal - new)	ER, R210L- 25149	RD-5-8637-1P	75R7280



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

FORD - NEW HOLLAND (FNH)

COMPRESSOR - SANDEN

All series with Sanden 7H15HD, #4603. FNH OE#9849085	7H15, WJ head, ear mount 2 groove, 5 1/4"(132mm) diameter	9849085, 4603	RD-5-11241-0P	75R81192
All series with Sanden 7H15HD, #4609. FNH OE#86993462	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	86993462, 4609	RD-5-10259-0P	75R84112
All series with Sanden 7H15HD, #4617 R134a compressor, OE#86001191, 97005764	Sanden 7H15SHD, MD head, ear mt., 2 groove, 5 1/4" (132mm)	86001191, 97005764, 4617	RD-5-10291-0P	75R84532
All series with Sanden 7H15HD, #4637 R134a compressor, OE#9824775	7H15HD, KC head, ear mount poly 8, 5 1/4"(133mm) diameter	9824775, 4637	RD-5-6919-0P	75R84522
All series with Sanden 7H15, #4643 R134a compressor, OE#9705764	Sanden 7H15, CB head, ear mt., 2 groove, 5 1/4" (132mm)	9705764, 4643	RD-5-10292-0P	75R84552
All series with Sanden 7H15HD, #4768. FNH OE#86993463	7H15, MD head, direct mount poly 8, 6" (152mm) diameter	86993463, 4768	RD-5-11311-0P	75R81412
All series with Sanden 5H14HD, #5708 R134a compressor, OE#E8NN19D629AA	5H14HD, K head, ear mount 2 groove, 5 1/4"(132mm) diameter	E8NN19D629AA, 5708	RD-5-9088-0P	75R8332
All series with Sanden 5H14, #6665, 24V	5H14HD, 24V, FL head, 2A groove, 5 1/4" (132mm) diameter	6665	RD-5-7089-0P	75R8384
All series with Sanden 510HD, #9103, R-12 with Mineral Oil and Charging Ports	SD510HD, B head, 2A groove, 5 1/4"(132mm) diameter	9103	RD-5-6164-0P	75R8262
All series with Sanden 508HD, #9285, R-12 with Mineral Oil and Charging Ports	SD508HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9285	RD-5-5575-0P	75R8292
All series with Sanden 510-HD, #9674, 24V, R-12 with Mineral Oil and Charging Ports	SD510HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9674	RD-5-5626-0P	75R8214
All series with Sanden SD510, #9675 R-12 compressor with charge ports	SD510HD, FG head, variable groove, 6 1/4"(158mm) diameter	9675	RD-5-5627-0P	75R8232
All series with Sanden 7H15, R134a compressor with PAG oil, OE#86508521, 9822598, D6NN19D629A	7H15, JD head, ear mount 2 groove, 5 1/4"(132mm) diameter	86508521, 9822598, D6NN19D629A	RD-5-10297-0P	75R84612
Combines TR85, TR87, TR96, TR97 with Sanden 508HD, #9285, R12 compressor	SD508HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9285	RD-5-5575-0P	75R8292
Combines TR88, TR89 with Sanden 5H14, #6629 R-12 compressor	5H14HD, FL head, ear mount poly 7, 4.7"(119mm) diameter	6629	RD-5-10293-0P	75R83172
Power Shift 8630, 8730, 8830 with Sanden 7H15, OE #4709, 7862, 8023	7H15, KG head, ear mount, 2A groove, 4.9"(125mm) diameter	4709, 7862, 8023	RD-5-11331-0P	75R81552
Tractors Gemini 8160, 8260, 8360, 8560 with Sanden 7H15, OE#4660.	7H15, JDA head, ear mount, poly 8, 4 3/4" (119mm) diameter	4660, 4711, 7890, 8028	RD-5-11322-0P	75R81482
Tractors Gemini 8670, 8770, 8870, 8970 with Sanden 7H15HD, #4637 R134a compressor, OE#9824775	7H15HD, KC head, ear mount poly 8, 5 1/4"(133mm) diameter	9824775, 4637	RD-5-6919-0P	75R84522
Tractors TL70, TL80, TL90, TL100 with Sanden 5H14, #4644 compressor, OE#72239750	5H14, JD head, ear mount 2 groove, 5 1/4"(132mm) diameter	72239750, 4644	RD-5-10297-0P	75R84612
Tractors TM115-190 with Sanden 7H15, OE #4660	7H15, JDA head, ear mount, poly 8, 4 3/4" (119mm) diameter	4660	RD-5-11322-0P	75R81482
Tractors TN55, TN65, TN70, TN75 with Sanden 5H14, OE#6631	5H14, M head, ear mount, 2A groove, 5 1/4" (132mm) diameter	6631	RD-5-7548-0P	75R8312
Tractors TN90F with Sanden 7H15, #4644 R134a compressor with PAG oil, OE#72239750	7H15, JD head, ear mount 2 groove, 5 1/4"(132mm) diameter	72239750, 4644	RD-5-10297-0P	75R84612
Tractors TS90, TS100, TS120, TV140 Bidirectional with Sanden 7H15, OE #4660	7H15, JDA head, ear mount, poly 8, 4 3/4" (119mm) diameter	4660	RD-5-11322-0P	75R81482
Tractors TW with Sanden 5H14HD, #5708 compressor, OE#E8NN19D629AA	5H14HD, K head, ear mount 2 groove, 5 1/4"(132mm) diameter	E8NN19D629AA, 5708	RD-5-9088-0P	75R8332

EXPANSION VALVE / BLOCK

All combine and tractor model series with block valve, 2 Ton, OE#329-403, 329-413	Block valve with female O-Ring fittings	329-403, 329-413	RD-5-7015-0P	71R8321
Combine / Tractor P396 Series	Block valve with female O-Ring fittings	3901517M1	RD-5-7015-0P	71R8321
Combine TR86, TR96, TR97, TR98 model series with OE#847015	Block valve with female O-Ring fittings with 3/16" schrader port	404146 / EA1090	RD-5-7155-0P	71R8400

OFF-ROAD APPLICATIONS



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

FORD - NEW HOLLAND (FNH)

EXPANSION VALVE / BLOCK

Combine TR89, TR99 model series with OE#847015	Block valve with female O-Ring fittings with 7/16" schrader port	404146 / EA1090	RD-5-7155-0P	71R8400
Harvesters / Balewagons 1915, 2115 model series with OE#847015	Block valve with female O-Ring fittings with 7/16" schrader port	404146 / EA1090	RD-5-7155-0P	71R8400
Swathers / Windrowers 1118, 2450, 2550 model series with OE#847015	Block valve with female O-Ring fittings with 7/16" schrader port	404146 / EA1090	RD-5-7155-0P	71R8400
Tractors D6 Series, OE#79840, E1NN-19849A	Block valve with female O-Ring fittings	79840, E1NN-19849A	RD-5-6868-0P	71R8301
Tractors 836, 846, 856, 876, 936, 946, 956, 976, 1156 Versatile Series, 2310 with OE#79840, E1NN-19849A	Block valve with female O-Ring fittings	79840, E1NN-19849A	RD-5-6868-0P	71R8301
Tractors 2610, 2910 with OE#97005763	Block valve with female O-Ring fittings	97005763	RD-5-6868-0P	71R8301

EXPANSION VALVE / EXTERNAL EQUALIZER

All combine and tractor model series with OE#826-003	Male O-Ring, 1 1/2 Ton, 10" capillary length, 10" equalizer tube length	826-003	RD-5-5862-0P	71R8080
All combine and tractor model series with OE#826-081	External Equalizer, Male flare with 18" capillary length	826-081	RD-4126-1P	71R8050
All combine and tractor model series with OE#9966611	External Equalizer, Male O-Ring with 13" capillary length, 13" equalizer tube length	9966611	RD-5-3824-1P	71R8100
Combine TR70, TR75, TR85 model series with OE#274571	External Equalizer, Male flare with 18" capillary length	274571	RD-4126-1P	71R8050
Combine TR70, TR75, TR85, TR86, TR96, TR97, TR98 model series with OE#80449624	External Equalizer, Male O-Ring with 13" capillary length, 13" equalizer tube length	80449624	RD-5-3824-1P	71R8100
Harvesters / Balewagons 1038, 1078, 1079, 1085 model series with OE#274571	External Equalizer, Male flare with 18" capillary length	274571	RD-4126-1P	71R8050
Swathers / Windrowers 1118, 2450, 2550 model series with OE#247571	External Equalizer, Male flare with 18" capillary length	274571	RD-4126-1P	71R8050
Swathers / Windrowers 4750, 4850 model series with OE#247571	External Equalizer, Male flare with 18" capillary length	274571	RD-4126-1P	71R8050
Tractors FQ 20, 30, 40, 60 model series with OE#D3AH-18949AA	External Equalizer, Male flare with 18" capillary length	D3AH-18949AA	RD-4126-1P	71R8050
Tractors FX 20, 30, 40, 60 model series	External Equalizer, Male O-Ring with 13" capillary length, 13" equalizer tube length		RD-5-3824-1P	71R8100
Tractors TW 10, 15, 20, 25, 30, 35 Series	External Equalizer, Male O-Ring, 1 1/2 Ton, 10" capillary length, 10" equalizer tube length		RD-5-5862-0P	71R8080
Tractors TW 10, 20, 30 model series with OE#D3AH-18949AA	External Equalizer, Male flare with 18" capillary length	D3AH-18949AA	RD-4126-1P	71R8050
Tractors 2600, 3600, 4100, 4600, 5600, 6600 Series, with OE#E7NN-19849A	External Equalizer, Male O-Ring with 13" capillary length, 13" equalizer tube length	E7NN-19849A, 80449624	RD-5-3824-1P	71R8100
Tractors 5610, 6610, 7610, 7710, 8210 Series, with OE#E7NN-19849A	External Equalizer, Male O-Ring with 13" capillary length, 13" equalizer tube length	E7NN-19849A, 80449624	RD-5-3824-1P	71R8100
Tractors 7600, 7700, 7710 Series, with OE#D6AH-19849AA	External Equalizer, Male O-Ring with 13" capillary length, 13" equalizer tube length	D6AH-19849AA	RD-5-3824-1P	71R8100
Tractors TW 8000, 9000 model series with OE#D3AH-18949AA	External Equalizer, Male flare with 18" capillary length	D3AH-18949AA	RD-4126-1P	71R8050

EXPANSION VALVE / INTERNAL EQUALIZER

All combine and tractor model series with OE#D3NN-19849A	Internal equalizer, 1 1/2 Ton, Male O-Ring	D3NN-19849A	RD-5-10445-0P	71R8220
All combine and tractor model series with OE#SFD017844, 826-004	Internal equalizer valve with male O-Ring fittings	SFD017844, 826-004	RD-5-11033-0P	71R8060
Tractors 230A, 233, 234, 333, 334, 355 with OE#D8NN-19849A	Internal equalizer with male flare with 9" capillary length, flare fittings	D8NN-19849A	RD-5-6099-0P	71R8210
Tractors 530A, 555A, 655A with OE#D8NN-19849A	Internal equalizer with male flare with 9" capillary length, flare fittings	D8NN-19849A	RD-5-6099-0P	71R8210

RECEIVER DRIER

All combine and tractor model series with OE#085098-00	Male O-Ring with fuse plug, side port, top glass	085098-00	RD-5-4950-0P	74R0906
--	--	-----------	--------------	----------------



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

FORD - NEW HOLLAND (FNH)

RECEIVER DRIER

All combine and tractor model series with OE#D6NN-19959A, 130217	with #6 Male flare, 3" X 6 1/4", fuse, no port	D6NN-19959A, 130217	RD-5-4954-0P	74R2406
All combine and tractor model series with OE#48510	Male & Male O-Ring HPRV, MI IN CAP	48510	RD-5-5583-0P	74R2606
All combine and tractor model series with OE#402565	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	402565	RD-4160-1P	74R2106
All combine and tractor model series with OE#763787	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 1/4"	763787	RD-5-7061-1P	74R2536
All combine and tractor model series with OE#620206	#6 Male Flare, 4" x 7 3/4", fuse	620206	RD-5-5954-0P	74R3506
Balewagon 1038, 1078, 1079, 1085 series, OE#D6NN-19959A	with #6 Male flare, 3" X 6 1/4", fuse, no port	D6NN-19959A	RD-5-4954-0P	74R2406
Balewagon 1038, 1078, 1079, 1085 series, OE#9827053	with #6 Male O-Ring, 3" x 10", fuse, top port	9827053	RD-5-6504-0P	74R2306
Combines CR920, 940, 960, 970 with male O-Ring, 3" x 8 3/8", hi capacity	Male & Male O-Ring HPRV, MI IN CAP	PH 088193-00	RD-5-11192-0P	74R2608
Combines TR70, TR75 series, OE#D6NN-19959A	with #6 Male flare, 3" X 6 1/4", fuse, no port	D6NN-19959A	RD-5-4954-0P	74R2406
Combines TR76, TR85, TR86, TR98 series, OE#9827053	with #6 Male O-Ring, 3" x 10", fuse, top port	9827053	RD-5-6504-0P	74R2306
Combines TR87, TR89, TR97, TR99 series, OE#9827050	with #6 Male O-Ring, 3" x 10", fuse, top port, moisture indicator	9827050	RD-5-6768-1P	74R3322
Combines TX66 series, OE#696524	#6 Male O-Ring, 4" x 7 1/2", fuse, side port, moisture indicator	696524, RD-5-7565-0	RD-5-7565-0P	74R3536
Combines / Tractor 7600, 7700, 7710 series with OE#763787	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 1/4"	763787	RD-5-7061-1P	74R2536
Combines / Tractor 7600, 7700, 7710 series, OE#9827053	with #6 Male O-Ring, 3" x 10", fuse, top port	9827053	RD-5-6504-0P	74R2306
Harvesters FX25, FX28, FX45, FX58 series, OE#89832539	#6 Male O-Ring, 4" x 7 1/2", fuse, side port, moisture indicator	89832539	RD-5-7565-0P	74R3536
Harvesters 1915, 2115 series, OE#763787	Male & Male O-Ring HPRV, MI IN CAP	763787	RD-5-5583-0P	74R2606
Combine / Tractor P396 Series	with #6 Male to Female O-Ring, 3" x 10 1/8", pressure relief, moisture indicator		RD-5-7292-0P	74R3336
Mower HW30 series, OE#9827050	with #6 Male O-Ring, 3" x 10", pressure relief, top port, moisture indicator	9827050	RD-5-6768-1P	74R3322
Swathers 4750, 4850 series, OE#763787	Male & Male O-Ring HPRV, MI IN CAP	A22-28796-000	RD-5-5583-0P	74R2606
Tractors Gemini 8160, 8260, 8360, 8560 series, OE#9827050	with #6 Male O-Ring, 3" x 10", fuse, top port, moisture indicator	9827050	RD-5-6768-1P	74R3322
Tractors Genesis 8670, 8770, 8870, 8970 series, OE#86507374	with #6 Male to Female O-Ring, 3" x 8 3/4", pressure relief, top port	86507374	RD-5-10583-0P	74R2667
Tractors TG210 - TG285 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	143469-C2	RD-5-11028-0P	74R4026
Tractors 530A, 555A, 655A series, OE#D6NN-19959A	with #6 Male flare, 3" X 6 1/4", fuse, no port	D6NN-19959A	RD-5-4954-0P	74R2406
Tractors 4835, 5635, 6635, 7635, OE#9705765	with #6 Male O-Ring, 3" x 10"	9705765	RD-5-10450-0P	74R3140
Tractors TL70, 80, 90, 100, TN / TND / TNS 55, 65, 70, 75 TN90F series with OE#9705770	Male inlet, Female outlet with 2 M10 Ports	9705770	RD-5-10735-0P	74R3156
Tractors TV140 Bidirectional, OE#80417372	O-Ring Type with #6 male inlet and outlet	80417372	RD-5-10743-0P	74R1426
Tractors Versatile 9282, 9482, 9682, 9882 series, OE#402529	Male & Male O-Ring HPRV, MI IN CAP	PH 088193-00	RD-5-11192-0P	74R2608
Windrowers 1118, 2450, 2550 series, OE#088423-00	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 1/4"	088423-00	RD-5-7061-1P	74R2536

THERMOSTATIC SWITCH

All combine and tractor model series with OE#D6NN-19N683B, C	Rotary thermostat with 18" capillary tube, 28 - 62°F	D6NN-19N683B, C	RD-5-4909-0P	71R2100
All combine and tractor model series with OE#1162474-9	Rotary thermostat, 36" capillary tube, 34 - 52°F	1162474-9	RD-4125-36P	71R2250

OFF-ROAD APPLICATIONS



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

FORD - NEW HOLLAND (FNH)

THERMOSTATIC SWITCH

All combine and tractor model series with OE#D3NN-19618A	Rotary thermostat with 48" capillary tube, 34 - 52°F	D3NN-19618A	RD-4125-48P	71R2300
All combine and tractor model series with OE#D5NN-19N633	Rotary thermostat with 48" capillary tube, 34 - 52°F	D5NN-19N633	RD-4125-48P	71R2300
All combine and tractor model series with OE#FONN-19618AB	Rotary thermostat with 48" capillary tube, 34 - 52°F	FONN-19618AB	RD-4125-48P	71R2300
All combine and tractor model series Red Dot unit R-9787 (Standard), OE#8600262	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	8600262	RD-5-4531-24P	71R3200
Combines / Tractor P396 series with Red Dot unit R-9787 (Standard)	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200

IHC CASE

BLOWER MOTOR

All series with Bergstrom A/C, OE#117283-C91	Bergstrom A/C, 12V, single shaft, 1 speed, 4 3/4" length	117283-C91	RD-5-5512-0P	73R0912
All model series with Allis Chalmers OE#117284-C3	All with 3" diameter blower motor, 1 speed, NV, CCW, 3 5/8" length	117284-C3	RD-5-4550-0P	73R0102

CLUTCH ASSEMBLY

All series with CCI/York - R12 / 134A compressors, OE#111631C91	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	111631C91	RD-5-4994-0P	75R4502
All series with CCI/York - R12 / 134A compressors, OE#165129C91	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	165129C91	RD-5-4967-0P	75R0452
All series with Sanden 5H14 R134a compressor, OE#6504-6310	2 groove 1/2" width, 5 1/4" diameter (132mm)	6504-6310	RD-5-10379-0P	75R1542
All series with Sanden SD508 R12/R134a compressors, OE#6514-6210	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6514-6210	RD-5-5486-0P	75R0202

COMPRESSOR - GM

GM A6 with Superheat switch port, without oil, OE#1131243	1 groove 1/2" width, 4 7/8" diameter (124mm), generic	1131243	RD-5-5000-0P	75R8102
---	---	---------	--------------	----------------

COMPRESSOR - SANDEN

All series with 12V Sanden 7H15HD, OE #4609. IHC-Case OE#1999755C3, 86993462	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609, 1999755C3, 86993462	RD-5-10259-0P	75R84112
All series with 24V Sanden 7H15HD, OE #4611. IHC-Case OE#1999760C2, 86983967	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4611, 1999760C2, 86993967	RD-5-11161-0P	75R84114
All series with 12V Sanden 7H15HD, OE #4768. IHC-Case OE#317008A3, 86993463	7H15, MD head, direct mount poly 8, 6" (152mm) diameter	4768, 317008A3, 86993463	RD-5-11311-0P	75R81412
All series with 24V Sanden 7H15HD, OE #4795. IHC-Case OE#4795, 352524A2, 86983968	7H15, MD head, direct mount poly 8, 6" (152mm) diameter	4795, 352524A2, 86983968	RD-5-11234-0P	75R81104
All series with Sanden 5H14, #6664 R134a compressors, 12V	5H14, FL head, ear mount, 2A groove, 5 1/4" (132mm) diameter	6664	RD-5-7088-0P	75R8382
All series with Sanden 5H14, #6665 R134a compressors, 24V	5H14-HD, FL head, 2A groove, 5 1/4" (132mm) diameter	6665	RD-5-7089-0P	75R8384
All series with Sanden 510-HD, OE#9103	510-HD, B head, ear mount 2 groove, 5 1/4" (132mm) diameter	9103	RD-5-6164-0P	75R8262
All series with Sanden 508HD, OE #9285, 9515	SD508HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9285, 9515	RD-5-5575-0P	75R8292
All series with Sanden 510-HD, #9674, 24V, R12 with Mineral Oil and Charging Ports	SD510HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9674	RD-5-5626-0P	75R8214
All series with Sanden SD510, #9675 R-12 compressor with charge ports, mineral oil	SD510HD, FG head, variable groove, 6 1/4"(158mm) diameter	9675	RD-5-5627-0P	75R8232

RECEIVER DRIER

All combine and tractor model series with OE#085098-00	Male O-Ring with fuse plug, side port, top glass	085098-00	RD-5-4950-0P	74R0906
All combine and tractor model series with OE#088423-00	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 1/4"	088423-00	RD-5-7061-1P	74R2536
All combine and tractor model series with OE#111218-C1, 539049-R91, 572832-R91	with #6 Male Flare (top and side), 4" X 6 3/4"	111218-C1, 539049-R91, 572832-R91	RD-5-6077-0P	74R4016
All combine and tractor model series with OE#118304-C1, 118418-C1	with #6 Male O-Ring (top and side), 4" X 6 3/4"	118304-C1, 118418-C1	RD-5-6075-0P	74R4006



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

IHC CASE

RECEIVER DRIER

All combine and tractor model series with OE#143469-C2, 1990758-C2	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	143469-C2, 1990758-C2	RD-5-11028-0P	74R4026
All combine and tractor model series with OE#402565	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	402565	RD-4160-1P	74R2106

THERMOSTATIC SWITCH

All combine and tractor model series using clutch cycling switch with OE#1259617-7	Rotary thermostat with 48" capillary tube, 34 - 52°F	1259617-7	RD-4125-48P	71R2300
All combine and tractor model series with OE#109268-C2	Rotary thermostat with 48" capillary tube, 34 - 52°F	109268-C1, C2	RD-4125-48P	71R2300
All combine and tractor model series with OE#1162474-9	Rotary thermostat with 36" capillary tube, 34 - 52°F	1162474-9	RD-4125-36P	71R2250
All combine and tractor model series with OE#175575C-1	Rotary thermostat with 48" capillary tube, 34 - 52°F	175575C-1	RD-4125-48P	71R2300
All combine and tractor model series with OE#175575C91	Rotary thermostat with 36" capillary tube, 34 - 52°F	175575C91	RD-4125-36P	71R2250
All combine and tractor model series with OE#301395-C91	Rotary thermostat with 48" capillary tube, 34 - 52°F	301395-C91	RD-4125-48P	71R2300
All combine and tractor model series with OE#404145	Fixed Setting thermostat with 24" capillary tube, flange mt.	404145	RD-4427-24P	71R3100
All combine and tractor model series with OE#A42623, 70500-C2	Rotary thermostat with 18" capillary tube, 28 - 62°F	A42623, 70500-C2	RD-5-4909-0P	71R2100
Backhoe / Loader 580, 580K, L, M, 580 Super M, Turbo, 590, 590 Super M	Rotary thermostat with 18" capillary tube, 35 - 44°F	RD-5-11029-0	RD-5-11029-0P	71R2305

INTERNATIONAL (IHC) / NAVISTAR

BLOWER MOTOR

Combines 715, 815, 915 model series, heater only OE#936489-R91	OE style blower motor (only), 1 speed, 3 3/4" length, 12V non-vented	936489-R91	RD-5-10391-0P	73R0092
Tractors 66 Series, 766 thru 4366, condenser motor, OE#539047-R2	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW or CCW, 4 7/8" length	539047-R2	RD-5-3690-0P	73R0502
Tractors 68 series, 1568 thru 4768, condenser motor, OE#RD-5-6526-0	Single shaft motor, (2 reqd), 1 speed, 12V, CW, 4 3/4" length, vented	RD-5-6526-0	RD-5-6526-0P	73R0422
Tractors 86 Series, 786 thru 4786, condenser blower, OE#539047-R2	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	539047-R2	RD-5-3690-0P	73R0502
All Combine / Loader / Tractor model series, blower control, OE#168822-C1	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	168822-C1	RD-5-10934-0P	71R1163

CLUTCH ASSEMBLY

Combines 715, 815, 915 series, CCI/York R210 compressors	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	024-25078, MA6, MAE6AR, 165338C91	RD-5-4967-0P	75R0452
Combines 1400, 1600 series, CCI/York R210 compressors	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	332334, MA 7A, 111631-C91, 1687801C91	RD-5-4994-0P	75R4502
Combines 1400, 1600 series with Sanden SD510 R12/R134a compressors	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210, 576625C91	RD-5-5486-0P	75R0202
Combines 2144, 2166, 2188 series with Sanden SD510 R12/R134a compressors	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210, 576625C91	RD-5-5486-0P	75R0202
Tractors 66 series 766 thru 4366 series, CCI/York R210 compressors	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	024-25078, MA6, MAE6AR, 165338C91	RD-5-4967-0P	75R0452
Tractor 68 series 1568 thru 5768, CCI/York R210 compressors	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	332334, MA 7A, 143405-C91, 1687801-C91	RD-5-4994-0P	75R4502
Tractors 86 series thru 4186 series, CCI/York R210 compressors	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	024-25078, MA6, MAE6AR, 165338C91	RD-5-4967-0P	75R0452
Tractor 86 series 786 thru 4786 except 4186, CCI/York R210 compressors	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	332334, MA 7A, 143405-C91, 1687801-C91	RD-5-4994-0P	75R4502



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

INTERNATIONAL (IHC) / NAVISTAR

RECEIVER DRIER

Tractor 88 series 3388 thru 4788, CCI/York R210 compressors	2 groove 7" diameter pulley, 12V, ½" width, 2" ga, bullet plug	332334, MA 7A, 143405-C91, 1687801-C91	RD-5-4994-0P	75R4502
Windrowers 4000, 5000, 5500, 880 series, CCI/York - R210 compressors	2 groove 6" diameter pulley, ½" width, 1 ⅝" ga, bullet plug	024-25078, MA6, MAE6AR, 165338C91	RD-5-4967-0P	75R0452

CLUTCH ASSEMBLY CYCLING SWITCH

All series using clutch cycling switch with OE#70500C2	Rotary thermostat, 27" capillary, 34°-52°F, clutch cycle range 5°F	70500C2	RD-4172-0P	71R2310
Combine / Loader / Tractor series clutch cycling switch, OE#175575C1	Rotary thermostat, 36" capillary tube, 34 - 52°F	175575C1	RD-4125-36P	71R2250
Combine / Loader / Tractor model series with OE#109268C2	Rotary thermostat with 48" capillary tube, 34 - 52°F	109268C2	RD-4125-48P	71R2300

COMPRESSOR - CCI / YORK / TECUMSEH

Combines 715, 815, 915 series with CCI/York Tecumseh Rotolock ER, R210L-25149 compressor	Rotolock Head, LH Suction without clutch, (universal - new)	ER, R210L- 25149	RD-5-8637-1P	75R7280
Combines 1400, 1600 series with CCI/York Tecumseh Rotolock ER, R210L-25149 compressor	Rotolock Head, LH Suction without clutch, (universal - new)	ER, R210L- 25149	RD-5-8637-1P	75R7280
Tractors 66 series 766 thru 4366 with CCI / York Tecumseh Rotolock ER210R-16792, 25200	All Models with Rotolock Type (universal) RH without clutch	ER210R-16792, 25200	RD-5-10826-0P	75R7265
Tractors 68 series 1568 thru 5768 with CCI / York Tecumseh Rotolock ER210R-16792, 25200	All Models with Rotolock Type (universal) RH without clutch	ER210R-16792, 25200	RD-5-10826-0P	75R7265
Tractor 86 series thru 4786 except 4186 series with CCI / York Tecumseh Rotolock ER210R-16792, 25200	All Models with Rotolock Type (universal) RH without clutch	ER210R-16792, 25200	RD-5-10826-0P	75R7265
Tractor 88 series 3388 thru 4788 except 4186 series with CCI / York Tecumseh Rotolock ER210R-16792, 25200	All Models with Rotolock Type (universal) RH without clutch	ER210R-16792, 25200	RD-5-10826-0P	75R7265
Windrowers 4000, 5000, 5500, 880 series with CCI / York Tecumseh Rotolock ER210R-16792, 25200	All Models with Rotolock Type (universal) RH without clutch	ER210R-16792, 25200	RD-5-10826-0P	75R7265

ELECTRICAL SWITCH

All series using clutch cycling switch, OE#70500C2	Rotary thermostat, 27" capillary, 34°-52°F, clutch cycle range 5°F	70500C2	RD-4172-0P	71R2310
Combine / Loader / Tractor model series, blower control, OE#168822-C1	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	168822-C1	RD-5-10934-0P	71R1163
Combine / Loader / Tractor series clutch cycling switch, OE#175575C1	Rotary thermostat, 36" capillary tube, 34 - 52°F	175575C1	RD-4125-36P	71R2250
Combine / Loader / Tractor model series with OE#109268C2	Rotary thermostat with 48" capillary tube, 34 - 52°F	109268C2	RD-4125-48P	71R2300

EXPANSION VALVE / BLOCK

Combines 1400, 1600 series with OE#1990756-C1	Block valve with female O-Ring fittings	1990756-C1	RD-5-7015-0P	71R8321
Combines 2100 series with OE#1990756-C2	Block valve with female O-Ring fittings	1990756-C2	RD-5-7015-0P	71R8321

EXPANSION VALVE / EXTERNAL EQUALIZER

Combines / Tractor 60C - 90C, 250C, 412B, 431B, 560, 580 series with OE#31134-300	External Equalizer unit with male flare with 18" capillary length	31134-300, RD 4126 1	RD-4126-1P	71R8050
Combines / Tractor 88 series 3388 thru 4788 with OE#1280333-C1	Male O-Ring with 13" capillary length, 13" equalizer tube length	1280333-C1	RD-5-3824-1P	71R8100
Combines / Tractor 3305, 3307, 3309, 3311 series with OE#31134-301	Male O-Ring with 13" capillary length, 13" equalizer tube length	71504287-5	RD-5-3824-1P	71R8100
Combines / Tractor 7211, 7231, 7241, 7251, 7261, 7271AA series with OE#31134-301	Male O-Ring with 13" capillary length, 13" equalizer tube length	71504287-5	RD-5-3824-1P	71R8100
Combines / Tractor D700, D750, D800 series with OE#31134-301	Male O-Ring with 13" capillary length, 13" equalizer tube length	71504287-5	RD-5-3824-1P	71R8100



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

INTERNATIONAL (IHC) / NAVISTAR

EXPANSION VALVE / EXTERNAL EQUALIZER

Combines / Tractor H90E, L175C, TD15C, TD25C, TD25E, series with OE#31134-300	External Equalizer unit with male flare with 18" capillary length	31134-300, RD 4126 1	RD-4126-1P	71R8050
Combines / Tractor TD12, TD15E, TD20E, TD20G, TD25G, TD40, TS24A, B, C series with OE#31134-301	Male O-Ring with 13" capillary length, 13" equalizer tube length	71504287-5	RD-5-3824-1P	71R8100
Windrowers 4000, 5000, 5500, 8800 series with OE#1280333-C1	Male O-Ring with 13" capillary length, 13" equalizer tube length	1280333-C1	RD-5-3824-1P	71R8100

PRESSURE SWITCH

All series using high pressure switch, OE#111266C1	High Pressure Switch, normally closed 210psi, opens 340 psi, 1/4" female flare	111266C1	RD-5-5873-0P	71R6070
All series using high pressure switch, OE#92038C1	High Pressure Switch, normally open 250psi, close 375 psi, 1/4" female flare	92038C1	RD-5-8289-0P	71R6230

RECEIVER DRIER

Combines 715, 815, 915 series, OE#539049R-1	#6 Male Flare (top and side), 4" X 6 3/4"	539049R-1	RD-5-6077-0P	74R4016
Combines 1420, 1440, 1460, 1480 series, OE#539049R-1	#6 Male Flare (top and side), 4" X 6 3/4"	539049R-1	RD-5-6077-0P	74R4016
Combines 1620, 1640, 1660, 1670, 1680, 1688 series, OE#143469C-2	#6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	143469C-2	RD-5-11028-0P	74R4026
Combines 2144, 2166, 2188 series, OE#143469C-2	#6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	143469C-2	RD-5-11028-0P	74R4026
Combines / Tractor 560, 580 series	#6 Male flare, 3" X 6 1/4", fuse, no port	RD-5-4954-0, 088011-00, 926384-C1	RD-5-4954-0P	74R2406
Combines / Tractor D700, D750, D800 series with 4" drier	#6 Male Flare, 4" x 7 3/4", fuse, no port	RD-5-5954-0	RD-5-5954-0P	74R3506
Combines / Tractor TD12, TD15E, TD20E, TD20G, TD25G, TD40 series with 4" drier	#6 Male Flare, 4" x 7 3/4", fuse, no port	RD-5-5954-0	RD-5-5954-0P	74R3506
Tractors 66 Series except 4366 series, OE#539049C-1	#6 Male Flare (top and side), 4" X 6 3/4"	539049C-1	RD-5-6077-0P	74R4016
Tractors 68 Series except 4568 series, OE#539049C-1	#6 Male Flare (top and side), 4" X 6 3/4"	539049C-1	RD-5-6077-0P	74R4016
Tractors 86 Series except 4586, 4786 series, OE#539049C-1	#6 Male Flare (top and side), 4" X 6 3/4"	539049C-1	RD-5-6077-0P	74R4016
Tractors 88 Series except 3388, 3788, 8588 series, OE#539049C-1	#6 Male Flare (top and side), 4" X 6 3/4"	539049C-1	RD-5-6077-0P	74R4016
Windrowers 4000, 5000, 5500, 8800 series, OE#143469C-2	#6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	143469C-2	RD-5-11028-0P	74R4026

THERMOSTATIC SWITCH

All series using clutch cycling switch with OE#70500C2	Rotary thermostat, 27" capillary, 34°-52°F, clutch cycle range 5°F	70500C2	RD-4172-0P	71R2310
Combine / Loader / Tractor model series with OE#109268C2	Rotary thermostat with 48" capillary tube, 34 - 52°F	109268C2	RD-4125-48P	71R2300
Combine / Loader / Tractor model series, blower control, OE#168822-C1	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	168822-C1	RD-5-10934-0P	71R1163
Combine / Loader / Tractor series clutch cycling switch, OE#175575C1	Rotary thermostat, 36" capillary tube, 34 - 52°F	175575C1	RD-4125-36P	71R2250
Combines / Tractor D700, D750, D800 series	Rotary thermostat, 36" capillary tube, 34 - 52°F	026476-9	RD-4125-36P	71R2250
Combines / Tractor L175C series	Rotary thermostat, 36" capillary tube, 34 - 52°F	026476-9	RD-4125-36P	71R2250
Combines / Tractor TD12, TD15C, TD15E, TD20E, TD20G, TD25C, TD25E, TD25G series	Rotary thermostat, 36" capillary tube, 34 - 52°F	026476-9	RD-4125-36P	71R2250
Combines / Tractor TS24A, TS24B, TS24C series	Rotary thermostat with 18" capillary tube, 28 - 62°F	A42623	RD-5-4909-0P	71R2100
Combines / Tractor 60C, 70C, 80C, 90C, 250C series	Rotary thermostat, 36" capillary tube, 34 - 52°F	026476-9	RD-4125-36P	71R2250
Combines / Tractor 560, 580 series	Rotary thermostat with 48" capillary tube, 34 - 52°F	RD-4125-48, 0272229-6	RD-4125-48P	71R2300
Combines / Tractor 3305, 3307, 3309, 3311 series with Red Dot A/C, OE#RD-4226-0	Cable controlled thermostat, 30" capillary tube, 34 - 54°F	RD-4226-0	RD-4226-0P	71R2700



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

INTERNATIONAL (IHC) / NAVISTAR

THERMOSTATIC SWITCH

Combines / Tractor 7221, 7231, 7241, 7251, 7261 series with Red Dot A/C, OE#RD-4226-0	Cable controlled thermostat, 30" capillary tube, 34 - 54°F	RD-4226-0	RD-4226-0P	71R2700
---	--	-----------	------------	----------------

JOHN DEERE

BLOWER - FAN

All Loader / Tractor model series with remote mount condenser, OE#RD-5-8641-0	Pancake fan assembly, (puller) 12V	RD-5-8641-0	RD-5-8641-0P	
All Loader / Tractor model series with remote mount condenser, OE#RD-5-8641-1	Pancake fan assembly, (puller) 24V	RD-5-8641-1	RD-5-8641-1P	
Backhoe Loader 344G, 444G with Red Dot model R-10036-0 (24V), puller fan OE#RD-5-8641-1	Pancake fan assembly, (puller) 24V	RD-5-8641-1	RD-5-8641-1P	
Backhoe Loader 344E, 444E with Red Dot A/C unit R-10025-1, OE#RD-5-7123-0	Fan Blade - Red Dot A/C, 8" diameter, CW, aluminum	RD-5-7123-0	RD-5-7123-0P	73R8080
Backhoe Loader 544E, 624E, 644E, 924E Series with Red Dot model R-10150, puller fan OE#RD-5-8641-0	Pancake fan assembly, (puller) 12V	RD-5-8641-0	RD-5-8641-0P	
Crawler Dozer 750C, 850C with OE#RD3133-9	Fan Blade - Red Dot A/C, Bergstrom, Kysor, 6" diameter, CW, plastic	RD3133-9	RD-3133-9P	73R8050
Wheel Loader 304H, 324H, 344H with Red Dot A/C unit R-9777 Condenser, OE#RD-5-9076-2	Fan / blower assembly, 12V, single speed, 13" x 3 3/4"	RD-5-9076-2	RD-5-9076-2P	73R8642
Wheel Loader 544H, 544G, 624G, 644G with Red Dot A/C unit R-10151-0P Condenser, OE#RD-5-8703-2	Fan / blower assembly, 12V, CW, single speed, 10 5/8" x 2"	RD-5-8703-2	RD-5-8703-2P	73R8562

BLOWER - FAN RESISTOR

Excavators 110, 120, 160LC with Red Dot A/C, OE#RD-5-3647-0P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	71R1450
Backhoe Loader / Tractor 310E, 410E, 510E, 710E with Red Dot A/C	Fan speed resistor for standard control units	RD-5-8923-0P	RD-5-8923-0P	71R1465
Crawler Dozer 450H, 550H, 650H with Red Dot A/C unit R-9475-0, OE#RD-5-8665-0	Ceramic tube style resistor, (black), 4 terminal, 12V, 6 1/2" length x 1 3/8" diam	RD-5-8665-0	RD-5-8665-0P	71R1485
Crawler Dozer 700H with Red Dot A/C, OE#RD-5-9062-0	Ceramic tube style resistor, (white), 4 terminal, 12V, 7" length x 1 1/4" diam	RD-5-9062-0	RD-5-9062-0P	71R1480
Wheel Loaders 304H with Red Dot A/C models R-1400, R-1620, R-2550, R-2820, R-9777	Blower assembly fan resistor, 3 speed, 4 terminal	20604004, RD-5-9437-0	RD-5-9437-0P	71R1402

BLOWER MOTOR

All Loader / Tractor model series with OE#AR45856	All with 3 1/4" diameter blower motor, 1 speed, 4" length, 12V, Rev. direction	AR45856	RD-5-10390-0P	73R0212
All Loader / Tractor model series with OE#AR49962	12V, single shaft, 1 speed, 4 3/4" length	AR49962	RD-5-5512-0P	73R0912
All Loader / Tractor model series, OE#RE37152	12V, single shaft, 1 speed, 4" x 3 1/2" x 3"	RE37152	RD-5-10379-0P	73R0012
All Loader / Tractor model series, OE#RE46880	12V, single shaft, 1 speed, 4 1 1/8" x 4" x 3"	RE46880	RD-5-10392-0P	73R0232
All Loader / Tractor model series, OE#275140	12V, single shaft, 1 speed, CCW, 4 5/8" length	275140	RD-5-10389-0P	73R0372
All Loader / Tractor model series remote mount condenser (12V), OE#RD-5-5120-0	Single shaft motor (condenser motor), 12V, NV, 4 7/8" length	RD-5-5120-0	RD-5-5120-0P	73R0512
All Loader / Tractor model series remote mount condenser (24V), OE#RD-5-5120-24	Single shaft motor (condenser motor), 24V, 4 7/8" length	RD-5-5120-24	RD-5-5120-24P	73R0514
Backhoe Loader 310E, 410E, 510E, 710E with Red Dot A/C unit R-9450-3, OE#RD-5-8126-0	Double shaft motor, 12V, 1 speed, 5 5/8" length, shaft length 2 7/8"	RD-5-8126-0	RD-5-8126-0P	73R4242
Backhoe Loader 344E, 444E with Red Dot A/C unit R-10025-0 (12V), OE#RD-5-5121-0	Double shaft motor (evaporator motor), 12V, 4 1 1/8" length	RD-5-5121-0	RD-5-5121-0P	73R4252
Backhoe Loader 344E, 444E with Red Dot A/C unit R-10025-1 (24V), OE#RD-5-5120-24	Single shaft motor (condenser motor), 24V, 4 1 3/8" length	RD-5-5120-24	RD-5-5120-24P	73R0514
Backhoe Loader 344G, 444G with Red Dot A/C unit R-10036-0 (24V), OE#RD-5-4827-24	Single shaft motor (evaporator motor), 24V, 5" x 4" x 3" length	RD-5-4827-24	RD-5-4827-24P	73R0404
Backhoe Loader 490E, 690E, 790E, 892E with Red Dot A/C unit R-10035, OE#RD-5-3780-24	Double shaft motor, 3 speed, 24V, 4" x 3 1/32" x 3" length	RD-5-3780-24	RD-5-3780-24P	73R4104



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

JOHN DEERE

BLOWER MOTOR

Combines 3300, 4400, 4420, 4425, 4435, 4435 Hydro, 6600, 6602, 6620, 6622, 7700, 7720, 7722, 8820, 9400, 9500, 9600	Kysor/Evans (condenser roof mount blower), single speed, NV, 12V, 1 speed, CW, 4 7/8" length	AR82005	RD-5-3690-0P	73R0502
Crawler Dozer 450H, 550H, 650H with Red Dot A/C unit R-9475-0, OE#RD-3-9290-0	Blower assembly, 12V, single speed, 18 1/2" x 7 1/2" x 6 1/2"	RD-3-9290-0	RD-3-9290-0P	73R5632
Crawler Dozer 700H with Red Dot A/C unit R-9475-0-24, OE#RD-3-9290-24	Blower assembly, 24V, single speed, 18 1/2" x 7 1/2" x 6 1/2"	RD-3-9290-24	RD-3-9290-24P	73R5634
Crawler Dozer 750C, 850C with Red Dot A/C unit R-10003-0-24, OE#RD-3133-4-24	Single shaft motor (evaporator motor), 2 speed, 24V, 3 5/8" length	RD-3133-4-24, RD-5-10491-24	RD-5-10491-24P	73R0034
Excavator 110, 120, 160LC, 200, 450LC with Red Dot A/C unit R-10034-0P, OE#RD-5-5049-2	Double shaft motor, 24V, 1 speed, 5 1/4" length, shaft length 2 7/8"	RD-5-5049-2	RD-5-5049-2P	73R4424
Loader / Tractor 792D, 992E with Red Dot A/C unit R-10035, OE#RD-5-3780-24	Double shaft motor, 3 speed, 24V, 4" x 3 13/32" x 3" length	RD-5-3780-24	RD-5-3780-24P	73R4104
Loader / Tractor 4000 thru 7040 series with 1 3/4" single shaft motor, OE#AR49962	Bergstrom - Kysor A/C, single shaft, 1 3/4" shaft length, 12V, 1 speed, CW, 4 5/8" length	AR49962, 1183560, BSM205620, 275130	RD-5-10905-0P	73R0442
Tractor 20 series (condenser blower) 4020, 4320, 4520, 4620, 5020, 7020, 7520	Kysor/Evans (condenser blower), single speed, NV, 12V, 1 speed, CW, 4 7/8" length	AR82005	RD-5-3690-0P	73R0502
Tractor 20 series (evaporator blower) 4020, 4320, 4520, 4620, 5020, 7020, 7521	Double shaft motor, single speed, 4 3/4" x 4" x 3", shaft 2 1/2" length	AR62497	RD-5-5190-0P	73R4162
Tractor 30 series without Sound Guard Cab 4020, 4320, 4520, 4620, 5020, 7020, 7521	Double shaft motor, single speed, 4 3/4" x 4" x 3", shaft 2 1/2" length	AR62497	RD-5-5190-0P	73R4162
Tractor 70 series 8570, 8770, 8870, 8970	Single shaft motor, 1 speed, 12V, CW/CCW 4 7/8" length, 1 1/2" shaft length	A22-29923-000	RD-5-8016-0P	73R0662
Tractor 4000 series	Double shaft motor, single speed, 4 3/4" x 4" x 3", shaft 2 1/2" length	AR62497	RD-5-5190-0P	73R4162
Wheel Loader 304H, 324H, 344H with Red Dot A/C unit R-9777 evaporator	Evaporator motor / blower assembly with resistor, 12V, 13 3/4" x 5 3/8" x 5 1/8"	RD-5-8583-0	RD-5-8583-0P	73R5552
Wheel Loader 304H, 324H, 344H with Red Dot A/C unit R-10500 evaporator, OE#RD-5-8583-0	Evaporator blower assembly with resistor, 12V, 13 3/4" x 5 3/8" x 5 1/8"	RD-5-8583-0	RD-5-8583-0P	73R5552

BLOWER RELAY

All Loader / Tractor model series with Bosch relay, OE#0332-209-169	Bosch type (30 amp), SPST, 5 terminals	0332-209-169	RD-5-4408-0P	71R1702
All Loader / Tractor model series with Hella relay, OE#960-388-25	Hella type, SPST, 5 terminals	960-388-25	RD-5-4408-0P	71R1702

BLOWER SWITCH

All Loader / Tractor model series with OE#RD-5-10934-0	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	RD-5-10934-0, 71195109	RD-5-10934-0P	71R1163
--	--	------------------------	---------------	----------------

BLOWER WHEEL

Backhoe Loader 344G, 444G with Red Dot A/C unit R-10036-0, OE#RD-5-7312-0	Red Dot A/C, single entry, 3 13/16" diameter x 2 1/2" width, CCW	RD-5-7312-0	RD-5-7312-0P	73R6300
Loader / Tractor 792D, 992E with Red Dot A/C unit R-10035, OE#RD-5-5656-0	Red Dot A/C, double entry, 3 3/8" diameter x 3 3/8" width	D2AZ-19834-A	RD-5-5656-0P	73R7000

CLUTCH ASSEMBLY

All series with CCI/York - R12 / 134A compressors OE#AH79301	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	AH79301	RD-5-4967-0P	75R0452
All series with CCI/York - R12 / 134A compressors, OE#AH85847	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	AH85847	RD-5-4994-0P	75R4502
All series with Sanden SD508 compressors, OE#6514-6210	2 groove 5 1/4" (132mm) diameter pulley, 1/2" width, 1 wire	6514-6210	RD-5-5486-0P	75R0202
All series with Sanden SD7H15HD R134a compressor, OE #6504-6310	2 groove 1/2" width, 5 1/4" diameter (132mm)	6504-6310	RD-5-10379-0P	75R1542
Combines 4400, 4420, 4425, 4435, 4435 Hydro, 6600, 6602, 6620, 6622, 7700 with CCI/York compressor	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	AH79301	RD-5-4967-0P	75R0452
Combines 4400, 4420, 4425, 4435, 4435 Hydro, 6600, 6602, 6620, 6622, 7700 with CCI/York compressor	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, weatherpak plug	024 25190, 03-1104973, 501939	RD-5-4972-1P	75R1202



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

JOHN DEERE

CLUTCH ASSEMBLY

Combines 4400, 4420, 4425, 4435, 4435 Hydro, 6600, 6602, 6620, 6622, 7700 with CCI/York compressor	2 groove 7" diameter pulley, 12V, ½" width, 2" ga, bullet plug	AH85847	RD-5-4994-0P	75R4502
Excavator 110, 120, 160LC with Red Dot A/C unit R-9500-0-24, R-10034-0P, Sanden SD5 R-12 compressors	2 groove, 24V, 5 ¼" (132mm) diameter pulley, ½" width, 1 wire	6519-6210, 6514-6210	RD-5-5487-0P	75R0204
Wheel Loader 304H with Red Dot A/C unit R-9777-1, Seltec TM15 compressors	Single groove 6 ¼" (159mm), variable width, bullet plug	511051, RD-5-10723-0	RD-5-10723-0P	75R0262
Wheel Loader 324H, 344H with Red Dot A/C unit R-9777-1, Seltec TM15 compressors	Poly 8 groove 4 ¾" (123mm), bullet plug	RD-5-10544-0	RD-5-10544-0P	75R0082
Wheel Loader 444H, 544H, 624H with Red Dot A/C unit R-10060-4P, Sanden SD5 R-12 compressors	2 groove, 24V, 5 ¼" (132mm) diameter pulley, ½" width, 1 wire	6519-6210, 6514-6210	RD-5-5487-0P	75R0204
Wheel Loader 544G, 624G, 644G with Red Dot A/C drop-in evaporator kit R-10151-0P, Sanden SD5 R-12 compressors	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202

COMPRESSOR - CCI / YORK / TECUMSEH

All series with CCI/York Tecumseh Rotolock ER, R210L-25149, OE#AH17626	Rotolock Head, LH Suction without clutch, (universal - new)	AH17626, ER, R210L-25149	RD-5-8637-1P	75R7280
All series with CCI/York - Tube O-Ring compressor ET210L-25150, R12 / 134A without clutch	Tube O-Ring type head without clutch, (universal - new)	ET210L-25150	RD-5-8638-1P	75R7290
Combines 4400, 4420, 4425, 4435, 4435 Hydro, 6600, 6602, 6620, 6622, 7700 with CCI/York Rotolock compressor	Rotolock Head, LH Suction without clutch, (universal - new)	ER, R210L-25149	RD-5-8637-1P	75R7280

COMPRESSOR - GM

All series with GM A6 with Superheat switch port, without oil, OE#1131243	1 groove ½" width, 4 ⅞" diameter (124mm), generic	1131243, 0259362-2, 509170-C91	RD-5-5000-0P	75R8102
---	---	--------------------------------	--------------	----------------

COMPRESSOR - ICE SELTEC

All series with ICE/Seltec TM21HD, OE#488-47244	TM21HD, J head, direct mount, poly 8, 5 ½" (141mm) diameter	488-47244	RD-5-12530-0P	75R86142
All series with ICE/Seltec TM21HD 24V, OE#488-47246	TM21HD, 24V, J head, direct mount, poly 8, 5 ½" (141mm) diameter	488-47246	RD-5-11866-0P	75R86144

COMPRESSOR - NIPPONDENSO

Combines 9400, 9500, 9600, CTS with Nippondenso 10PA17C compressor, OE#RE46657, TY6765	Nippondenso 10PA17C, poly 8, direct mount compressor without clutch	RE46657, TY6765, 447-0442	RD-5-11048-0P	75R8922
Harvesters 4700, 4890, 4990 with Nippondenso FS6 compressor, OE#E7TZ-19703B	Nippondenso FS6 ear mount compressor without clutch	E7TZ-19703B	RD-5-10371-0P	75R8906
Sprayers 4700, 4890, 4990 with Nippondenso FS6 compressor, OE#E7TZ-19703B	Nippondenso FS6 ear mount compressor without clutch	E7TZ-19703B	RD-5-10371-0P	75R8906
Tractors 20 series 4020, 4320, 4520, 4620, 5020, 7020, 7520 with Nippondenso FS6 compressor, OE#E7TZ-19703B	Nippondenso FS6 ear mount compressor without clutch	E7TZ-19703B	RD-5-10371-0P	75R8906
Tractors 40 series 4050, 4055, 4250, 4255, 4450, 4650, 4850 with Nippondenso FS6 compressor, OE#E7TZ-19703B	Nippondenso FS6 ear mount compressor without clutch	E7TZ-19703B	RD-5-10371-0P	75R8906
Tractors 7200, 7210, 7400, 7510, 7600, 7720, 7815, 7820, 7920 with Nippondenso 10PA17C compressor, OE#RE46609, TY6764	Nippondenso 10PA17C, poly 8, direct mount compressor without clutch	RE46609, TY6764, 447-0441	RD-5-11049-0P	75R8932
Tractors 8100, 8100T, 8110, 8120, 8120T, 8130, 8200, 8200T, 8210, 8210T, 8220, 8220T, 8230, 8300, 8300T, 8310, 8310T, 8320, 8320T, 8330, 8400, 8400T, 8410, 8410T, 8420, 8420T, 8430, 8520, 8520T, 8530 with Nippondenso 10PA17C compressor, OE# RE46609, TY6764	Nippondenso 10PA17C, poly 8, direct mount compressor without clutch	RE46609, TY6764, 447-0441	RD-5-11049-0P	75R8932



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

JOHN DEERE

COMPRESSOR - NIPPONDENSO

Tractors 8570, 8770, 8870, 8970 with Nippondenso 10PA17C compressor, OE#RE46657, TY6765	Nippondenso 10PA17C, poly 8, direct mount compressor without clutch	RE46657, TY6765, 447-0442	RD-5-11048-0P	75R8922
Utility Loaders 444J, 544J, 624J with Nippondenso 10PA17C compressor, OE#AT226273, 471-0456	Nippondenso 10PA17C, 24V, poly 8, direct mount compressor without clutch	AT226273, 471-0456	RD-5-11050-0P	75R8934
Wheel Loaders 444H, 544H, 624H, 644H, 644J, 724J with JD drop-in evap kit, Nippondenso 10PA17C compressor, OE#AT226273, 471-0456	Nippondenso 10PA17C, 24V, poly 8, direct mount compressor without clutch	AT226273, 471-0456	RD-5-11050-0P	75R8934
Wheel Loaders 544G, 624G, 644G with JD drop-in evap kit, Nippondenso 10PA17C compressor, OE#RE46657, TY6765	Nippondenso 10PA17C, poly 8, direct mount compressor without clutch	RE46657, TY6765, 447-0442	RD-5-11048-0P	75R8922
Wheel Loaders 824J with Nippondenso 10PA17C compressor	Nippondenso 10PA17C, 24V, poly 8, direct mount compressor without clutch		RD-5-11149-0P	75R8942
Windrowers 4700, 4890, 4990 with Nippondenso FS6 compressor, OE#E7TZ-19703B	Nippondenso FS6 ear mount compressor without clutch	E7TZ-19703B	RD-5-10371-0P	75R8906

COMPRESSOR - SANDEN

Backhoe Loaders 444H with Sanden 5H14HD, #4537, 6634 R134a compressors, 24V	5H14-HD, K head, ear mount, 2A groove, 5 1/4" (132mm) diameter	4537, 6634	RD-5-8680-0P	75R8354
Excavators 110, 120, 160LC with Sanden 5H14HD, #6665 R134a compressors, 24V	5H14-HD, FL head, ear mount, 2A groove, 5 1/4" (132mm) diameter	6665	RD-5-7089-0P	75R8384
Wheel Loaders 744E with Sanden 5H14HD, #6665 R134a compressors, 24V	5H14-HD, FL head, ear mount, 2A groove, 5 1/4" (132mm) diameter	6665	RD-5-7089-0P	75R8384
Wheel Loaders 444H, 544H, 624H with Red Dot drop-in evap kit, Sanden 5H14HD, #4537, 6634 R134a compressors, 24V	5H14-HD, K head, ear mount, 2A groove, 5 1/4" (132mm) diameter	4537, 6634	RD-5-8680-0P	75R8354
Wheel Loader 544G, 624G, 644G with Red Dot drop-in evap kit, Sanden 5H14HD, #6664 R134a compressors, 12V	5H14-HD, FL head, ear mount, 2A groove, 5 1/4" (132mm) diameter	6664	RD-5-7088-0P	75R8382

COMPRESSOR - ICE SELTEC

Wheel Loader 304H with Red Dot A/C unit R-9777-1, Seltec TM15, #488-45075, 2521168 R134a compressors	ICE-Seltec TM15, C head, ear mount, 2 groove, 5"(125mm)	488-45075, 2521168	RD-5-9609-0P	75R85032
Wheel Loader 324H, 344H with Red Dot A/C unit R-9777-1, Seltec TM15, #488-45122, 2521266 R134a compressors	ICE-Seltec TM15, A head, ear mount, poly 8, 4 3/4"(123mm)	488-45122, 2521266	RD-5-10429-0P	75R86132

COMPRESSOR MANIFOLD

Backhoe Loader 310G, 310SG, 410G	Top discharge with oil bypass, #8 and #10 Male Insert O-Ring fittings		RD-5-11151-0P	75R8920
Wheel Loader 304H	Rear Port Adapter, head type A, Horizontal Male O-Ring, 3/4" x 7/8"		RD-5-8010-0P	75R8505
Wheel Loader 324H, 344H	Rear Port Adapter, head type B, Vertical Female O-Ring, 3/4" x 7/8"		RD-5-9611-0P	75R8507
Wheel Loader 544G, 544H, 624G, 624H, 644G, 644H, 772CH, 824J	Top discharge with oil bypass, #8 and #10 Male Insert O-Ring fittings		RD-5-11152-0P	75R8921

CONDENSER

Excavators 110, 120, 160LC	Radiator Mount, Tube & Fin type, 21 1/2" fin width x 26 1/2" x 1 1/4"	RD-4-4968-0	RD-4-4968-0P	77R7100
Wheel Loaders 444H, 544H, 624H with Red Dot A/C unit R-10060-4	Serpentine type, fin width 31 19/32" x 8 1/2" x 2"	RD-4-5146-1	RD-4-5146-1P	77R0570
Wheel Loader 544G, 624G, 644G with Red Dot A/C unit R-10150-0, -1	Radiator Mount, Tube & Fin type, 21 5/8" fin width x 12 1/2" x 2 7/8"	RD-4-4724-1	RD-4-4724-1P	77R7005
Wheel Loader 744E	Radiator Mount, Tube & Fin type, 21 5/8" fin width x 12 1/2" x 2 7/8"	RD-4-4724-1	RD-4-4724-1P	77R7005

ELECTRICAL SWITCH

All Loader / Tractor model series using clutch cycling switch with OE#AR49960	Rotary thermostat, 36" capillary tube, 34 - 52°F	AR49960	RD-4125-36P	71R2250
---	--	---------	-------------	----------------

OFF-ROAD APPLICATIONS

Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

JOHN DEERE

ELECTRICAL SWITCH

All Loader / Tractor model series with OE#RD-5-10934-0	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	RD-5-10934-0, 71195109	RD-5-10934-0P	71R1163
All Loader / Tractor model series with OE#AH80197	Rotary thermostat with 48" capillary tube, 34 - 52°F	AH80197	RD-4125-48P	71R2300
All Loader / Tractor model series with OE#AR59779	Rotary thermostat, 36" capillary tube, 34 - 52°F	AR59779	RD-4125-36P	71R2250
Wheel Loader 544E, 624E, 644E series using clutch cycling switch with OE#70500C2	Rotary thermostat, 27" capillary, 34°-52°F, clutch cycle range 5°F	70500C2	RD-4172-0P	71R2310

EVAPORATOR

Backhoe Loader 310E, 310G, 310SG, 410E, 410G, 510E, 710E with Red Dot A/C unit R-9450-3	Dimensions: 8 ½" height x 13" length x 3 ⅜" width	RD-2-2780-0	RD-2-2780-0P	76R6655
Crawler Dozer 450H, 550H, 650H with Red Dot A/C unit R-9475-0	Dimensions: 6 ¾" height x 23 ½" length x 3 ⅜" width	RD-2-2897-0	RD-2-2897-0P	76R7715
Crawler Dozer 700H with Red Dot A/C unit R-9475-0-24	Dimensions: 6 ¾" height x 23 ½" length x 3 ⅜" width	RD-2-2897-0	RD-2-2897-0P	76R7715
Excavators 110, 120, 160LC with Red Dot A/C unit R-9500-0-24	Dimensions: 8 ¾" height x 15 ¾" length x 3 ½" width	RD-2-3008-0	RD-2-3008-0P	76R7030
Wheel Loader 304H, 324H, 344H with Red Dot A/C unit R-9777-1	Dimensions: 6 ⅞" height x 17 ½" length x 2 ⅝" width	RD-2-3413-0	RD-2-3413-0P	76R5820
Wheel Loaders 444H, 544H, 624H with Red Dot A/C unit R-10060-4	Dimensions: 10" height x 15 ½" length x 3 ¾" width	RD-2-3395-0	RD-2-3395-0P	76R7580
Wheel Loader 544G, 624G, 644G with Red Dot A/C drop-in unit R-10150-0, -1	Dimensions: 6 ⅞" height x 22" length x 2 ¾" width	RD-2-2495-0	RD-2-2495-0P	76R6550

ELECTRICAL SWITCH

All Loader / Tractor model series with OE#RE57575	Block valve with female O-Ring fittings	RE57575	RD-5-6868-0P	71R8301
All Loader / Tractor model series with OE#AH122867	Block valve with female O-Ring fittings	AH122867	RD-5-7015-0P	71R8321
All Loader / Tractor model series with Red Dot A/C unit R-10035-1 thru 4, OE#RE57575	Block valve with female O-Ring fittings	RE57575	RD-5-6868-0P	71R8301
Backhoe Loader / Tractor 310D, 344E, 410D, 444E, 510D with Red Dot A/C unit R-10011-0, -1, R-10025-1	Block valve with female O-Ring fittings	RE57575	RD-5-6868-0P	71R8301
Backhoe Loader / Tractor 310E with Red Dot A/C unit R-10011-0, -1, R-10025-1	Block valve with female O-Ring fittings	RE57575	RD-5-6868-0P	71R8301
Backhoe Loader / Tractor 310E, 410E, 410G, 510E, 710E with Red Dot A/C unit R-9450-3	Block valve with female O-Ring fittings	RD-5-8100-0	RD-5-8100-0P	71R8423
Combines 9400, 9500, 9600 series with OE#AH137702	Block valve with female O-Ring fittings	AH122867, AH137702	RD-5-7015-0P	71R8321
Combines 9410, 9450, 9510, 9550, 9600, 9610, 9650, 9750 series with Red Dot A/C unit R-10011-0, -1, R-10025-1	Block valve with female O-Ring fittings	RE57575	RD-5-6868-0P	71R8301
Combines 9410, 9450, 9510, 9550, 9600, 9610, 9650, 9750 series with OE#AH137702	Block valve with female O-Ring fittings	AH122867, AH137702	RD-5-7015-0P	71R8321
Cotton Pickers 9900, 9910, 9920, 9930, 9940, 9950, 9960, 9965 series with OE#AH137702	Block valve with female O-Ring fittings	AH122867, AH137702	RD-5-7015-0P	71R8321
Crawler Dozer 450H, 550H, 650H, 700H with Red Dot A/C unit R-9475-0, R-9475-0-24	Block valve with female O-Ring fittings	RD-5-8100-0	RD-5-8100-0P	71R8423
Excavators 110, 120, 160LC, 200, 450LC with Red Dot A/C unit R-9500-0-24, R-10034-0	Block valve with female O-Ring fittings	329-403, 329-413	RD-5-7015-0P	71R8321
Harvesters 6650, 6750, 6850, 6950 series with OE#RE57575	Block valve with female O-Ring fittings	RE57575	RD-5-6868-0P	71R8301
Sprayers 6000, 6100, 6500, 6600, 6700 series with OE#AH137702	Block valve with female O-Ring fittings	AH122867, AH137702	RD-5-7015-0P	71R8321
Tractors 10 Series, 6010, 6110, 6210, 6310, 6410 models with OE#RE57575	Block valve with female O-Ring fittings	RE57575	RD-5-6868-0P	71R8301





Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

JOHN DEERE

ELECTRICAL SWITCH

Tractors 10 Series, 7010, 7210, 7410, 7610, 7710, 7810 models with OE#RE57575	Block valve with female O-Ring fittings	RE57575	RD-5-6868-0P	71R8301
Tractors 10 Series, 8010, 8110, 8110T, 8210, 8210T, 8310, 8310T models with OE#RE57575	Block valve with female O-Ring fittings	RE57575	RD-5-6868-0P	71R8301
Wheel Loaders 304H, 324H, 344H with Red Dot A/C unit R-9777-1, OE#RD-5-9513-0	Block valve, Hi - capacity (2 ton), O-Ring fittings	RD-5-9513-0	RD-5-9513-0P	71R8380
Wheel Loaders 444H, 544G, 544H, 624G, 624H, 644G with Red Dot A/C unit R-10060-4, R-10151-0, -1	Block valve with female O-Ring fittings	329-403, 329-413	RD-5-7015-0P	71R8321
Windrowers / Sprayers 4700, 4710, 4890, 4990 series with OE#RE57575	Block valve with female O-Ring fittings	RE57575	RD-5-6868-0P	71R8301

EXPANSION VALVE / EXTERNAL EQUALIZER

All Loader / Tractor model series with OE#AL28688, AR58482, RE13886	Male O-Ring with 13" capillary length, 13" equalizer tube length	AL28688, AR58482, RE13886	RD-5-3824-1P	71R8100
All Loader / Tractor model series with OE#826-003	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	826-003	RD-5-5862-0P	71R8080
All Loader / Tractor model series with OE#AH80191	External Equalizer unit with male flare with 18" capillary length	AH80191	RD-4126-1P	71R8050
Combines 7700, 7720, 8820 series with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	71R8080
Cotton Pickers 9900, 9910, 9920, 9930, 9940, 9950, 9960, 9965 series with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	71R8080
Tractors 10 Series, 6010, 6110, 6210, 6310, 6410 models with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	71R8080
Tractors 10 Series, 7010, 7210, 7410, 7610, 7710, 7810 models with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	71R8080
Tractors 20 Series, 4020, 4320, 4520, 4620, 5020, 7020, 7520 models with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	71R8080
Tractors 40 Series, 4040, 4240, 4440, 4640, 4840 models with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	71R8080
Tractors 50 Series, 4050, 4250, 4450, 4650, 4850 models with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	71R8080
Tractors 55 Series, 2955, 3055, 3155, 3255, 4055, 4255, 4455, 4755, 4955 models with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	71R8080
Tractors 60 Series, 4560, 4760, 4960 models with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	71R8080
Tractors 80 Series, 8430, 8440, 8630, 8640 models with OE#AH140818	Male O-Ring with 13" capillary length, 13" equalizer tube length	AH140818	RD-5-3824-1P	71R8100
Wheel Loader 344G, 444G with Red Dot A/C unit R-10036-0	Male O-Ring with 13" capillary length, 13" equalizer tube length	AL28688, AR58482, RE13886	RD-5-3824-1P	71R8100
Windrowers / Sprayers 4700, 4710, 4890, 4990 series with OE#AH137702	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AH137702	RD-5-5862-0P	71R8080

EXPANSION VALVE / INTERNAL EQUALIZER

All Loader / Tractor model series with OE#826-004	Internal equalizer valve with male O-Ring fittings	826-004	RD-5-11033-0P	71R8060
All Loader / Tractor model series with OE#826-012	Internal equalizer, 1 ½ Ton, Male O-Ring	826-012	RD-5-10445-0P	71R8220
Tractors 30 Series, 4030, 4230, 4430, 4630, 6030 models with OE#AR49961	Internal equalizer, 1 ½ Ton, Male Flare	AR49961	RD-5-6099-0P	71R8210

EXPANSION VALVE / ORIFICE TUBE

All Loader / Tractor model series with OE#RE24958	GM type, CCOT (White) Orifice Tube with accumulator system, main unit	RE24958	RD-5-4919-0P	71R8500
Tractors 60 Series, 8560, 8760, 8960 models with OE#RE51969	Ford type, CCOT (Brown) Orifice Tube with accumulator system, main unit	RE51969	RD-5-10013-0P	71R8506
Tractors 70 Series, 8570, 8770, 8870, 8970 models with OE#RE51969	Ford type, CCOT (Brown) Orifice Tube with accumulator system, main unit	RE51969	RD-5-10013-0P	71R8506



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

JOHN DEERE

EXPANSION VALVE / ORIFICE TUBE

Tractors 8000 Series, 8100, 8200, 8300, 8400 models with OE#RE51969	Ford type, CCOT (Brown) Orifice Tube with accumulator system, main unit	RE51969	RD-5-10013-0P	71R8506
Tractors 9000 Series, 9100, 9200, 9300, 9400 models with OE#RE51969	Ford type, CCOT (Brown) Orifice Tube with accumulator system, main unit	RE51969	RD-5-10013-0P	71R8506

FILTER

Backhoe Loader / Tractor 310E, 410E, 510E, 710E with Red Dot A/C unit R-9450-3	Fresh air frame filter, 14 1/2" x 5" x 2 1/4"	873878	RD-5-8105-0P	78R5315
Backhoe Loader / Tractor 310E, 410E, 510E, 710E with Red Dot A/C unit R-9450	Recirculating (unframed foam element), 14 3/4" x 3 1/2" x 1/2"	RD-5-8106-0	RD-5-8106-0P	78R5375
Excavators 110, 120, 160LC with Red Dot A/C unit R-9500	Fresh air frame filter, 17 1/2" x 5 1/2" x 3/8"	97026234	RD-5-8076-0P	78R5360

HEATER

Backhoe Loader 310E, 410E, 510E, 710E with Red Dot A/C unit R-9450-3	Core: 10 7/64" high x 13" long x 2 5/32" wide	RD-1-1370-0	RD-1-1370-0P	76R3455
Crawler Dozer 450H, 550H, 650H, 700H with Red Dot A/C unit R-9475	Core: 6 7/64" high x 23 29/64" long x 1 1/2" wide	RD-1-1478-0	RD-1-1478-0P	76R4200

PRESSURE SWITCH

All Loader / Tractor model series with OE#AR45868	High Pressure Fan switch with M10 threads, opens 300 psi, closes 250psi	AR45868	RD-5-8287-0P	71R6210
Backhoe Loader / Tractor 310D, 410D, 510D with Red Dot A/C unit R-10011-0, -1	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	71R7050
Backhoe Loaders 310E, 410E, 510E, 710E with Red Dot A/C, OE#RD-5-8982-0	Low pressure, normally open, metripak connector	RD-5-8982-0	RD-5-8982-0P	71R6055
Backhoe Loader 344E, 444E with Red Dot A/C unit R-10025-1	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	71R7050
Backhoe Loader 344G, 444G with Red Dot model R-10036-0	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	71R7050
Backhoe Loader 490E, 690E, 790E, 792D, 892E, 992E, with Red Dot A/C unit R-10035	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	71R7050
Backhoe Loader / Tractor 544E, 624E, 644E with Red Dot A/C unit R-10150	All with Fujikoki binary sw with 7/16"-20, 4 terminal	A22-36474-000	RD-5-8433-0P	71R7075
Crawler Dozer 450H, 550H, 650H, 700H with Red Dot A/C unit R-9475	Low pressure, normally open, metripak connector	RD-5-8982-0	RD-5-8982-0P	71R6055
Excavators 110, 120, 160LC, 200, 450LC with Red Dot A/C unit R-10034-0	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	71R7050
Wheel Loader 304H, 324H, 344H with Red Dot R-10050 model evaporator	Dual function switch (GM), Open: low 20-33, high 315-355, Closed: low 23-37, high 215-275	RD-5-9577-0	RD-5-9577-0P	71R6150
Wheel Loader 444H, 544H, 624H with Red Dot A/C unit R-10060, OE#RD-5-4640-0	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	71R7050
Wheel Loader 544G, 624G, 644G with Red Dot A/C, OE#RD-5-4640-0	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	71R7050
Wheel Loader 744E with Red Dot A/C unit R-10040-0	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	71R7050

RECEIVER DRIER

All Loader / Tractor model series with OE#AH114865, AT125596, AT151981, AT162848, AT63170	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	AH114865, AT125596, AT151981, AT162848, AT63170	RD-5-9055-0P	74R4206
All Loader / Tractor model series with OE#AR45867	with #6 Male flare, 3" X 6 1/4"	AR45867	RD-5-4954-0P	74R2406
All Loader / Tractor model series with OE#AR59780, AR74486, RE49169, AL77581, AR79486	In Line drier with #6 Female to Male O-Ring, 4" x 8"	AR59780, AR74486, RE49169, AL77581, AR79486	RD-5-8862-0P	74R0400
All Loader / Tractor model series with OE#RD-5-11028-0	with #6 Male /Female O-Ring (top and bottom), 4" X 7 3/4"	RD-5-11028-0	RD-5-11028-0P	74R4026
All Loader / Tractor model series with OE#RE79486	with #6 Male Flare (top and side), 4" X 6 3/4"	RE79486	RD-5-6077-0P	74R4016

Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

JOHN DEERE

RECEIVER DRIER

All Wheel Loader series with Red Dot A/C, OE#RD-5-6504-0	with #6 Male O-Ring, 3" x 10", fuse, top port	RD-5-6504-0	RD-5-6504-0P	74R2306
Backhoe Loader / Tractor 310E, 310G, 310SG, 410E, 410G, 510E, 710E series with OE#RD-5-9055-0	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	RD-5-9055-0	RD-5-9055-0P	74R4206
Backhoe Loader / Tractor 544E, 624E, 644E with Red Dot A/C unit R-10150	In-line, #6 Male O-Ring, 2 1/2" x 9 5/8"	088411-01	RD-5-7064-0P	74R0460
Combines 3300, 4400, 4420, 4425, 4435, 6600, 6620, 7700, 7720, 8820 with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-0P	74R0400
Combines 4445, 7440, 7445, 7721, 7772, 9400, 9410, 9450, 9500, 9510, 9550, 9600, 9610, 9650, 9750, 9930, 9950	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	AH114865, AT162848	RD-5-9055-0P	74R4206
Construction Series	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	RD-5-9055-0	RD-5-9055-0P	74R4206
Cotton Pickers 9900, 9910, 9920, 9930, 9940, 9950, 9960, 9965 series with OE#RE49169	Horizontal mount, in Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-0P	74R0400
Cotton Pickers 9900, 9910, 9920, 9930, 9940, 9950, 9960, 9965 series with OE#RE49169	Vertical mount, #6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	AH114865, AT162848	RD-5-9055-0P	74R4206
Crawler Dozer 450H, 550H, 650H, 700H with Red Dot A/C unit R-9475	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	RD-5-9055-0	RD-5-9055-0P	74R4206
Excavators 110, 120, 160LC with Red Dot A/C unit R-9500	#6 Male O-Ring, 2 3/4" x 9 5/8", hi capacity, pressure relief	RD-5-7062-1	RD-5-7062-1P	74R1826
Sprayers 4700, 4710 series with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-0P	74R0400
Sprayers 6000, 6100, 6500, 6600, 6700, 6800, 6900 series with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-0P	74R0400
Tractors 10 series, 6010, 6110, 6210, 6310, 6410 with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-0P	74R0400
Tractors 10 Series, 7010, 7210, 7410, 7610, 7710, 7810 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-0P	74R0400
Tractors 10 Series 8000, 8110, 8110T, 8210, 8210T, 8310, 8310T models	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	AH114865, AT162848	RD-5-9055-0P	74R4206
Tractors 20 Series, 4020, 4320, 4520, 4620, 5020, 7020, 7520 models with OE#AR45867	with #6 Male flare, 3" x 6 1/4"	AR45867	RD-5-4954-0P	74R2406
Tractors 30 Series, 4030, 4230, 4430, 4630, 6030, 8430, 8630 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-0P	74R0400
Tractors 40 Series, 4040, 4240, 4440, 4640, 4840, 8440, 8640 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-0P	74R0400
Tractors 50 Series, 4050, 4250, 4450, 4650, 4850 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-0P	74R0400
Tractors 55 Series, 3055, 3255, 3355, 4055, 4255, 4455, 4555, 4755, 4955 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-0P	74R0400
Tractors 60 Series, 4560, 4760, 4960 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-0P	74R0400
Tractors 80 Series	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	RD-5-9055-0	RD-5-9055-0P	74R4206
Tractors 6000 Series, 6200, 6300, 6400 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-0P	74R0400
Tractors 6005, 7005 Series, 6405, 6605, 7405 models with OE#AL153705	In Line drier with #6 Female to Male O-Ring, 4" x 8"	AL153705	RD-5-8862-0P	74R0400
Tractors 6020 Series, 6120, 6220, 6320, 6420 models with OE#AL153705	In Line drier with #6 Female to Male O-Ring, 4" x 8"	AL153705	RD-5-8862-0P	74R0400
Tractors 7000 Series, 7200, 7400, 7600, 7700, 7800 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-0P	74R0400
Tractors 7020 Series, 7220, 7320, 7420, 7520 models with OE#AL153705	In Line drier with #6 Female to Male O-Ring, 4" x 8"	AL153705	RD-5-8862-0P	74R0400





Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

JOHN DEERE

RECEIVER DRIER

Tractors 8000 Series, 8100, 8200, 8300, 8400 models	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	AH114865, AT162848	RD-5-9055-0P	74R4206
Tractors 8020, 8020T Series, 8020, 8120, 8220, 8320, 8420, 8520 models with OE#AL153705	In Line drier with #6 Female to Male O-Ring, 4" x 8"	AL153705	RD-5-8862-0P	74R0400
Tractors 9000 Series, 9100, 9200, 9300, 9400 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-0P	74R0400
Wheel Loaders 304H, 324H, 344H with Red Dot A/C unit R-9777-1, OE#RD-5-9419-0	O-Ring Type, hi cap, pressure relief, moisture indicator, 3" x 6 1/4"	RD-5-9419-0	RD-5-9419-0P	74R2590
Wheel Loaders 444H, 544H, 624H with Red Dot A/C unit R-10060, OE#RD-5-7061-1	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 1/4"	RD-5-7061-1	RD-5-7061-1P	74R2536
Wheel Loaders 544G, 624G, 644G, 744E with Red Dot A/C unit R-10040	O-Ring Type with side port, top glass, moisture indicator	221RD32	RD-5-7272-0P	74R2546
Wheel Loaders 544G, 544H, 624G, 624H, 644G, 644H, 724J, 744E, 744H, 824J with Red Dot A/C unit R-9475	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	RD-5-9055-0	RD-5-9055-0P	74R4206
Windrowers / Sprayers 4890, 4990, 4995 series with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-0P	74R0400
Windrowers / Sprayers 5200, 5400, 5440, 5460, 5720, 5730, 5820, 5830 series	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	AH114865, AT162848	RD-5-9055-0P	74R4206
Windrowers / Sprayers 5200, 5400, 5440, 5460, 5720, 5730, 5820, 5830 series with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-0P	74R0400

RECEIVER DRIER / ACCUMULATOR

All Loader / Tractor model series with OE#A78583, RE24620	Main Unit with Accumulator, female O-Ring, 3 1/2" X 9 1/2"	A78583, RE24620	RD-5-10927-0P	74R5061
Tractors 60 Series, 8560, 8760, 8960 models with OE#RE24620	Universal Accumulator, female O-Ring, 3 1/2" X 8"	RE24620	RD-5-4061-0P	74R5050

RELAY

All Loader / Tractor model series with Bosch relay, OE#0332-209-169	Bosch type (30 amp), SPST, 5 terminals	0332-209-169	RD-5-4408-0P	71R1702
All Loader / Tractor model series with Hella relay, OE#960-388-25	Hella type, SPST, 5 terminals	960-388-25	RD-5-4408-0P	71R1702

RESISTER

Backhoe Loader / Tractor 310E, 410E, 510E, 710E with Red Dot A/C	Fan speed resistor for standard control units	RD-5-8923-0P	RD-5-8923-0P	71R1465
Crawler Dozer 450H, 550H, 650H with Red Dot A/C unit R-9475-0, OE#RD-5-8665-0	Ceramic tube style fan resistor, 4 terminal, 12V, 6 1/2" length x 1 3/16" diam	RD-5-8665-0	RD-5-8665-0P	71R1485
Crawler Dozer 700H with Red Dot A/C, OE#RD-5-9062-0	Ceramic tube style fan resistor, (white), 4 terminal, 12V, 7" length x 1 1/4" diam	RD-5-9062-0	RD-5-9062-0P	71R1480
Excavators 110, 120, 160LC with Red Dot A/C, OE#RD-5-3647-0P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	71R1450
Wheel Loaders 304H, 324H, 344H with Red Dot A/C models R-1400, R-1620, R-2550, R-2820, R-9777	Blower assembly fan resistor, 3 speed, 4 terminal	20604004, RD-5-9437-0	RD-5-9437-0P	71R1402

THERMOSTATIC SWITCH

All Loader / Tractor model series using clutch cycling switch with OE#AR49960	Rotary thermostat, 36" capillary tube, 34 - 52°F	AR49960	RD-4125-36P	71R2250
All Loader / Tractor model series with OE#AH80197	Rotary thermostat with 48" capillary tube, 34 - 52°F	AH80197	RD-4125-48P	71R2300
All Loader / Tractor model series with OE#AR59779	Rotary thermostat, 36" capillary tube, 34 - 52°F	AR59779	RD-4125-36P	71R2250
Excavators 110, 120, 160LC, 200, 450LC with Red Dot A/C unit R-10034-0	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200
Backhoe Loader / Tractor 310D, 310E, 410D, 410E, 510D with Red Dot A/C unit R-10011-0, -1	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200
Backhoe Loader 344E, 444E with Red Dot A/C unit R-10025-1	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

JOHN DEERE

THERMOSTATIC SWITCH

Backhoe Loader 344G, 444G with Red Dot model R-10036-0	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200
Backhoe Loader 490E, 510E, 690E, 710E, 790E, 792D, 892E, 992E with Red Dot A/C unit R-10035	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200
Crawler Dozer 450H, 550H, 650H, 700H with OE#RD-5-4531-24	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200
Wheel Loaders 304H, 324H, 344H OE#AR49960, AR59779	Rotary thermostat, 36" capillary tube, 34 - 52°F	AR49960, AR59779	RD-4125-36P	71R2250
Wheel Loaders 444H, 544H, 624H with Red Dot A/C unit R-10060	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200
Wheel Loaders 544G, 624G, 644G with Red Dot model R-10036-0	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200
Wheel Loader 744E with Red Dot A/C unit R-10040-0	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200

WATER VALVE

All Loader / Tractor model series with Red Dot A/C models R-9450, OE#RD-5-8193-1	Cable operated valve (pull to open), 5/8" to 5/8" hose	RD-5-8193-1	RD-5-8193-1P	72R5357
Backhoe Loader / Tractor 310E, 410E, 510E, 710E with Red Dot A/C model R-9450, OE#RD-5-8193-2	Cable operated valve (pull to open), 5/8" to 5/8" hose	RD-5-8193-2	RD-5-8193-2P	72R5350
Crawler Dozer 450H, 550H, 650H with Red Dot A/C model R-9475-0, OE#RD-1-1746-0P	Electronic water valve, 12V, 5/8" to 5/8" hose connections	RD-1-1746-0	RD-1-1746-0P	72R6562
Loader / Tractor (Small Track Type) with OE#RD-5-10055-0	Cable operated valve, straight (pull to open), 5/8" to 5/8" hose	RD-5-10055-0	RD-5-10055-0P	72R6547
Wheel Loaders 324H, 344H with Red Dot A/C model R-9777-1, OE#RD-5-9224-1	Cable operated valve with flow restrictor, (push to open), 5/8" to 5/8" hose	RD-5-9224-1	RD-5-9224-1P	72R5285

KOBELCO

BLOWER MOTOR

Excavator SK100 with Red Dot A/C model #R-1550-1P	Red Dot A/C, 24V single shaft motor, 1 speed, 4 3/4" length	20193P1, 20303P	RD-5-8073-24P	73R0474
Excavator SK115 with Red Dot A/C model #R-1550-2P	Red Dot A/C, 24V single shaft motor, 1 speed, 4 3/4" length	20193P1, 20303P	RD-5-8073-24P	73R0474
Excavator SK120, 150, 200, 220, 270 (early serial numbers) with Red Dot A/C model R-1550-1P	Red Dot A/C, 24V single shaft motor, 1 speed, 4 3/4" length	20193P1, 20303P	RD-5-8073-24P	73R0474
Excavator SK120, 150, 200, 220, 270 (late serial numbers) with Red Dot A/C model R-1550-2P	Red Dot A/C, 24V single shaft motor, 1 speed, 4 3/4" length	20193P1, 20303P	RD-5-8073-24P	73R0474
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	Red Dot A/C, 24V single shaft motor, 1 speed, 4 3/4" length	20193P1, 20303P	RD-5-8073-24P	73R0474

BLOWER - FAN RESISTOR

Excavator SK100 with Red Dot A/C model #R-1550-1P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	71R1450
Excavator SK115 with Red Dot A/C model #R-1550-2P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	71R1450
Excavator SK120, 150, 200, 220, 270 (early serial numbers) with Red Dot A/C model R-1550-1P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	71R1450
Excavator SK120, 150, 200, 220, 270 (late serial numbers) with Red Dot A/C model R-1550-2P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	71R1450
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	71R1450

CLUTCH ASSEMBLY

Excavator SK100 with Red Dot A/C model #R-1550-1P, Sanden SD5 R-12 compressor	2 groove, 24V, 5 1/4" (132mm) diameter pulley, 1/2" width, 1 wire	6519-6210, 6514-6210	RD-5-5487-0P	75R0204
---	---	----------------------	--------------	----------------



Model	Description	OEM Part No.	Factory No.	Part No.
KOBELCO				
CLUTCH ASSEMBLY				
Excavator SK115 with Red Dot A/C model #R-1550-2P, Sanden SD5 R-12 compressor	2 groove, 24V, 5 1/4" (132mm) diameter pulley, 1/2" width, 1 wire	6519-6210, 6514-6210	RD-5-5487-0P	75R0204
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P, Sanden SD5 R-12 compressor	2 groove, 24V, 5 1/4" (132mm) diameter pulley, 1/2" width, 1 wire	6519-6210, 6514-6210	RD-5-5487-0P	75R0204
Excavator SK120, 150, 200, 220, 270 (late serial numbers)with Red Dot A/C model R-1550-2P, Sanden SD5 R-12 compressor	2 groove, 24V, 5 1/4" (132mm) diameter pulley, 1/2" width, 1 wire	6519-6210, 6514-6210	RD-5-5487-0P	75R0204
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P, Sanden SD5 R-12 compressor	2 groove, 24V, 5 1/4" (132mm) diameter pulley, 1/2" width, 1 wire	6519-6210, 6514-6210	RD-5-5487-0P	75R0204
COMPRESSOR - SANDEN				
Excavator SK100 with Red Dot A/C model #R-1550-1P, Sanden 5H14, #6665	5H14-HD, 24V, FL head, 2A groove, 5 1/4" (132mm) diameter	6665	RD-5-7089-0P	75R8384
Excavator SK115 with Red Dot A/C model #R-1550-2P with Red Dot A/C model R-1550-2P with Sanden 5H14HD, #4537, 6634	5H14-HD, K head, ear mount, 2A groove, 5 1/4" (132mm) diameter	4537, 6634	RD-5-8680-0P	75R8354
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P, Sanden 5H14, #6665	5H14-HD, 24V, FL head, 2A groove, 5 1/4" (132mm) diameter	6665	RD-5-7089-0P	75R8384
Excavator SK120, 150, 200, 220, 270 (late serial numbers) with Red Dot A/C model R-1550-2P with Sanden 5H14HD, #4537, 6634	5H14-HD, K head, ear mount, 2A groove, 5 1/4" (132mm) diameter	4537, 6634	RD-5-8680-0P	75R8354
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P, Sanden 5H14HD, #4537, 6634	5H14-HD, K head, ear mount, 2A groove, 5 1/4" (132mm) diameter	4537, 6634	RD-5-8680-0P	75R8354
CONDENSER				
Excavator SK100 with Red Dot A/C model #R-1550-1P	Tube & fin type, 20 1/2" x 18 1/4" x 1 13/16"	RD-4-5154-0	RD-4-5154-0P	77R7010
Excavator SK115 with Red Dot A/C model #R-1550-2P	Tube & fin type, 20 1/2" x 18 1/4" x 1 13/16"	RD-4-5154-0	RD-4-5154-0P	77R7010
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P	Tube & fin type, 20 1/2" x 18 1/4" x 1 13/16"	RD-4-5154-0	RD-4-5154-0P	77R7010
Excavator SK120, 150, 200, 220, 270 (late serial numbers)with Red Dot A/C model R-1550-2P	Tube & fin type, 20 1/2" x 18 1/4" x 1 13/16"	RD-4-5154-0	RD-4-5154-0P	77R7010
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P		RD-4-5116-0	RD-4-5116-0P	77R7020
EVAPORATOR				
Excavator SK100 with Red Dot A/C model #R-1550-1P	Dimensions: 8" height x 11 1/2" length x 3 13/32" width	RD-2-2762-0	RD-2-2762-0P	76R6430
Excavator SK115 with Red Dot A/C model #R-1550-2P	Dimensions: 8" height x 11 1/2" length x 3 13/32" width	RD-2-2762-0	RD-2-2762-0P	76R6430
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P	Dimensions: 8" height x 11 1/2" length x 3 13/32" width	RD-2-2762-0	RD-2-2762-0P	76R6430
Excavator SK120, 150, 200, 220, 270 (late serial numbers)with Red Dot A/C model R-1550-2P	Dimensions: 8" height x 11 1/2" length x 3 13/32" width	RD-2-2762-0	RD-2-2762-0P	76R6430
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	Dimensions: 8" height x 11 1/2" length x 3 13/32" width	RD-2-2762-0	RD-2-2762-0P	76R6430
EXPANSION VALVE / BLOCK				
Excavator SK100 with Red Dot A/C model #R-1550-1P	Block valve with female O-Ring fittings	RD-5-6868-0	RD-5-6868-0P	71R8301
Excavator SK115 with Red Dot A/C model #R-1550-2P	Block valve with female O-Ring fittings	RD-5-6868-0	RD-5-6868-0P	71R8301
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P	Block valve with female O-Ring fittings	RD-5-6868-0	RD-5-6868-0P	71R8301



Model	Description	OEM Part No.	Factory No.	Part No.
KOBELCO				
BLOWER - FAN RESISTOR				
Excavator SK120, 150, 200, 220, 270 (late serial numbers)with Red Dot A/C model R-1550-2P	Block valve with female O-Ring fittings	RD-5-6868-0	RD-5-6868-0P	71R8301
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	Block valve with female O-Ring fittings	RD-5-6868-0	RD-5-6868-0P	71R8301
FILTER				
Excavator SK100 with Red Dot A/C model #R-1550-1P	Fresh air frame filter, 10 3/4" x 2 13/16" x 1 1/32"	RD-5-8078-0	RD-5-8078-0P	78R5365
Excavator SK115 with Red Dot A/C model #R-1550-2P	Fresh air frame filter, 10 3/4" x 2 13/16" x 1 1/32"	RD-5-8078-0	RD-5-8078-0P	78R5365
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P	Fresh air frame filter, 10 3/4" x 2 13/16" x 1 1/32"	RD-5-8078-0	RD-5-8078-0P	78R5365
Excavator SK120, 150, 200, 220, 270 (late serial numbers)with Red Dot A/C model R-1550-2P	Fresh air frame filter, 10 3/4" x 2 13/16" x 1 1/32"	RD-5-8078-0	RD-5-8078-0P	78R5365
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	Fresh air frame filter, 10 3/4" x 2 13/16" x 1 1/32"	RD-5-8078-0	RD-5-8078-0P	78R5365
HEATER				
Excavator SK100 with Red Dot A/C model #R-1550-1P	Dimensions: 8" height x 11 1/2" length x 1 1/2" width	RD-1-1351-0	RD-1-1351-0P	76R3010
Excavator SK115 with Red Dot A/C model #R-1550-2P	Dimensions: 8" height x 11 1/2" length x 1 1/2" width	RD-1-1351-0	RD-1-1351-0P	76R3010
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P	Dimensions: 8" height x 11 1/2" length x 1 1/2" width	RD-1-1351-0	RD-1-1351-0P	76R3010
Excavator SK120, 150, 200, 220, 270 (late serial numbers)with Red Dot A/C model R-1550-2P	Dimensions: 8" height x 11 1/2" length x 1 1/2" width	RD-1-1351-0	RD-1-1351-0P	76R3010
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	Dimensions: 8" height x 11 1/2" length x 1 1/2" width	RD-1-1351-0	RD-1-1351-0P	76R3010
PRESSURE SWITCH				
Excavator SK100 with Red Dot A/C model #R-1550-1P	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	71R7050
Excavator SK115 with Red Dot A/C model #R-1550-2P	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	71R7050
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	71R7050
Excavator SK120, 150, 200, 220, 270 (late serial numbers) with Red Dot A/C model R-1550-2P	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	71R7050
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	71R7050
RECEIVER DRIER				
Excavator SK100 with Red Dot A/C model #R-1550-1P	#6 Male O-Ring, 2 3/4" x 9 5/8", hi capacity, pressure relief	RD-5-7062-1	RD-5-7062-1P	74R1826
Excavator SK115 with Red Dot A/C model #R-1550-2P	#6 Male O-Ring, 2 3/4" x 9 5/8", hi capacity, pressure relief	RD-5-7062-1	RD-5-7062-1P	74R1826
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P	#6 Male O-Ring, 2 3/4" x 9 5/8", hi capacity, pressure relief	RD-5-7062-1	RD-5-7062-1P	74R1826
Excavator SK120, 150, 200, 220, 270 (late serial numbers)with Red Dot A/C model R-1550-2P	#6 Male O-Ring, 2 3/4" x 9 5/8", hi capacity, pressure relief	RD-5-7062-1	RD-5-7062-1P	74R1826
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	#6 Male O-Ring, 2 3/4" x 9 5/8", hi capacity, pressure relief	RD-5-7062-1	RD-5-7062-1P	74R1826
RESISTOR				
Excavator SK100 with Red Dot A/C model #R-1550-1P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	71R1450
Excavator SK115 with Red Dot A/C model #R-1550-2P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	71R1450



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

KOBELCO

RESISTOR

Excavator SK120, 150, 200, 220, 270 (early serial numbers) with Red Dot A/C model R-1550-1P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	71R1450
Excavator SK120, 150, 200, 220, 270 (late serial numbers) with Red Dot A/C model R-1550-2P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	71R1450
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	71R1450

THERMOSTATIC SWITCH

Excavator SK100 with Red Dot A/C model #R-1550-1P	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200
Excavator SK115 with Red Dot A/C model #R-1550-2P	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200
Excavator SK120, 150, 200, 220, 270 (early serial numbers) with Red Dot A/C model R-1550-1P	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200
Excavator SK120, 150, 200, 220, 270 (late serial numbers) with Red Dot A/C model R-1550-2P	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200

WATER VALVE

Excavator SK100 with Red Dot A/C model #R-1550-1P, for vehicles manuf. before 11/98	Cable operated valve (pull to open), 5/8" to 5/8" hose	RD-5-8193-1	RD-5-8193-1P	72R5357
Excavator SK115 with Red Dot A/C model #R-1550-2P, for vehicles manuf. before 11/98	Cable operated valve (pull to open), 5/8" to 5/8" hose	RD-5-8193-1	RD-5-8193-1P	72R5357
Excavator SK120, 150, 200, 220, 270 (early serial numbers) with Red Dot A/C model R-1550-1P, for vehicles manuf. before 11/98	Cable operated valve (pull to open), 5/8" to 5/8" hose	RD-5-8193-1	RD-5-8193-1P	72R5357
Excavator SK120, 150, 200, 220, 270 (late serial numbers) with Red Dot A/C model R-1550-2P, for vehicles manuf. before 11/98	Cable operated valve (pull to open), 5/8" to 5/8" hose	RD-5-8193-1	RD-5-8193-1P	72R5357
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P, for vehicles manuf. before 11/98	Cable operated valve (pull to open), 5/8" to 5/8" hose	RD-5-8193-1	RD-5-8193-1P	72R5357

+ Water valve replacement: For excavators manufactured before prior to 11/98, use water valve field installation kit RD-3-9191-0P

KOMATSU

BLOWER - FAN

Wheel Loader model series with remote mount condenser, 12V fan	Pancake fan assembly, (puller) 12V	RD-5-8641-0	RD-5-8641-0P	-
Wheel Loader model series with remote mount condenser, 24V fan	Pancake fan assembly, (puller) 24V	RD-5-8641-1	RD-5-8641-1P	-
Wheel Loader WA350 thru WA600 model series with remote mount condenser, 24V fan	Pancake fan assembly, (puller) 24V	RD-5-8641-1	RD-5-8641-1P	-

BLOWER MOTOR

All Loader / Tractor PC series models with remote mount condenser (24V), OE#RD-5-5120-24	Single shaft motor (condenser motor), 24V, 4 7/8" length	RD-5-5120-24	RD-5-5120-24P	73R0514
Bulldozer models D155A-1, D355A-3, OE#2807-405-046	Single shaft, 1 speed, 12V, CW / CCW, NV, 3 5/8" x 3" x 3", shaft length 1 3/4"	2807-405-046	RD-5-10394-0P	73R0002
Excavator PC200-6, PC210-6, PC250-6 models, OE#2809-530-013	Double shaft, 1 speed, 24V, vented, 4 13/16" x 4" x 3"	2809-530-013	RD-5-5121-2P	73R4264
Wheel Loader models, OE#404-825	Double shaft, 1 speed, 24V, vented, 4 13/16" x 4" x 3"	404-825	RD-5-5121-2P	73R4264
Wheel Loader / Tractor model series with remote mount condenser (12V), OE#RD-5-5120-0	Single shaft motor (condenser motor), 12V, NV, 4 7/8" length	RD-5-5120-0	RD-5-5120-0P	73R0512
Wheel Loader / Tractor model series with remote mount condenser (24V), OE#RD-5-5120-24	Single shaft motor (condenser motor), 24V, 4 7/8" length	RD-5-5120-24	RD-5-5120-24P	73R0514
Wheel Loader models 344G, 444G with Red Dot A/C model #R-10036-0P	Red Dot A/C, 24V single shaft motor, 1 speed, CCW, 5" length	RD-5-4827-24	RD-5-4827-24P	73R0404



Model	Description	OEM Part No.	Factory No.	Part No.
KOMATSU				
BLOWER WHEEL				
Excavator PC series with Red Dot A/C unit R-10015 series evaporator, OE#RD-5-7312-0	Red Dot A/C, single entry, 3 1/8" diameter x 2 1/2" width, CCW	RD-5-7311-0	RD-5-7311-0P	73R6350
Excavator PC series with Red Dot A/C unit R-10015 series evaporator, OE#RD-5-7312-0	Red Dot A/C, single entry, 3 1/8" diameter x 2 1/2" width, CCW	RD-5-7312-0	RD-5-7312-0P	73R6300
CLUTCH ASSEMBLY				
All series with CCI/York - R12 / 134A compressors OE#024-25078, MA6, MAE6AR	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	024-25078, MA6, MAE6AR	RD-5-4967-0P	75R0452
All series with CCI/York - R12 / 134A compressors, OE#332334, MA 7A	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	332334, MA 7A	RD-5-4994-0P	75R4502
All series with CCI/York - R12 / 134A compressors OE#024 25190, 03-1104973, 501939	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, weatherpak plug	024 25190, 03-1104973, 501939	RD-5-4972-1P	75R1202
All series with Sanden SD5 (508 / 510 / 5H14) R12/R134a compressors	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6514-6210, 6574-6210	RD-5-5486-0P	75R0202
All series with Sanden SD7H15HD R134a compressor, OE #6504-6310	2 groove 1/2" width, 5 1/4" diameter (132mm)	6504-6310	RD-5-10379-0P	75R1542
COMPRESSOR - SANDEN				
All series with Sanden SD7H15 compressor #4652, Komatsu OE#1433064H91	7H15, JD head, ear mount, 2A groove, 4.9"(125mm) diameter	1433064H91, Sanden 4652	RD-5-7124-0P	75R8424
EXPANSION VALVE / BLOCK				
Excavator PC series with Red Dot A/C unit R-10015-2, -3 series evaporator, OE#RD-5-6868-0	Block valve with female O-Ring fittings	RD-5-6868-0	RD-5-6868-0P	71R8301
Wheel Loader WA350 thru WA600 model series with Red Dot A/C unit R-10015-4 thru -7 series evaporator, OE#RD-5-6868-0	Block valve with female O-Ring fittings	RD-5-6868-0	RD-5-6868-0P	71R8301
PRESSURE SWITCH				
Excavator PC series with Red Dot A/C unit R-10015-2, -3 series evaporator, OE#RD-5-8433-0	Dual function switch (Fujikoki) with 7/16"-20, 4 terminal	RD-5-8433-0, A22-36474-000	RD-5-8433-0P	71R7075
Wheel Loader WA350 thru WA600 model series with Red Dot A/C unit R-10015-4 thru -7 series evaporator, OE#RD-5-8433-0	Dual function switch (Fujikoki) with 7/16"-20, 4 terminal	RD-5-8433-0, A22-36474-000	RD-5-8433-0P	71R7075
RECEIVER DRIER				
Excavator PC series with Red Dot A/C unit R-10015-2, -3 series evaporator, OE#RD-5-7064-0	In-line, #6 Male O-Ring, 2 1/2" x 9 5/8"	RD-5-7064-0	RD-5-7064-0P	74R0460
Wheel Loader WA350 thru WA600 model series with Red Dot A/C unit R-10015-4 thru -7 series evaporator, OE#RD-5-7064-0		RD-5-7064-0	RD-5-7064-0P	74R0460
THERMOSTATIC SWITCH				
Excavator PC series with Red Dot A/C unit R-10015-2, -3 series evaporator, OE#RD-4424-24 mt.	Fixed Setting thermostat with 24" capillary tube, flange	404145	RD-4427-24P	71R3100
Wheel Loader WA350 thru WA600 model series with Red Dot A/C unit R-10015-4 thru -7 series evaporator, OE#RD-4424-24		404145	RD-4427-24P	71R3100
LINKBELT				
BLOWER MOTOR				
Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-5-8583-1	Blower assembly, 3 speed, 24V, 13 3/4" x 5 3/8" x 5 1/8"	RD-5-8583-1	RD-5-8583-1P	73R5554
BLOWER - FAN RESISTOR				
Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-5-9445-0	Resistor, 3 speed for blower assembly	RD-5-9445-0	RD-5-9445-0P	71R1401

OFF-ROAD APPLICATIONS



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

LINKBELT

CLUTCH ASSEMBLY

Excavator 4300, 5800, 6000 series with Tama CH, TM15, TM16 compressors	24V, 2 groove ½" width, 5 2¼" diameter (135mm), bullet plug	511868, 524-19724, KA1025	RD-5-10232-0P	75R0274
--	---	---------------------------	---------------	----------------

COMPRESSOR - ICE SELTEC

Excavator 4300, 5800, 6000 series with Red Dot A/C, Seltec TM15 R134a compressors	ICE-Seltec TM15, D head, ear mount, 2 groove, 5 ¼"(135mm)	488-45015, 2521153	RD-5-7163-0P	75R8614
---	---	--------------------	--------------	----------------

CONDENSER

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-4-5418-0	Multiflow type, 22 1¾" x 14" x ¾"	RD-4-5418-0	RD-4-5418-0P	77R1300
--	-----------------------------------	-------------	--------------	----------------

EVAPORATOR

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-2-3070-0	Dimensions: 8 7⁄₆₄" height x 15 5⁄₆₄" length x 3 ½" width	RD-2-3070-0	RD-2-3070-0P	76R6650
--	---	-------------	--------------	----------------

EXPANSION VALVE / BLOCK

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-5-7015-1	Block valve, hi-capacity, 2 ton, female O-Ring	RD-5-7015-0	RD-5-7015-0P	71R8321
--	--	-------------	--------------	----------------

FILTER

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-5-8582-0	Fresh air frame filter, 15" x 8" x 1"	RD-5-8582-0	RD-5-8582-0P	78R5240
--	---------------------------------------	-------------	--------------	----------------

HEATER CORE

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-1-1603-0	Dimensions: 6 7⁄₆₄" height x 23 19⁄₆₄" length x 1 ½" width	RD-1-1603-0	RD-1-1603-0P	76R3420
--	--	-------------	--------------	----------------

PRESSURE SWITCH

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-5-4585-0	Trinary switch, with male 3⁄₈-24, 4 terminal, normally open	RD-5-4585-0	RD-5-4585-0P	71R7500
--	---	-------------	--------------	----------------

RECEIVER DRIER

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-5-3593-1	#6 Male O-Ring, 2 ¾" X 9 5⁄₈" with pressure relief switch	RD-5-3593-1	RD-5-3593-1P	74R1706
--	---	-------------	--------------	----------------

RESISTOR - BLOWER FAN

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-5-9445-0	Resistor, 3 speed for blower assembly	RD-5-9445-0	RD-5-9445-0P	71R1401
--	---------------------------------------	-------------	--------------	----------------

THERMOSTATIC SWITCH

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-5-4531-24	Fixed Setting thermostat with 24" capillary tube, flange/ side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200
---	--	---------------	---------------	----------------

WATER VALVE

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-1-1419-2	Electronic water valve, 24V, 5⁄₈" hose with actuator	RD-1-1419-2	RD-1-1419-2P	72R6554
--	--	-------------	--------------	----------------

MASSEY FERGUSON

BLOWER MOTOR

Combines 410, 510, 540, 550 series, Massey Ferguson OE#274939M1	Single shaft, 2 speed, 12V, CCW, 4 ¼" length, vented	274939M1	RD-3106-13P	73R0602
---	--	----------	-------------	----------------

Combines 750, 760, 850, 860, 865 series, condenser motor, OE#RD-5-6526-0	Single shaft, 1 speed, 12V, CW, 4 ¾" length, vented	RD-5-6526-0	RD-5-6526-0P	73R0422
--	---	-------------	--------------	----------------

Combines 8570, 8590 - with Kysor A/C, evaporator blower	Kysor A/C (evaporator blower), double shaft motor, 1 speed, 12V, 4 7⁄₈" length	107195M91	RD-5-10068-0P	73R4322
---	--	-----------	---------------	----------------

Combines 8680, 8780 - with Kysor A/C, evaporator blower	Kysor A/C (evaporator blower), double shaft motor, 1 speed, 12V, 4 7⁄₈" length	70257336-1	RD-5-10068-0P	73R4322
---	--	------------	---------------	----------------



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

MASSEY FERGUSON

BLOWER SWITCH

All combine and tractor model series with OE#271105M1	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	271105M1	RD-5-10934-OP	71R1163
---	--	----------	---------------	----------------

CLUTCH ASSEMBLY

All series with CCI/York - R12 / 134A compressors, OE#165129C1	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga. bullet plug	165129C1, 024-25078	RD-5-4967-OP	75R0452
All series with CCI/York - R12 / 134A compressors, OE#250375M91	1 groove, 6 3/4" diameter pulley, 3/4" width, 2 3/4" ga., bullet plug	250375M91, 03-1105003	RD-5-4993-OP	75R4352
All series with CCI/York - R12 / 134A compressors, OE#274363M91	1 groove, 6 3/4" diameter pulley, 5/8" width, 3 1/8" ga., bullet plug	274363M91, A22-11669, 502736	RD-5-4981-OP	75R2552
All series with CCI/York - R12 / 134A compressors, OE#470039M91	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga. bullet plug	470039M91, 332334, MA 7A	RD-5-4994-OP	75R4502
Combines 410, 510 series, fits CCI/York Rotolock compressors ER210 series	1 groove, 6 3/4" diameter pulley, 1/2" width, 2 3/4" ga., bullet plug	L50-2393, 502393	RD-5-4984-OP	75R3002
Combines 750, 760 series, fits CCI/York Rotolock compressors F210 series	1 groove, 6 3/4" diameter pulley, 1/2" width, 2 3/4" ga., bullet plug	L50-2393, 502393	RD-5-4984-OP	75R3002
Combines 8450, 8460, 8590 series with CCI/York Rotolock compressor ER, R210L-25149	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga. bullet plug	470039M91, 332334, MA 7A	RD-5-4994-OP	75R4502
Tractors 300 series 362, 375, 383, 390, 393, 398, 399 with MF diesel, fits Rotolock compressors F210 series	1 groove, 6 3/4" diameter pulley, 1/2" width, 2 3/4" ga., bullet plug	L50-2393, 502393	RD-5-4984-OP	75R3002
Tractors 300 series 362, 375, 383, 390, 393, 398, 399 with Perkins diesel, fits Sanden SD510 compressors	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-OP	75R0202

CLUTCH ASSEMBLY CYCLING SWITCH

All combine and tractor model series with OE#D45093000	Rotary thermostat with 48" capillary tube, 34 - 52°F	D45093000	RD-4125-48P	71R2300
--	--	-----------	-------------	----------------

COMPRESSOR - CCI / YORK / TECUMSEH

All series with CCI/York Tecumseh Rotolock compressor # ER, R210L-25149. Massey Ferguson OE#026088M91, 034589M1, 042405M91, 237412M91, 250951M91, 269925M91, 1042505M91	Rotolock Head, LH Suction without clutch, (universal - new)	ER, R210L- 25149	RD-5-8637-1P	75R7280
All series with CCI/York - Tube O-Ring compressor ET210L-25150C, OE#1026088M91	Tube O-Ring type head without clutch, (universal - new)	1026088M91, ET210L-25150C	RD-5-8638-1P	75R7290
All series with CCI/York Tecumseh Rotolock compressor # 99242-5	Rotolock Head, LH Suction without clutch, (universal - new)	99242-5	RD-5-8637-1P	75R7280
All series with CCI/York - Tube O-Ring compressor # 99244-5	Tube O-Ring type head without clutch, (generic, new)	99244-5	RD-5-8638-1P	75R7290
Combines 410, 510 series with CCI/York Tecumseh Rotolock compressor ER, R210L-25149	Rotolock Head, LH Suction without clutch, (universal - new)	ER, R210L- 25149	RD-5-8637-1P	75R7280
Combines 8450, 8460, 8590 series with CCI/York Tecumseh Rotolock compressor ER, R210L-25149	Rotolock Head, LH Suction without clutch, (universal - new)	ER, R210L- 25149	RD-5-8637-1P	75R7280

COMPRESSOR - GM

All series with universal GM A6 with Superheat switch port, without oil, OE#1131243	1 groove 1/2" width, 4 7/8" diameter (124mm), generic, 12V	1131243	RD-5-5000-OP	75R8102
All series with new GM A6R without Superheat switch port, without oil, OE#1131243	GM A6 24V, CW, 1 groove 1/2" width, 7" diameter, metric threads, new, 12V	1131243	RD-5-7566-OP	75R8184
Combines 540, 550, 750, 760 series with universal GM A6 with Superheat switch port, OE#1131243	1 groove 1/2" width, 4 7/8" diameter (124mm), generic, 12V	1131243	RD-5-5000-OP	75R8102
Combines 850, 860, 865 series with universal GM A6 with Superheat switch port, OE#1131243	1 groove 1/2" width, 4 7/8" diameter (124mm), generic, 12V	1131243	RD-5-5000-OP	75R8102
Tractors 1085, 1105, 1135, 1155 series with universal GM A6 with Superheat switch port, OE#1131243	1 groove 1/2" width, 4 7/8" diameter (124mm), generic, 12V	1131243	RD-5-5000-OP	75R8102



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

MASSEY FERGUSON

COMPRESSOR - GM

Tractors 2640, 2675, 2705, 2745, 2775 series with universal GM A6 with Superheat switch port, OE#1131243	1 groove ½" width, 4 ⅞" diameter (124mm), generic, 12V	1131243	RD-5-5000-0P	75R8102
Tractors 4800, 4840, 4880 series with universal GM A6 with Superheat switch port, OE#1131243	1 groove ½" width, 4 ⅞" diameter (124mm), generic, 12V	1131243	RD-5-5000-0P	75R8102

COMPRESSOR - SANDEN

All series with Sanden 7H15, #4643 R134a compressor	Sanden 7H15, CB head, ear mt., 2 goove, 5 ¼" (132mm)	4643	RD-5-10292-0P	75R84552
---	--	------	---------------	-----------------

ELECTRICAL SWITCH

All combine and tractor model series with OE#1034565M91, 250698M1, 320059M2	Rotary thermostat with 48" capillary tube, 34 - 52°F	1034565M91, 250698M1, 320059M2	RD-4125-48P	71R2300
All combine and tractor model series with OE#271105M1	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	271105M1	RD-5-10934-0P	71R1163
All combine and tractor model series with OE#D45093000	Rotary thermostat with 48" capillary tube, 34 - 52°F	D45093000	RD-4125-48P	71R2300

EXPANSION VALVE / BLOCK

Combines 750, 760, 850, 860, 865, 885 series with OE#284238M1	Block valve with female O-Ring fittings	284238M1	RD-5-6868-0P	71R8301
Combines 8775 thru 9745 series with OE#3902334M91	Block valve with female O-Ring fittings	3902334M91	RD-5-7015-0P	71R8321
Tractor 4200 Series 4220, 4225, 4245, 4255 OE#3901517M1	Block valve with female O-Ring fittings	3901517M1	RD-5-7015-0P	71R8321

EXPANSION VALVE / EXTERNAL EQUALIZER

All combine and tractor model series with OE#3038918M91, 3321511M91	Male O-Ring with 13" capillary length, 13" equalizer tube length	3038918M91, 3321511M91	RD-5-3824-1P	71R8100
Tractor 3500 Series 3505, 3525, 3545 before serial #C21009 with OE#3380223M1	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	3380223M1	RD-5-5862-0P	71R8080

EXPANSION VALVE / INTERNAL EQUALIZER

All combine and tractor model series with OE#1024984M92, 529876M91	Internal equalizer with male flare with 9" capillary length, flare fittings	1024984M92, 529876M91	RD-5-6099-0P	71R8210
All combine and tractor model series with OE#1034564M91, 237409M1	Internal equalizer, 1 ½ Ton, Male O-Ring	3478520M91	RD-5-10445-0P	71R8220
Combines 410, 450, 540, 550 series with OE#3038920M9, M91	Internal equalizer with male flare with 9" capillary length, flare fittings	3038920M9, M91	RD-5-6099-0P	71R8210
Combines 750, 760, 850, 860, 865 series with OE#3038920M9, M91	Internal equalizer with male flare with 9" capillary length, flare fittings	3038920M9, M91	RD-5-6099-0P	71R8210
Tractors 300 series 362, 375, 383, 390, 393, 398, 399 with OE#3478520M91	Internal equalizer, 1 ½ Ton, Male O-Ring	3478520M91	RD-5-10445-0P	71R8220
Tractors 1000, 1085, 1100, 1105, 1130, 1135, 1155 series with OE#3038920M9, M91	Internal equalizer with male flare with 9" capillary length, flare fittings	3038920M9, M91	RD-5-6099-0P	71R8210
Tractors 2600, 2640, 2675, 2700, 2705, 2745, 2775 series with OE#3038920M9, M91	Internal equalizer with male flare with 9" capillary length, flare fittings	3038920M9, M91	RD-5-6099-0P	71R8210
Tractors 4800 series 4800, 4840, 4880 with OE#3038920M9, M91	Internal equalizer with male flare with 9" capillary length, flare fittings	3038920M9, M91	RD-5-6099-0P	71R8210

PRESSURE SWITCH

All combine and tractor model series using high pressure switch, OE#111266C1	High Pressure Switch, normally closed 210psi, opens 340 psi, ¼" female flare	111266C1	RD-5-5873-0P	71R6070
All combine and tractor model series using normally closed trinary pressure switch	Trinary Switch, 3 speed, (on-off circuit closed)	BA1240, RD-5-4625-0	RD-5-4625-0P	71R7650
All combine and tractor model series using normally open trinary pressure switch	Trinary switch with female ⅞"-20, 4 terminal (on-off circuit open)	A06-18015-000	RD-5-4583-0P	71R7550

RECEIVER DRIER

All combine and tractor model series with OE#088423-00	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 ¼"	088423-00	RD-5-7061-1P	74R2536
All combine and tractor model series with OE#3347710M1	Male & Male O-Ring with Fuse Plug, Low Pressure Switch, use with flare adapters	3347710M1	RD-4160-1P	74R2106



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

MASSEY FERGUSON

RECEIVER DRIER

All combine and tractor model series with OE#284208M92, 3712495M1, 376335M1	with #6 Male O-Ring, 3" x 6 1/4"	284208M92, 3712495M1, 376335M1	RD-5-7061-2P	74R2526
Combines 410, 450, 540, 550, 750, 760 series before serial #17462474, OE#250929M91	#6 Male flare, 3" X 6 1/4", fuse	250929M91	RD-5-4954-0P	74R2406
Combines 760 series after serial #17462474, OE#237411M91	with #6 Male O-Ring, 3" x 6 1/4"	237411M91	RD-5-7061-2P	74R2526
Combines 850, 860, 865 series with OE#284208M92	#6 Male O-Ring, 4" x 7 1/2", fuse, side port, moisture indicator	284208M92	RD-5-7565-0P	74R3536
Combines 2775 thru 2805 series with OE#1018462M91	Male O-Ring with fuse plug, side port, top glass	1018462M91	RD-5-4950-0P	74R0906
Combines 8450, 8460 series with OE#3347710W1	#6 Male O-Ring, 2 3/4" X 9 5/8", trinary switch (top)	3347710W1	RD-5-4632-1P	74R1906
Combines 8775, 8785, 9735, 9745 series with OE#284208M92, 3712495M1, 376335M1	with #6 Male O-Ring, 3" x 6 1/4"	284208M92, 3712495M1, 376335M1	RD-5-7061-2P	74R2526
Combines 8775, 8785, 9735, 9745 series with OE#1034581M91	#6 Male flare, 3" X 6 1/4", fuse	1034581M91	RD-5-4954-0P	74R2406
Combines 9690, 9790 with male O-Ring, 3" x 8 3/8", hi capacity	Male & Male O-Ring HPRV, MI IN CAP	PH 088193-00, RD-5-11192-0	RD-5-11192-0P	74R2608
Tractors 300 series 362, 375, 383, 390, 393, 398, 399 with R-12, OE#3383321M2	O-Ring Type with #6 male inlet and outlet	3383321M2	RD-5-10743-0P	74R1426
Tractors 300 series 362, 375, 383, 390, 393, 398, 399 with R-134a, OE#3763351M1	with #6 Male O-Ring, 3" x 10", fuse, top port, moisture indicator	3763351M1	RD-5-6768-1P	74R3322
Tractors 1000, 1085, 1100, 1105, 1130, 1135, 1155 series with OE#1034581M91	#6 Male flare, 3" X 6 1/4", fuse	1034581M91	RD-5-4954-0P	74R2406
Tractors 2600, 2640, 2675, 2700, 2705, 2745, 2775 series with OE#3039149M91	#6 Male O-Ring, 2 1/2" x 7 1/8", 1/4" male side port	3039149M91	RD-5-7559-0P	74R1106
Tractors 3100 series 3120, 3140 with OE#3383321M2	O-Ring Type with #6 male inlet and outlet	3383321M2	RD-5-10743-0P	74R1426
Tractors 3500 series 3505, 3525, 3545 with OE#3383321M1	O-Ring Type with #6 male inlet and outlet	3383321M1	RD-5-10743-0P	74R1426
Tractors 3600 series 3660, 3670, 3680, 3690 with OE#3383321M2	O-Ring Type with #6 male inlet and outlet	3383321M2	RD-5-10743-0P	74R1426
Tractors 4200 series 4220, 4225, 4245, 4255 with OE#3712495M1	Male O-ring Type with Switch Port and HPRV	3712495M1	RD-5-9789-0P	74R3106
Tractors 4800 series 4800, 4840, 4880 with OE#1034581M91	#6 Male flare, 3" X 6 1/4", fuse	1034581M91	RD-5-4954-0P	74R2406
Tractors 6100 series 6150, 6170, 6180 with OE#3712495M1	Male O-ring Type with Switch Port and HPRV	3712495M1	RD-5-9789-0P	74R3106
Tractors 6200 series 6245, 6250, 6255, 6260, 6265, 6270, 6280, 6290 with OE#3712495M1	Male O-ring Type with Switch Port and HPRV	3712495M1	RD-5-9789-0P	74R3106
Tractors 8100 series 8120, 8140, 8160 with OE#3712495M1	Male O-ring Type with Switch Port and HPRV	3712495M1	RD-5-9789-0P	74R3106
Tractors 8200 series 8210, 8220, 8240, 8245, 8250, 8260, 8270, 8280 with OE#3712495M1	Male O-ring Type with Switch Port and HPRV	3712495M1	RD-5-9789-0P	74R3106

THERMOSTATIC SWITCH

All combine and tractor model series with OE#1034565M91, 250698M1, 320059M2	Rotary thermostat with 48" capillary tube, 34 - 52°F	1034565M91, 250698M1, 320059M2	RD-4125-48P	71R2300
---	--	--------------------------------	-------------	----------------

TAKEUCHI

BLOWER MOTOR

Backhoe BL70 with Red Dot A/C, OE#RD-5-8837-1	Blower Assembly, single speed, 12V, 12 1/4" x 3 1/8" x 4 1/2"	RD-5-8837-1	RD-5-8837-1P	73R5642
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#R D-5-9204-1	Blower Assembly, three speed, 24V, 13 3/4" x 6 1/2" x 5"	RD-5-9204-1	RD-5-9204-1P	73R5624
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-5-8838-0	Blower Assembly (evaporator), three speed, 24V, 12 1/4" x 3 1/8" x 4 1/2"	RD-5-8838-0	RD-5-8838-0P	73R5534



Model	Description	OEM Part No.	Factory No.	Part No.
TAKEUCHI				
BLOWER - FAN				
Mini Excavator TB175 with Red Dot A/C unit R-20500, condenser pancake fan OE#RD-5-8747-5	Condenser pancake fan assembly, 24V, 1 speed, 13" x 13" x 3 3/4"	RD-5-8747-5	RD-5-8747-5P	73R8654
BLOWER - FAN RESISTOR				
Backhoe BL70 with Red Dot A/C, OE#RD-5-6450-0	Fan speed blower resistor, 4 speed, 4 terminal	RD-5-6450-0	RD-5-6450-0P	71R1455
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-5-9445-0	Resistor, 3 speed for blower assembly	RD-5-9445-0	RD-5-9445-0P	71R1401
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-5-9448-0	Resistor, 3 speed for blower assembly	RD-5-9448-0	RD-5-9448-0P	71R1404
COMPRESSOR - SANDEN				
Excavator TB1140 with Sanden 7H15FLX #4870, OE#RD-5-10895-0	Sanden 7H15FLX, GV head, ear mt., variable goove, 6 1/4" (158mm)	4870, RD-5-10895-0	RD-5-10895-0P	75R89374
Mini Excavator TB175 with Sanden 7H15, #4742, OE#RD-5-9319-0	Sanden 7H15-HD, KG head, ear mt., 2 goove, 4.9" (125mm)	4742, RD-5-9319-0	RD-5-9319-0P	75R84654
Track Loader TL140, 150 with Sanden 5H09, #5077, OE#RD-5-10493-0P	Sanden 5H09, K head, ear mt., 2 goove, 4.9" (125mm)	5077, RD-5-10493-0	RD-5-10493-0P	75R82142
CONDENSER				
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-5-9204-1	Multi Flow type, 16 1/4" fin width x 14" x 3/4"	RD-4-5361-0	RD-4-5361-0P	77R1285
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-4-5722-0	Multi Flow type, 14" fin width x 14" X 7/8"	RD-4-5722-0	RD-4-5722-0P	77R1275
EVAPORATOR				
Backhoe BL70 with Red Dot A/C, OE#RD-2-3741-0	Dimensions: 8" height x 11 1/2" length x 3 13/32" width	RD-2-3741-0	RD-2-3741-0P	76R7730
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-2-3923-0	Dimensions: 6 1/8" height x 16 1/2" length x 3 13/32" width	RD-2-3923-0	RD-2-3923-0P	76R7450
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-2-3832-0	Dimensions: 6 1/8" height x 9 3/4" length x 3 13/32" width	RD-2-3832-0	RD-2-3832-0P	76R6325
EXPANSION VALVE / BLOCK				
Backhoe BL70 with Red Dot A/C, OE#RD-5-7015-0	Block valve with female O-Ring fittings	RD-5-7015-0	RD-5-7015-0P	71R8321
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-5-6868-0	Block valve with female O-Ring fittings	RD-5-6868-0	RD-5-6868-0P	71R8301
EXPANSION VALVE / ORIFICE TUBE				
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-5-10011-0	Main unit, orange tube, blue orifice with green HBNR	RD-5-10011-0	RD-5-10011-0P	71R8504
FILTER				
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-3-10331-0	Recirculating air foam filter, 16 5/16" x 5 3/4" x 1/2"	RD-3-10331-0	RD-3-10331-0P	78R5301
Mini Excavator TB175 with Red Dot A/C unit R-1630, R-20500, OE#RD-3-10591-0	Fresh air frame filter, 10 11/16" x 4 7/16" x 1/2"	RD-3-10591-0	RD-3-10591-0P	78R5355
HEATER				
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-1-2333-0	Dimensions: 8" height x 11 1/2" length x 1 1/2" width	RD-1-2333-0	RD-1-2333-0P	76R4100
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-1-2069-0	Dimensions: 6" height x 11" length x 2 3/16" width	RD-1-2069-0	RD-1-2069-0P	76R2740
PRESSURE SWITCH				
Mini Excavator TB175 with Red Dot A/C unit R-1630, R-20500, OE#RD-5-8433-0	Dual function switch (Fujikoki) with 7/16"-20, 4 terminal	RD-5-8433-0, A22-36474-000	RD-5-8433-0P	71R7075
RECEIVER DRIER				
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-5-4947-0	In-line Drier, 2 1/2" X 6 9/16"	RD-5-4947-0	RD-5-4947-0P	74R0450
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-5-9389-0	In-line Drier, 2 1/2" X 6 9/16"	RD-5-9389-0	RD-5-9389-0P	74R2800



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

TAKEUCHI

RECEIVER DRIER

Backhoe BL70 with Red Dot A/C, OE#RD-5-6450-0	Fan speed blower resistor, 4 speed, 4 terminal	RD-5-6450-0	RD-5-6450-0P	71R1455
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-5-9445-0	Resistor, 3 speed for blower assembly	RD-5-9445-0	RD-5-9445-0P	71R1401
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-5-9448-0	Resistor, 3 speed for blower assembly	RD-5-9448-0	RD-5-9448-0P	71R1404

THERMOSTATIC SWITCH

Backhoe BL70 with Red Dot A/C, OE#RD-5-4531-24	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24	RD-5-4531-24P	71R3200
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-5-6429-0	Fixed Setting thermostat with 16" capillary tube, flange mt.	RD-5-6429-0	RD-5-6429-0P	71R3150
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-5-4531-24	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24	RD-5-4531-24P	71R3200

WATER VALVE

Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-4257-0	Cable operated for standard control units, 5/8" hose to 5/8" hose	RD-4257-0	RD-4257-0P	72R5050
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-4257-0	Cable operated for standard control units, 5/8" hose to 5/8" hose	RD-4257-0	RD-4257-0P	72R5050

TEREX

CLUTCH ASSEMBLY

All series with CCI/York - R12 / 134A compressors, OE#024-25078, MA6, MAE6AR	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	024-25078, MA6, MAE6AR	RD-5-4967-0P	75R0452
All series with CCI/York - R12 / 134A compressors, OE#332334, MA 7A	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	332334, MA 7A	RD-5-4994-0P	75R4502

COMPRESSOR - CCI / YORK / TECUMSEH

All series with CCI/York Tecumseh Rotolock ER, R210L-25149 compressor	Rotolock Head, LH Suction without clutch, (universal - new)	ER, R210L- 25149	RD-5-8637-1P	75R7280
All series with CCI/York - Tube O-Ring compressor ET210L-25150C	Tube O-Ring type head without clutch, (universal - new)	ET210L-25150C	RD-5-8638-1P	75R7290

COMPRESSOR - GM

All series with GM A6 compressor with Superheat switch port, without oil	1 groove 1/2" width, 4 7/8" diameter (124mm), generic	0259362-2, 1131243, 509170-C91	RD-5-5000-0P	75R8102
All series with new GM A6R without Superheat switch port, without oil, OE#1131274	GM A6 24V, CW, 1 groove 1/2" width, 7" diameter, metric threads, new	1131274	RD-5-7566-0P	75R8184

EXPANSION VALVE / EXTERNAL EQUALIZER

All model series with OE#9053997	Male O-Ring with 13" capillary length, 13" equalizer tube length	9053997	RD-5-3824-1P	71R8100
----------------------------------	--	---------	--------------	----------------

RECEIVER DRIER

All model series with OE#RD-5-7559-0, Eagle A/C	#6 Male O-Ring, 2 1/2" x 7 1/16", 1/4" male side port	RD-5-7559-0	RD-5-7559-0P	74R1106
All model series using Red Dot A/C unit R-10046-0, R-10047-0, OE#088273-00	#6 Male O-Ring, 2 1/2" x 7 1/16", 1/4" male side port	088273-00	RD-5-7559-0P	74R1106

THERMOSTATIC SWITCH

All model series with OE#9038467	Rotary thermostat with 18" capillary tube, 28 - 62°F	9038467	RD-5-4909-0P	71R2100
All model series with Red Dot A/C, OE#RD-4226-0P	Cable controlled thermostat, 30" capillary tube, 34 - 54°F	RD-4226-0P	RD-4226-0P	71R2700

TIMBERJACK

BLOWER MOTOR

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-5-9204-1	Blower Assembly, three speed, 24V, 13 3/4" x 6 1/2" x 5"	RD-5-9204-1	RD-5-9204-1P	73R5624
Skidder series models with Red Dot model R-9725-0, R-9755-0, OE#RD-5-3780-0	Double shaft motor, 12V, 3 speed, 4" length	RD-5-3780-0	RD-5-3780-0P	73R4102
Skidder series models, condenser motor, OE#RD-5-8709-0	Single shaft, 1 speed, 12V, CW, 4 3/4" length, vented	RD-5-8709-0	RD-5-8709-0P	73R0562

OFF-ROAD APPLICATIONS



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

TIMBERJACK

CONDENSER

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-5-9445-0	Resistor, 3 speed for blower assembly	RD-5-9445-0	RD-5-9445-0P	71R1401
---	---------------------------------------	-------------	--------------	----------------

CONDENSER

Feller Buncher 608L, 608S with Red Dot A/C unit R-2825-0, OE#RD-5-9204-1	Grilldenser type, fin width 37" x 33 5/8" x 1 1/2" thick	RD-4-5655-0	RD-4-5655-0P	77R6255
Feller Buncher 850 with Red Dot A/C unit R-2825-0, OE#RD-4-5743-0	Grilldenser type, fin width 31 7/8" x 34 1/2" x 1 3/4" thick	RD-4-5743-0	RD-4-5743-0P	77R6250
Skidder series models with Red Dot model R-9725-0, R-9755-0, OE#RD-4-4440-0	Tube & Fin type, fin width 18 1/2" x 7 3/32" x 2 1/2" thick	RD-4-4440-0	RD-4-4440-0P	77R0090

EVAPORATOR

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-5-9204-1	Dimensions: 6 1/8" height x 16 1/2" length x 3 1/32" width	RD-2-3923-0	RD-2-3923-0P	76R7450
Skidder series models with Red Dot model R-9725-0, R-9755-0, OE#RD-2-2047-0	Dimensions: 4" height x 17 7/8" length x 2 3/4" width	RD-2-2047-0	RD-2-2047-0P	76R4920

EXPANSION VALVE / BLOCK

Skidder series models with Red Dot model R-9725-0, R-9755-0, OE#RD-2-2047-0	Block valve, 1 1/2 ton, female O-Ring, 80 psig @ 40°F	RD-5-6868-1, 1676649-C1	RD-5-6868-0P	71R8301
---	---	-------------------------	--------------	----------------

EXPANSION VALVE / ORIFICE TUBE

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-5-9204-1	Main unit, orange tube, blue orifice with green HBNR	RD-5-10011-0	RD-5-10011-0P	71R8504
---	--	--------------	---------------	----------------

FILTER

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-3-10331-0	Recirculating air foam filter, 16 5/16" x 5 3/4" x 1/2"	RD-3-10331-0	RD-3-10331-0P	78R5301
Skidder series models with Red Dot model R-9725-0, R-9755-0, OE#RD-5-6867-0	Fresh air frame filter, 18 7/8" x 4 13/16" x 5/16"	RD-5-6867-0P	RD-5-6867-0P	78R5350

HEATER

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-1-2333-0	Dimensions: 8" height x 11 1/2" length x 1 1/2" width	RD-1-2333-0	RD-1-2333-0P	76R4100
---	---	-------------	--------------	----------------

RESISTOR

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-5-9445-0	Resistor, 3 speed for blower assembly	RD-5-9445-0	RD-5-9445-0P	71R1401
---	---------------------------------------	-------------	--------------	----------------

THERMOSTATIC SWITCH

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-5-6429-0	Fixed Setting thermostat with 16" capillary tube, flange mt.	RD-5-6429-0	RD-5-6429-0P	71R3150
Skidder series models with Red Dot model R-9725-0, R-9755-0, OE#RD-5-4531-24	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24	RD-5-4531-24P	71R3200

WATER VALVE

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-5-5119-0	Cable operated valve, straight, 5/8" to 5/8" hose	RD-5-5119-0, 1-1574Q, MA1060	RD-5-5119-0P	72R5060
---	---	------------------------------	--------------	----------------

VERSATILE

BLOWER MOTOR

All Swathers and tractors with Kysor A/C evaporator, OE#275158	Kysor A/C (evaporator blower), double shaft motor, 1 speed, 12V, 4 7/8" length	70257336-1	RD-5-10068-0P	73R4322
All Swathers and tractors with Kysor A/C evaporator, OE#275152	Double shaft blower motor (only), 1 speed, 4 3/4" length, 12V vented	275152	RD-5-6801-0P	73R4182
All Swathers and tractors with Kysor A/C condenser, OE#275130	Kysor A/C, single shaft-non-vented, 1 speed, CW, 4 7/8" length	275130	RD-5-7129-0P	73R0542

BLOWER SWITCH

All Swathers and tractors with OE#4K754	Rotary switch, DP3T, 3 speed, short shaft thread	4K754, BOA-80-926-00-059	RD-5-9833-0P	71R1160
All Swathers and tractors with OE#RD-5-10934-0, 71195109	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	RD-5-10934-0, 71195109	RD-5-10934-0P	71R1163

CLUTCH ASSEMBLY

All Swathers with Kysor A/C with Sanden SD508 compressors, OE#6574-6210, 6514-6210	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202
--	--	----------------------	--------------	----------------



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

VERSATILE

CLUTCH ASSEMBLY

All Swathers and tractors with CCI/York - R12 / 134a compressors OE#024-25078, MA6, MAE6AR	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	024-25078, MA6, MAE6AR	RD-5-4967-0P	75R0452
All Swathers and tractors with CCI/York - R12 / 134a compressors, OE#332334, MA 7A	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	332334, MA 7A	RD-5-4994-0P	75R4502
All Swathers and tractors with Sanden SD5 (508 / 510 / 5H14) R12/R134a compressors	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202
All Swathers and tractors with Sanden SD7H15HD R134a compressor, OE #6504-6310	2 groove 1/2" width, 5 1/4" diameter (132mm)	6504-6310	RD-5-10379-0P	75R1542
Tractors 256, 276, 550, 555 with Sanden SD510 R12/R134a compressor, OE#6574-6210, 6514-6210	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202
Tractors 700, 750 with 5/8" belt with Sanden SD510 compressor	1 groove 6 1/4" diameter pulley, 5/8" width, bullet plug	6521-6010	RD-5-5489-0P	75R1402
Tractors 700, 750 with 5/8" belt with York ER-210 series compressor	All with CCI, York Tecumseh compressor, 1 groove 6 3/4" diameter pulley, 5/8" width, bullet plug	502743, L50-2743	RD-5-4988-0P	75R3602
Tractors 800, 825, 835, 850 with 5/8" belt with York ER-210 series compressor	All with CCI, York Tecumseh compressor, 1 groove 6 3/4" diameter pulley, 5/8" width, bullet plug	502743, L50-2743	RD-5-4988-0P	75R3602
Tractors 855, 875, 876 with Sanden SD510 R12/R134a compressor, OE#6574-6210, 6514-6210	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202
Tractors 855, 875, 876 with York ER-210 series compressor, OE#L50-2393, 502393	1 groove, 6 3/4" diameter pulley, 1/2" width, 2 3/4" ga., bullet plug	L50-2393, 502393	RD-5-4984-0P	75R3002
Tractors 900, 935, 950, 975 with Sanden SD510 R12/R134a compressor, OE#6574-6210, 6514-6210	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202
Tractors 900, 935, 950, 975 with York ER-210 series compressor, OE#L50-2393, 502393	1 groove, 6 3/4" diameter pulley, 1/2" width, 2 3/4" ga., bullet plug	L50-2393, 502393	RD-5-4984-0P	75R3002
Tractors 1150, 1153 with Sanden SD510 R12/R134a compressor, OE#6574-6210, 6514-6210	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	75R0202

COMPRESSOR - CCI / YORK / TECUMSEH

All tractor series with CCI / York HD Rotolock ER-210 series compressor	Rotolock Head, LH Suction without clutch, (universal - new)	ER, R210L- 25149, 99242-5	RD-5-8637-1P	75R7280
All tractor series with CCI/York/ Tecumseh - Tube O-Ring ET210L-25150C compressor without clutch	Tube O-Ring type head without clutch, (universal - new)	ET210L-25150, -C, 99244-5	RD-5-8638-1P	75R7290
Tractors 700, 750 with 5/8" belt with York ER-210 series compressor	Rotolock Head, LH Suction without clutch, (universal - new)	ER, R210L- 25149	RD-5-8637-1P	75R7280
Tractors 800, 825, 835, 850, 855, 875, 876 with 5/8" belt with York ER-210 series compressor	Rotolock Head, LH Suction without clutch, (universal - new)	ER, R210L- 25149	RD-5-8637-1P	75R7280
Tractors 900, 935, 950, 975 with 5/8" belt with York ER-210 series compressor	Rotolock Head, LH Suction without clutch, (universal - new)	ER, R210L- 25149	RD-5-8637-1P	75R7280

COMPRESSOR - SANDEN

All tractor series with Sanden 7H15, # 6664 R134a compressor	7H15, JD head, ear mount 2 groove, 5 1/4" (132mm) diameter	6664, 72239750	RD-5-10297-0P	75R84612
All tractor series with Sanden 5H14, #6665 R134a compressors, 24V	5H14-HD, FL head, 24V, 2A groove, 5 1/4" (132mm) diameter	6665	RD-5-7089-0P	75R8384
All tractor series with Sanden 510-HD, OE#9103 R-12 compressor	SD510HD, B head, 2A groove, 5/8" width, 5 1/4"(132mm) diameter	9103	RD-5-6164-0P	75R8262
All tractor series with Sanden 508, #9285, R12 compressor	SD508HD, FG head, 2A groove, 5 1/4"(132mm) diameter	9285	RD-5-5575-0P	75R8292
All tractor series with Sanden 510-HD, #9674, 24V, R12 compressor	SD510HD, FG head, 24V, 2A groove, 5 1/4" (132mm) diameter	9674	RD-5-5626-0P	75R8214
All tractor series with Sanden SD510, #9675 R-12 compressor	SD510HD, FG head, variable groove, 6 1/4" (158mm) diameter	9675	RD-5-5627-0P	75R8232
Tractors 700, 750 with Sanden 5H14, OE#4511, 6671 R-134a compressor	SD5H14, C head, ear mount, 2A groove, 6 1/4" (132mm) diameter	4511, 6671	RD-5-8945-0P	75R8252
Tractors 855, 875, 876, 900, 935, 950, 975 with Sanden 510-HD, OE#9103 R-12 compressor	SD510HD, B head, 2A groove, 5/8" width, 5 1/4"(132mm) diameter	9103	RD-5-6164-0P	75R8262

OFF-ROAD APPLICATIONS



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

VERSATILE

COMPRESSOR - SANDEN

Tractors 1150, 1153 with Sanden 510-HD, OE#9103 R-12 compressor	SD510HD, B head, 2A groove, 5/8" width, 5 1/4"(132mm) diameter	9103	RD-5-6164-0P	75R8262
---	--	------	--------------	----------------

ELECTRICAL SWITCH

All Swathers and tractors with OE#53620, 404028	Rotary thermostat, 36" capillary tube, 34 - 52°F	53620, 404028	RD-4125-36P	71R2250
All Swathers and tractors with OE#4K754	Rotary switch, DP3T, 3 speed, short shaft thread	4K754, BOA-80-926-00-059	RD-5-9833-0P	71R1160
All Swathers and tractors with OE#RD-5-10934-0, 71195109	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	RD-5-10934-0, 71195109	RD-5-10934-0P	71R1163

EXPANSION VALVE / BLOCK

All Swathers and tractors with block valve, OE#79840	Block valve with female O-Ring fittings	79840	RD-5-6868-0P	71R8301
Swathers and tractors with Kysor A/C with block valve, OE#404087, 404098	Block valve with female O-Ring fittings	404087, 404098	RD-5-6868-0P	71R8301
Tractors 1150, 1153 with block valve, OE#79840	Block valve with female O-Ring fittings	79840	RD-5-6868-0P	71R8301

EXPANSION VALVE / EXTERNAL EQUALIZER

All Swathers and tractors with right angle valve, OE#404073	Male O-Ring with 13" capillary length, 13" equalizer tube length	404073	RD-5-3824-1P	71R8100
Tractors 256, 276 with right angle valve, OE#70267	Male O-Ring with 13" capillary length, 13" equalizer tube length	70267	RD-5-3824-1P	71R8100
All Swathers and tractors with flare fitting, OE#18384	Internal equalizer, 1 1/2 ton, with male flare with 9" capillary length, flare fittings	18384	RD-5-6099-0P	71R8210
All Swathers and tractors with O-Ring fitting, OE#826-004	Internal equalizer valve with male O-Ring fittings	826-004	RD-5-11033-0P	71R8060
Tractors 800, 825, 835, 850, 900, 935, 950, 975 with OE#18384	Internal equalizer, 1 1/2 Ton, Male O-Ring	18384	RD-5-6099-0P	71R8210

PRESSURE SWITCH

All Swathers and tractors with OE#404081	High Pressure Fan switch with M10 threads, opens 300 psi, closes 250psi	404081, AR45868	RD-5-8287-0P	71R6210
--	---	-----------------	--------------	----------------

RECEIVER DRIER

All Swathers and tractors with OE#085098-00	Male O-Ring with fuse plug, side port, top glass	085098-00	RD-5-4950-0P	74R0906
All Swathers and tractors with OE#088011-00	with #6 Male flare, 3" X 6 1/4"	088011-00, 926384-C1	RD-5-4954-0P	74R2406
All Swathers and tractors with OE#088424-01	with #6 Male O-Ring, 3" x 6 1/4"	088424-01	RD-5-7061-2P	74R2526
All Swathers and tractors with OE#30080	with #6 Male Flare (top and side), 4" X 6 3/4"	30080, 1162927	RD-5-6077-0P	74R4016
All Swathers and tractors with OE#48510	with #6 Male O-Ring, 3" x 10", fuse, top port	48510, 9827053	RD-5-6504-0P	74R2306
All Swathers and tractors with OE#70966, 088411-01	In-line, #6 Male O-Ring, 2 1/2" x 9 3/8"	70966, 088411-01	RD-5-7064-0P	74R0460
Tractors 256, 276 with OE#48510	Male & Male O-Ring HPRV, MI IN CAP, 3" x 8 3/8", hi capacity	48510, PH 088193-00	RD-5-11192-0P	74R2608

THERMOSTATIC SWITCH

All Swathers and tractors with OE#18342	Rotary thermostat with 48" capillary tube, 34 - 52°F	18342, 0272229-6	RD-4125-48P	71R2300
All Swathers and tractors with OE#53620	Rotary thermostat, 36" capillary tube, 34 - 52°F	53620	RD-4125-36P	71R2250
All Swathers and tractors with Kysor A/C, OE#404028	Rotary thermostat, 36" capillary tube, 34 - 52°F	404028	RD-4125-36P	71R2250

VME

EXPANSION VALVE / EXTERNAL EQUALIZER

Tractor 175B, 175C series with OE#3380223M1, RD-5-5862-0	Male O-Ring, 1 1/2 Ton, 10" capillary length, 10" equalizer tube length	3380223M1	RD-5-5862-0P	71R8080
Tractor 275B, 275C series with OE#3380223M1, RD-5-5862-0	Male O-Ring, 1 1/2 Ton, 10" capillary length, 10" equalizer tube length	3380223M1	RD-5-5862-0P	71R8080

RECEIVER DRIER

Tractor 175C, 380 series with OE#RD-5-6075-0, 118304-C1, 118418-C1	with #6 Male O-Ring (top and side), 4" X 6 3/4"	RD-5-6075-0, 118304-C1, 118418-C1	RD-5-6075-0P	74R4006
--	---	-----------------------------------	--------------	----------------



Model	Description	OEM Part No.	Factory No.	Part No.
-------	-------------	--------------	-------------	----------

VME

RECEIVER DRIER

Tractor 175B, 275C series with drier, OE#RD-5-5955-0	#6 Male O-Ring, 4" x 7 3/4", side port, low pressure switch, moisture indicator	RD-5-5955-0, 088209-02, 106-5534, 5V5698	RD-5-5955-0P	74R3516
--	---	--	--------------	----------------

THERMOSTATIC SWITCH

Tractor 380 series with OE#RD-5-4911-0, 404077	Cable controlled with 18" capillary tube, 26 - 66°F	RD-5-4911-0, 404077	RD-5-4911-0P	71R2600
--	---	---------------------	--------------	---------

VOLVO OFF-ROAD

BLOWER MOTOR

Backhoe BL70 series used with Red Dot A/C unit R-9100-0, OE#RD-5-9204-0	Blower assembly, 3 speed, 12V, 684 cfm, 13 3/4" x 6 1/2" x 5"	RD-5-9204-0	RD-5-9204-0P	73R5622
---	---	-------------	--------------	----------------

Backhoe BL70 series used with Red Dot A/C unit R-9110-0, OE#RD-5-8837-1	Blower assembly, 1 speed, 12V, 12 1/4" x 3 1/8" x 4 1/2"	RD-5-8837-1	RD-5-8837-1P	73R5642
---	--	-------------	--------------	----------------

Backhoe, Loader and Tractor L20B, L25B series	2RD570M Unit with Heater A/C, 12V blower motor assy	RD 5 8837 0	RD-5-8837-0P	73R5532
---	---	-------------	--------------	----------------

BLOWER - FAN RESISTOR

Backhoe BL70 series used with Red Dot A/C unit R-9110-0, OE#RD-5-6450-0	Fan speed blower resistor, 4 speed, 4 terminal	RD-5-6450-0	RD-5-6450-0P	71R1455
---	--	-------------	--------------	----------------

Backhoe BL70 series used with Red Dot A/C unit R-9110-0, OE#RD-5-3647-0	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	71R1450
---	---	-------------	--------------	----------------

COMPRESSOR - SANDEN

Backhoe, Loader and Tractor L20B, L25B series with Sanden 7H15, #8103, OE #2811582	7H15, JD head, ear mount, poly 8 groove, 4.7" (119 mm) diameter	2811582, 8103	RD-5-9251-0P	75R8462
--	---	---------------	--------------	----------------

EVAPORATOR

Backhoe BL70 series used with Red Dot A/C unit R-9110-0, OE#RD-2-3741-0	Dimensions: 8" height x 11 1/2" length x 3 13/32" width	RD-2-3741-0	RD-2-3741-0P	76R7730
---	---	-------------	--------------	----------------

EXPANSION VALVE / BLOCK

Backhoe BL70 series used with Red Dot A/C unit R-9110-0, OE#RD-5-7015-0	Block valve with female O-Ring fittings	RD-5-7015-0	RD-5-7015-0P	71R8321
---	---	-------------	--------------	----------------

EXPANSION VALVE / ORIFICE TUBE

Backhoe, Loader and Tractor L20B, L25B model series with OE#RE24958	GM type, CCOT (White) Orifice Tube with accumulator system, main unit	RE24958	RD-5-4919-0P	71R8500
---	---	---------	--------------	----------------

RECEIVER DRIER

Backhoe, Loader and Tractor L20B, L25B model series with quick disconnect, Cat OE#3E3535	In-line, quick disconnect, 2 1/2" x 13 7/8"	RD-5-8605-0, 3E3535	RD-5-8605-0P	74R0470
--	---	---------------------	--------------	----------------

RESISTOR

Backhoe BL70 series used with Red Dot A/C, OE#RD-5-6450-0	Fan speed blower resistor, 4 speed, 4 terminal	RD-5-6450-0	RD-5-6450-0P	71R1455
---	--	-------------	--------------	----------------

Backhoe BL70 series used with Red Dot A/C unit R-9110-0, OE#RD-5-3647-0	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	71R1450
---	---	-------------	--------------	----------------

THERMOSTATIC SWITCH

Backhoe BL70 series used with Red Dot A/C unit R-9110-0, OE#RD-5-4531-24P	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	71R3200
---	---	---------------	---------------	----------------

Backhoe, Loader and Tractor L20B, L25B model series with OE#1118408	Preset (fixed) setting thermostat, 21" capillary tube, 31 - 40°F	1118408	RD-5-10335-0P	71R3220
---	--	---------	---------------	----------------

WATER VALVE

Backhoe BL70 series used with Red Dot A/C unit R-9100-0, OE#RD-5-10223-0	Cable operated valve, straight (pull to open), 5/8" to 5/8" hose	RD-5-10223-0	RD-5-10223-0P	72R5055
--	--	--------------	---------------	----------------

WABCO

EXPANSION VALVE / EXTERNAL EQUALIZER

60B, 85D Series with OE#2684701-C1	Main Unit, all models with flare fitting	2684701-C1	RD-4126-1P	71R8050
------------------------------------	--	------------	------------	----------------

120CT, 120D Series with OE#2684701-C1	Main Unit, all models with flare fitting	2684701-C1	RD-4126-1P	71R8050
---------------------------------------	--	------------	------------	----------------

RECEIVER DRIER

60B, 85D, 120D Series with OE#72161835-3	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	72161835-3	RD-4160-1P	74R2106
--	--	------------	------------	----------------